

Reset Root


Reset Zoom

~:0(<built-in method builtins.exec>  
0.713 s

Style:

Depth:

Cutoff:



Search:

ncalls	tottime	percall	cumtime	percall	filename:lineno(function)
393	0.06155	0.0001566	0.06155	0.0001566	~:0(<built-in method marshal.loads>)
81/79	0.05275	0.0006677	0.05507	0.0006972	~:0(<built-in method _imp.create_dynamic>)
1	0.04215	0.04215	0.05246	0.05246	~:0(<method 'read' of 'pandas._libs.parsers.TextReader' objects>)
2704	0.03422	1.265e-05	0.03422	1.265e-05	~:0(<built-in method posix.stat>)
1283/1252	0.02524	2.016e-05	0.09195	7.344e-05	~:0(<built-in method builtins.__build_class__>)
1620	0.02403	1.483e-05	0.02406	1.485e-05	~:0(<method 'sub' of '_sre.SRE_Pattern' objects>)
317	0.02144	6.764e-05	0.02144	6.764e-05	~:0(<built-in method builtins.compile>)
393	0.01969	5.01e-05	0.02511	6.39e-05	<frozen importlib._bootstrap_external>:830(get_data)
595	0.0194	3.261e-05	0.0194	3.261e-05	~:0(<built-in method io.open>)
972	0.01839	1.892e-05	0.01839	1.892e-05	~:0(<method 'findall' of '_sre.SRE_Pattern' objects>)
774/1	0.0151	0.0151	0.713	0.713	~:0(<built-in method builtins.exec>)
81/54	0.01217	0.0002253	0.102	0.001889	~:0(<built-in method _imp.exec_dynamic>)
1	0.012	0.012	0.012	0.012	~:0(<built-in method pandas._libs.tslib.array_to_datetime>)
946	0.008631	9.124e-06	0.04588	4.85e-05	<frozen importlib._bootstrap_external>:1233(find_spec)

5	0.008177	0.001635	0.008198	0.00164	base.py:5021(<add_numeric_methods_disabled>)
1	0.007147	0.007147	0.007147	0.007147	parsers.py:3481(<listcomp>)
13616	0.006583	4.835e-07	0.006641	4.877e-07	~:0(<built-in method builtins.getattr>)
972	0.005959	6.131e-06	0.05459	5.616e-05	textwrap.py:414(dedent)
62	0.0057	9.194e-05	0.0057	9.194e-05	~:0(<method 'decompress' of 'zlib.Decompress' objects>)
29498	0.005645	1.914e-07	0.005645	1.914e-07	~:0(<method 'startswith' of 'str' objects>)
393	0.005423	1.38e-05	0.005423	1.38e-05	~:0(<method 'read' of '_io.FileIO' objects>)
370/131	0.005392	4.116e-05	0.01493	0.000114	sre_parse.py:470(_parse)
8346	0.00538	6.446e-07	0.005465	6.548e-07	~:0(<built-in method builtins.hasattr>)
24480/24006	0.005272	2.196e-07	0.008934	3.722e-07	~:0(<built-in method builtins.isinstance>)
648	0.004944	7.63e-06	0.06583	0.0001016	<frozen importlib._bootstrap>:870(_find_spec)
1540	0.00494	3.208e-06	0.00494	3.208e-06	~:0(<built-in method __new__ of type object at 0x10c074dd8>)
217	0.004561	2.102e-05	0.004561	2.102e-05	~:0(<built-in method posix.getcwd>)
1508	0.004477	2.969e-06	0.00674	4.469e-06	<frozen importlib._bootstrap>:157(_get_module_lock)
827/6	0.004242	0.000707	0.6117	0.102	<frozen importlib._bootstrap>:966(_find_and_load)
393	0.004122	1.049e-05	0.005104	1.299e-05	<frozen importlib._bootstrap_external>:430(_validate_bytecode_header)
4860	0.003994	8.218e-07	0.01085	2.232e-06	<frozen importlib._bootstrap_external>:57(_path_join)
2364/2359	0.003607	1.529e-06	0.003782	1.603e-06	~:0(<method 'format' of 'str' objects>)
55	0.003393	6.169e-05	0.003393	6.169e-05	~:0(<built-in method posix.listdir>)
4860	0.003392	6.979e-07	0.005529	1.138e-06	<frozen importlib._bootstrap_external>:59(<listcomp>)
666/119	0.003364	2.827e-05	0.01187	9.971e-05	sre_compile.py:64(_compile)
594	0.003254	5.478e-06	0.003266	5.498e-06	~:0(<method 'close' of '_io.BufferedReader' objects>)
393	0.003075	7.824e-06	0.1079	0.0002745	<frozen importlib._bootstrap_external>:743(get_code)
1508	0.003034	2.012e-06	0.003277	2.173e-06	<frozen importlib._bootstrap>:78(acquire)
786	0.002923	3.719e-06	0.006843	8.706e-06	<frozen importlib._bootstrap_external>:263(cache_from_source)
65	0.002905	4.469e-05	0.002905	4.469e-05	~:0(<built-in method zlib.crc32>)
592	0.002862	4.834e-06	0.04097	6.92e-05	__init__.py:78(open_resource)
827/6	0.002819	0.0004698	0.6116	0.1019	<frozen importlib._bootstrap>:936(_find_and_load_unlocked)
1508	0.002629	1.743e-06	0.002917	1.934e-06	<frozen importlib._bootstrap>:103(release)
643	0.002593	4.033e-06	0.05677	8.83e-05	<frozen importlib._bootstrap_external>:1117(_get_spec)
479	0.002523	5.267e-06	0.01105	2.308e-05	<frozen importlib._bootstrap>:504(_init_module_attrs)
7189/7185	0.002486	3.46e-07	0.003385	4.711e-07	~:0(<method 'join' of 'str' objects>)
482/4	0.002461	0.0006153	0.6103	0.1526	<frozen importlib._bootstrap>:651(_load_unlocked)
4	0.002387	0.0005967	0.002807	0.0007018	ops.py:553(_aggregate)
2651/1518	0.002332	1.536e-06	0.2724	0.0001794	<frozen importlib._bootstrap>:997(_handle_fromlist)
11107	0.002324	2.092e-07	0.002324	2.092e-07	~:0(<method 'rstrip' of 'str' objects>)
2	0.002233	0.001116	0.002233	0.001116	~:0(<method 'argsort' of 'numpy.ndarray' objects>)
5116	0.00215	4.203e-07	0.00215	4.203e-07	sre_parse.py:232(__next)
623	0.002102	3.374e-06	0.003228	5.181e-06	posixpath.py:75(join)
614	0.002072	3.375e-06	0.002386	3.886e-06	_inspect.py:67(getargs)
499	0.002002	4.012e-06	0.003878	7.772e-06	functools.py:44(update_wrapper)
1148	0.00194	1.69e-06	0.03711	3.232e-05	re.py:286(_compile)

1401	0.001914	1.366e-06	0.005189	3.704e-06	enum.py:803(__and__)
5195	0.001813	3.49e-07	0.001813	3.49e-07	<frozen importlib._bootstrap>:222(_verbose_message)
4062	0.001786	4.397e-07	0.002144	5.278e-07	~:0(<built-in method builtins setattr>)
272	0.001763	6.482e-06	0.002748	1.01e-05	sre_compile.py:250(_optimize_charset)
1049/993	0.001756	1.768e-06	0.002577	2.595e-06	typing.py:1164(__setattr__)
1062/521	0.001732	3.324e-06	0.002151	4.129e-06	sre_parse.py:173(getwidth)
125	0.001671	1.337e-05	0.009691	7.753e-05	abc.py:132(__new__)
16	0.001665	0.0001041	0.004153	0.0002596	enum.py:124(__new__)
3122	0.001653	5.295e-07	0.002363	7.569e-07	enum.py:517(__new__)
195	0.001619	8.303e-06	0.001646	8.441e-06	~:0(<built-in method numpy.array>)
80	0.001598	1.998e-05	0.01205	0.0001506	typing.py:922(__new__)
3135	0.001553	4.954e-07	0.007358	2.347e-06	enum.py:267(__call__)
393/4	0.001542	0.0003855	0.6101	0.1525	<frozen importlib._bootstrap_external>:672(exec_module)
1	0.001535	0.001535	0.001544	0.001544	~:0(<method 'factorize' of 'pandas._libs.hashtable.Int64HashTable' objects>)
11235/10890	0.001505	1.382e-07	0.00165	1.515e-07	~:0(<built-in method builtins.len>)
474	0.001485	3.133e-06	0.002217	4.677e-06	<frozen importlib._bootstrap_external>:524(spec_from_file_location)
287	0.001469	5.118e-06	0.006061	2.112e-05	overrides.py:72(verify_matching_signatures)
317	0.001418	4.473e-06	0.0421	0.0001328	overrides.py:154(decorator)
4090	0.001367	3.342e-07	0.002995	7.323e-07	sre_parse.py:253(get)
4450	0.001358	3.052e-07	0.001358	3.052e-07	~:0(<method 'rpartition' of 'str' objects>)
290/37	0.001318	3.562e-05	0.003817	0.0001032	abc.py:196(__subclasscheck__)
596	0.001302	2.185e-06	0.002355	3.951e-06	posixpath.py:154(dirname)
479	0.001204	2.514e-06	0.002489	5.196e-06	<frozen importlib._bootstrap>:318(__exit__)
4080/3665	0.001162	3.171e-07	0.004698	1.282e-06	~:0(<built-in method builtins.issubclass>)
3	0.001134	0.000378	0.00342	0.00114	generic.py:9977(_add_numeric_operations)
2051	0.001127	5.495e-07	0.02491	1.215e-05	<frozen importlib._bootstrap_external>:75(_path_stat)
633	0.001121	1.771e-06	0.001297	2.049e-06	re.py:249(escape)
823	0.001117	1.357e-06	0.001683	2.045e-06	<frozen importlib._bootstrap>:58(__init__)
823	0.001099	1.335e-06	0.001625	1.974e-06	<frozen importlib._bootstrap>:176(cb)
10879	0.001095	1.007e-07	0.001095	1.007e-07	~:0(<method 'append' of 'list' objects>)
393	0.001094	2.784e-06	0.06383	0.0001624	<frozen importlib._bootstrap_external>:485(_compile_bytecode)
3	0.001066	0.0003553	0.001137	0.000379	managers.py:1841(_stack_arrays)
2560	0.001058	4.133e-07	0.001645	6.426e-07	sre_parse.py:163(__getitem__)
479/476	0.001054	2.214e-06	0.06836	0.0001436	<frozen importlib._bootstrap>:564(module_from_spec)
551	0.001053	1.911e-06	0.04419	8.019e-05	_decorators.py:310(__call__)
309/121	0.00105	8.678e-06	0.01551	0.0001282	sre_parse.py:407(_parse_sub)
27	0.001033	3.826e-05	0.001033	3.826e-05	generic.py:6(create_pandas_abc_type)
623	0.000984	1.579e-06	0.001872	3.005e-06	os.py:664(__getitem__)
1	0.000961	0.000961	0.001029	0.001029	~:0(<method 'readlines' of 'io.IOBase' objects>)
3	0.000945	0.000315	0.001053	0.000351	function_base.py:4225(delete)
592	0.000928	1.568e-06	0.04512	7.622e-05	__init__.py:111(resource_exists)
1054	0.00092	8.729e-07	0.007372	6.994e-06	<frozen importlib._bootstrap_external>:1080(_path_importer_cache)

681	0.000896	1.316e-06	0.004432	6.508e-06	<frozen importlib._bootstrap>:194(_lock_unlock_module)
451	0.000893	1.98e-06	0.000893	1.98e-06	_weakrefset.py:36(__init__)
474	0.000891	1.88e-06	0.003451	7.281e-06	<frozen importlib._bootstrap_external>:1228(_get_spec)
618	0.000888	1.437e-06	0.004112	6.654e-06	_inspect.py:98(getargspec)
827	0.000879	1.063e-06	0.008244	9.969e-06	<frozen importlib._bootstrap>:147(__enter__)
474	0.000878	1.852e-06	0.005158	1.088e-05	<frozen importlib._bootstrap_external>:361(_get_cached)
411	0.000872	2.122e-06	0.003073	7.477e-06	copy.py:66(copy)
59/33	0.000869	2.633e-05	0.002393	7.252e-05	~:0(<built-in method numpy.core._multiarray_umath.implement_array_funcit
393	0.000851	2.165e-06	0.000851	2.165e-06	~:0(<built-in method _imp._fix_co_filename>)
712	0.000833	1.17e-06	0.01198	1.683e-05	<frozen importlib._bootstrap_external>:85(_path_is_mode_type)
610	0.000831	1.362e-06	0.002638	4.325e-06	_collections_abc.py:657(get)
1	0.00083	0.00083	0.002081	0.002081	parsers.py:1830(__init__)
22/10	0.000828	8.28e-05	0.00148	0.000148	pyparsing.py:4217(parseImpl)
4428	0.000819	1.85e-07	0.000819	1.85e-07	~:0(<built-in method _imp.release_lock>)
596	0.000819	1.374e-06	0.004886	8.198e-06	__init__.py:896(__setitem__)
2890	0.000795	2.751e-07	0.000795	2.751e-07	~:0(<method 'endswith' of 'str' objects>)
29	0.000785	2.707e-05	0.01473	0.0005079	__init__.py:357(namedtuple)
2097	0.000777	3.705e-07	0.001172	5.589e-07	<frozen importlib._bootstrap>:847(__exit__)
4428	0.000756	1.707e-07	0.000756	1.707e-07	~:0(<built-in method _imp.acquire_lock>)
3297	0.000737	2.235e-07	0.000737	2.235e-07	~:0(<method 'get' of 'dict' objects>)
867	0.000737	8.501e-07	0.005895	6.799e-06	<frozen importlib._bootstrap>:403(cached)
725	0.000733	1.011e-06	0.001458	2.011e-06	~:0(<built-in method builtins.any>)
1095	0.000722	6.594e-07	0.000722	6.594e-07	~:0(<method 'update' of 'dict' objects>)
564/77	0.000719	9.338e-06	0.3954	0.005136	~:0(<built-in method builtins.__import__>)
2097	0.000706	3.367e-07	0.000996	4.75e-07	<frozen importlib._bootstrap>:843(__enter__)
786	0.000703	8.944e-07	0.001093	1.391e-06	<frozen importlib._bootstrap_external>:63(_path_split)
119	0.000701	5.891e-06	0.03376	0.0002837	sre_compile.py:557(compile)
651	0.000699	1.074e-06	0.000699	1.074e-06	<frozen importlib._bootstrap>:369(__init__)
933	0.000672	7.203e-07	0.000943	1.011e-06	<frozen importlib._bootstrap>:416(parent)
643	0.000661	1.028e-06	0.05743	8.932e-05	<frozen importlib._bootstrap_external>:1149(find_spec)
104/14	0.000654	4.671e-05	0.01051	0.0007505	~:0(<method 'read' of '_io.BufferedReader' objects>)
55	0.000649	1.18e-05	0.001919	3.489e-05	<frozen importlib._bootstrap_external>:1067(_path_hooks)
272	0.000646	2.375e-06	0.003783	1.391e-05	sre_compile.py:223(_compile_charset)
233	0.000635	2.725e-06	0.000635	2.725e-06	pyparsing.py:1386(__init__)
176	0.000628	3.568e-06	0.000628	3.568e-06	_decorators.py:257(__call__)
827	0.000618	7.473e-07	0.002651	3.206e-06	<frozen importlib._bootstrap>:151(__exit__)
1488	0.000617	4.147e-07	0.000617	4.147e-07	~:0(<method 'split' of 'str' objects>)
119	0.000589	4.95e-06	0.002674	2.247e-05	sre_compile.py:482(_compile_info)
2511	0.000578	2.302e-07	0.000578	2.302e-07	~:0(<built-in method posix.fspath>)
1650	0.000569	3.448e-07	0.000569	3.448e-07	~:0(<built-in method _thread.allocate_lock>)
643	0.000558	8.678e-07	0.01164	1.811e-05	re.py:184(sub)

119	0.000544	4.571e-06	0.0177	0.0001487	sre_parse.py:844(parse)
64	0.000539	8.422e-06	0.01025	0.0001601	_compression.py:66(readinto)
1	0.000537	0.000537	0.0912	0.0912	parsers.py:403(_read)
238	0.000535	2.248e-06	0.001311	5.508e-06	enum.py:70(__setitem__)
3032	0.000533	1.758e-07	0.000533	1.758e-07	~:0(<built-in method _thread.get_ident>)
657	0.000511	7.778e-07	0.0121	1.841e-05	<frozen importlib._bootstrap_external>:94(_path_isfile)
2251	0.000507	2.252e-07	0.000767	3.407e-07	sre_parse.py:248(match)
393	0.000501	1.275e-06	0.000578	1.471e-06	<frozen importlib._bootstrap_external>:393(_check_name_wrapper)
393	0.0005	1.272e-06	0.0005	1.272e-06	<frozen importlib._bootstrap>:35(_new_module)
68	0.000496	7.294e-06	0.008141	0.0001197	ops.py:1990(_arith_method_FRAME)
393	0.000495	1.26e-06	0.00706	1.796e-05	<frozen importlib._bootstrap_external>:840(path_stats)
1214	0.000488	4.02e-07	0.001185	9.761e-07	generic.py:7(_check)
843/6	0.000486	8.1e-05	0.6105	0.1017	<frozen importlib._bootstrap>:211(_call_with_frames_removed)
1	0.000486	0.000486	0.004872	0.004872	generic.py:98(NDFrame)
599	0.000484	8.08e-07	0.01032	1.724e-05	genericpath.py:16(exists)
188/7	0.000482	6.886e-05	0.002346	0.0003351	pyarsing.py:1633(_parseNoCache)
410	0.000475	1.159e-06	0.001235	3.012e-06	copy.py:268(_reconstruct)
838	0.000472	5.632e-07	0.000472	5.632e-07	_weakrefset.py:70(__contains__)
34	0.000468	1.376e-05	0.006419	0.0001888	typing.py:1099(__getitem__)
629	0.000463	7.361e-07	0.000886	1.409e-06	os.py:742(encode)
1914	0.000462	2.414e-07	0.000462	2.414e-07	<frozen importlib._bootstrap>:321(<genexpr>)
1	0.000462	0.000462	0.000462	0.000462	~:0(<pandas._libs.algos.take_2d_axis0_int64_int64>)
284	0.000455	1.602e-06	0.000965	3.398e-06	_weakrefset.py:58(__iter__)
807	0.00045	5.576e-07	0.000541	6.704e-07	~:0(<built-in method from_bytes>)
593	0.00045	7.589e-07	0.04557	7.685e-05	__init__.py:1104(<genexpr>)
1618	0.000448	2.769e-07	0.000448	2.769e-07	~:0(<method 'strip' of 'str' objects>)
125	0.000444	3.552e-06	0.001417	1.134e-05	abc.py:135(<setcomp>)
309	0.000444	1.437e-06	0.000538	1.741e-06	enum.py:353(__setattr__)
487	0.000443	9.097e-07	0.000443	9.097e-07	functools.py:74(wraps)
1561	0.00044	2.819e-07	0.00044	2.819e-07	~:0(<built-in method builtins.min>)
786	0.000438	5.573e-07	0.000869	1.106e-06	<frozen importlib._bootstrap_external>:52(_r_long)
946	0.000435	4.598e-07	0.000435	4.598e-07	<frozen importlib._bootstrap_external>:37(_relax_case)
1	0.000435	0.000435	0.000495	0.000495	period.py:89(PeriodArray)
273	0.000427	1.564e-06	0.002566	9.399e-06	function_base.py:441(add_newdoc)
410	0.000398	9.707e-07	0.000452	1.102e-06	~:0(<method '__reduce_ex__' of 'object' objects>)
3	0.000398	0.0001327	0.000688	0.0002293	expr.py:226(disallowed)
55	0.000397	7.218e-06	0.004262	7.749e-05	<frozen importlib._bootstrap_external>:1281(_fill_cache)
672	0.000396	5.893e-07	0.000396	5.893e-07	sre_parse.py:111(__init__)
951	0.000396	4.164e-07	0.000498	5.237e-07	sre_parse.py:285(tell)
1241	0.000395	3.183e-07	0.000649	5.23e-07	posixpath.py:41(_get_sep)
479	0.000392	8.184e-07	0.000392	8.184e-07	<frozen importlib._bootstrap>:311(__enter__)
1	0.00039	0.00039	0.1081	0.1081	pandas_test.py:19(nptime)

10	0.000389	3.89e-05	0.0145	0.00145	ops.py:1293(_create_methods)
1141	0.000388	3.401e-07	0.000509	4.461e-07	sre_parse.py:171(append)
126	0.000384	3.048e-06	0.000716	5.683e-06	expr.py:162(<genexpr>)
827	0.000378	4.571e-07	0.000378	4.571e-07	<frozen importlib._bootstrap>:143(__init__)
410	0.000375	9.146e-07	0.003443	8.398e-06	pyparsing.py:1409(copy)
80	0.000369	4.612e-06	0.000485	6.062e-06	typing.py:852(_next_in_mro)
48	0.000359	7.479e-06	0.000768	1.6e-05	config.py:410(register_option)
16	0.000357	2.231e-05	0.00063	3.937e-05	enum.py:160(<setcomp>)
15	0.000356	2.373e-05	0.000367	2.447e-05	arrayprint.py:465(wrapper)
55	0.000355	6.455e-06	0.000642	1.167e-05	<frozen importlib._bootstrap_external>:1196(__init__)
1	0.000349	0.000349	0.000349	0.000349	_color_data.py:995(<dictcomp>)
116	0.000341	2.94e-06	0.000397	3.422e-06	accessor.py:74(_create_delegator_property)
643	0.000334	5.194e-07	0.000632	9.829e-07	<frozen importlib._bootstrap>:780(find_spec)
4	0.000333	8.325e-05	0.005681	0.00142	_collections_abc.py:824(update)
1	0.000326	0.000326	0.0144	0.0144	numeric.py:1(<module>)
450	0.000325	7.222e-07	0.000325	7.222e-07	~:0(<method 'match' of '_sre.SRE_Pattern' objects>)
618	0.000323	5.227e-07	0.000508	8.22e-07	_inspect.py:15(ismethod)
260	0.000312	1.2e-06	0.000476	1.831e-06	sre_compile.py:388(_simple)
1	0.000307	0.000307	0.00065	0.00065	__init__.py:1041(_rc_params_in_file)
124	0.000304	2.452e-06	0.005221	4.21e-05	dtypes.py:68(find)
64	0.000304	4.75e-06	0.009648	0.0001508	gzip.py:438(read)
643	0.000298	4.635e-07	0.000298	4.635e-07	~:0(<built-in method '_imp.is_frozen'>)
479	0.000288	6.013e-07	0.000288	6.013e-07	<frozen importlib._bootstrap>:307(__init__)
253	0.000287	1.134e-06	0.003518	1.391e-05	abc.py:180(__instancecheck__)
1	0.00028	0.00028	0.7129	0.7129	pandas_test.py:2(<module>)
81/79	0.000279	3.532e-06	0.05547	0.0007021	<frozen importlib._bootstrap_external>:919(create_module)
987	0.000279	2.827e-07	0.000361	3.658e-07	sre_parse.py:159(__len__)
635	0.000272	4.283e-07	0.000272	4.283e-07	~:0(<method 'lstrip' of 'str' objects>)
1	0.000272	0.000272	0.002455	0.002455	expr.py:2(<module>)
134	0.00027	2.015e-06	0.000359	2.679e-06	ops.py:312(_get_opstr)
393	0.000269	6.845e-07	0.000269	6.845e-07	<frozen importlib._bootstrap_external>:800(__init__)
1	0.000268	0.000268	0.07694	0.07694	__init__.py:1(<module>)
391	0.000267	6.829e-07	0.000356	9.105e-07	~:0(<method 'extend' of 'list' objects>)
56	0.000267	4.768e-06	0.000267	4.768e-06	sre_compile.py:378(<listcomp>)
22	0.000267	1.214e-05	0.000336	1.527e-05	rcsetup.py:64(<dictcomp>)
888	0.000266	2.995e-07	0.000266	2.995e-07	~:0(<method 'find' of 'bytearray' objects>)
637	0.000266	4.176e-07	0.000266	4.176e-07	~:0(<method 'encode' of 'str' objects>)
122	0.000261	2.139e-06	0.000414	3.393e-06	sre_parse.py:223(__init__)
551	0.00026	4.719e-07	0.000329	5.971e-07	_decorators.py:303(__init__)
13	0.000254	1.954e-05	0.000931	7.162e-05	enum.py:625(<listcomp>)
4	0.000253	6.325e-05	0.008108	0.002027	ops.py:413(_cython_operation)

615	0.000252	4.098e-07	0.000252	4.098e-07	~:0(<method 'rfind' of 'str' objects>)
55	0.000251	4.564e-06	0.000394	7.164e-06	<frozen importlib._bootstrap_external>:1310(<setcomp>)
1	0.000247	0.000247	0.02027	0.02027	pyparsing.py:96(<module>)
204	0.000245	1.201e-06	0.000344	1.686e-06	sre_parse.py:342(_escape)
119	0.000244	2.05e-06	0.01488	0.0001251	sre_compile.py:542(_code)
618	0.000243	3.932e-07	0.00033	5.34e-07	_inspect.py:28(isfunction)
1	0.00024	0.00024	0.01508	0.01508	typing.py:1(<module>)
1	0.00024	0.00024	0.03054	0.03054	rcsetup.py:15(<module>)
1	0.000239	0.000239	0.04705	0.04705	__init__.py:101(<module>)
24	0.000238	9.917e-06	0.002291	9.546e-05	traceback.py:319(extract)
1	0.000234	0.000234	0.000234	0.000234	__init__.py:1182(<listcomp>)
147	0.00023	1.565e-06	0.001232	8.381e-06	enum.py:797(__or__)
121	0.000224	1.851e-06	0.000224	1.851e-06	sre_parse.py:76(__init__)
10	0.000224	2.24e-05	0.001051	0.0001051	ops.py:1354(add_methods)
1120	0.000223	1.991e-07	0.000223	1.991e-07	~:0(<method 'lower' of 'str' objects>)
1	0.000222	0.000222	0.04583	0.04583	lazy.py:97(_lazy)
10/7	0.000221	3.157e-05	0.001547	0.000221	base.py:253(__new__)
208	0.00022	1.058e-06	0.001254	6.029e-06	base.py:75(is_dtype)
68	0.000218	3.206e-06	0.000218	3.206e-06	~:0(<method 'copy' of 'numpy.ndarray' objects>)
26	0.000218	8.385e-06	0.000218	8.385e-06	~:0(<method 'reduce' of 'numpy.ufunc' objects>)
5	0.000217	4.34e-05	0.000217	4.34e-05	~:0(<method 'take' of 'numpy.ndarray' objects>)
67	0.000217	3.239e-06	0.000988	1.475e-05	pyparsing.py:3980(__init__)
1	0.000215	0.000215	0.002003	0.002003	core.py:21(<module>)
38	0.000211	5.553e-06	0.000211	5.553e-06	~:0(<method 'strptime' of 'datetime.date' objects>)
12	0.000209	1.742e-05	0.000637	5.308e-05	~:0(<method 'copy' of 'dict' objects>)
151	0.000208	1.377e-06	0.000522	3.457e-06	common.py:1845(_is_dtype_type)
75	0.000207	2.76e-06	0.000589	7.853e-06	_dtype.py:319(_name_get)
1	0.000207	0.000207	0.004016	0.004016	frame.py:290(DataFrame)
614	0.000206	3.355e-07	0.000314	5.114e-07	_inspect.py:43(iscode)
13	0.000206	1.585e-05	0.000245	1.885e-05	~:0(<method 'astype' of 'numpy.ndarray' objects>)
2	0.000206	0.000103	0.000206	0.000103	~:0(<built-in method utcfromtimestamp>)
304	0.000206	6.776e-07	0.000206	6.776e-07	__init__.py:930(__getitem__)
142	0.000205	1.444e-06	0.000359	2.528e-06	sre_parse.py:84(opengroup)
121/75	0.000201	2.68e-06	0.000472	6.293e-06	typing.py:336(_get_type_vars)
141/101	0.000198	1.96e-06	0.000213	2.109e-06	sre_compile.py:414(_get_literal_prefix)
81/54	0.000197	3.648e-06	0.1022	0.001892	<frozen importlib._bootstrap_external>:927(exec_module)
34	0.000197	5.794e-06	0.000197	5.794e-06	typing.py:896(_no_slots_copy)
1109	0.000196	1.767e-07	0.000196	1.767e-07	~:0(<method 'add' of 'set' objects>)
1	0.000196	0.000196	0.002734	0.002734	series.py:102(Series)
10/1	0.000196	0.000196	0.000284	0.000284	apikey.py:92(__init__)
527	0.000195	3.7e-07	0.000241	4.573e-07	sre_parse.py:81(groups)
83	0.000195	2.349e-06	0.00075	9.036e-06	pyparsing.py:3839(__init__)

648	0.000194	2.994e-07	0.000381	5.88e-07	<frozen importlib._bootstrap>:707(find_spec)
119	0.000193	1.622e-06	0.000193	1.622e-06	~:0(<built-in method _sre.compile>)
34	0.000193	5.676e-06	0.000302	8.882e-06	base.py:95(whitelist_method_generator)
455	0.000188	4.132e-07	0.000188	4.132e-07	~:0(<method 'replace' of 'str' objects>)
1	0.000188	0.000188	0.000188	0.000188	rrule.py:1417(_rrulestr)
103	0.000187	1.816e-06	0.005141	4.991e-05	common.py:1981(pandas_dtype)
6	0.000186	3.1e-05	0.000219	3.65e-05	numeric.py:2400(extend_all)
42	0.000186	4.429e-06	0.001034	2.462e-05	deprecation.py:163(deprecate)
381	0.000181	4.751e-07	0.00121	3.176e-06	re.py:169(match)
1554	0.000179	1.152e-07	0.000179	1.152e-07	~:0(<built-in method builtins.ord>)
7	0.000175	2.5e-05	0.000285	4.071e-05	~:0(<built-in method builtins.print>)
16	0.000174	1.088e-05	0.000919	5.744e-05	accessor.py:58(_add_delegate_accessors)
1	0.000173	0.000173	0.1756	0.1756	__init__.py:106(<module>)
176	0.000172	9.773e-07	0.000261	1.483e-06	_weakrefset.py:26(__exit__)
56	0.000172	3.071e-06	0.000487	8.696e-06	sre_compile.py:376(_mk_bitmap)
119	0.000172	1.445e-06	0.000783	6.58e-06	sre_parse.py:828(fix_flags)
1	0.000171	0.000171	0.007009	0.007009	defchararray.py:17(<module>)
1	0.000171	0.000171	0.001294	0.001294	strings.py:1783(StringMethods)
238	0.00017	7.143e-07	0.000334	1.403e-06	ops.py:364(_get_op_name)
55	0.000169	3.073e-06	0.00127	2.309e-05	<frozen importlib._bootstrap_external>:1322(path_hook_for_FileFinder)
196	0.000169	8.622e-07	0.000199	1.015e-06	_weakrefset.py:81(add)
163	0.000167	1.025e-06	0.00027	1.656e-06	<frozen importlib._bootstrap>:861(_find_spec_legacy)
1	0.000167	0.000167	0.000616	0.000616	six.py:21(<module>)
1	0.000166	0.000166	0.002079	0.002079	random.py:38(<module>)
86	0.000164	1.907e-06	0.000668	7.767e-06	ops.py:862(_make_flex_doc)
1	0.000163	0.000163	0.000233	0.000233	stata.py:720(StataMissingValue)
1	0.000162	0.000162	0.006442	0.006442	function_base.py:1(<module>)
33/5	0.000162	3.24e-05	0.000647	0.0001294	pyparsing.py:3897(streamline)
21	0.000159	7.571e-06	0.000159	7.571e-06	~:0(<method 'split' of '_sre.SRE_Pattern' objects>)
1	0.000159	0.000159	0.001024	0.001024	getlimits.py:96(_register_known_types)
52	0.000158	3.038e-06	0.000343	6.596e-06	core.py:889(__init__)
317	0.000157	4.953e-07	0.000157	4.953e-07	overrides.py:112(array_function_dispatch)
1	0.000155	0.000155	0.006269	0.006269	fromnumeric.py:3(<module>)
67	0.000154	2.299e-06	0.000463	6.91e-06	pyparsing.py:4410(__init__)
148/46	0.000153	3.326e-06	0.001588	3.452e-05	typing.py:1145(__subclasscheck__)
88	0.000151	1.716e-06	0.000225	2.557e-06	typing.py:1025(_abc_negative_cache)
113	0.00015	1.327e-06	0.000239	2.115e-06	sre_parse.py:294(_class_escape)
1	0.00015	0.00015	0.001724	0.001724	testing.py:1(<module>)
1	0.000149	0.000149	0.000645	0.000645	integer.py:1(<module>)
157/155	0.000148	9.548e-07	0.000176	1.135e-06	pyparsing.py:546(__init__)
53	0.000147	2.774e-06	0.000292	5.509e-06	typing.py:1047(_get_type_vars)
84	0.000146	1.738e-06	0.000214	2.548e-06	sre_compile.py:441(_get_charset_prefix)



410	0.000146	3.561e-07	0.000238	5.805e-07	copyreg.py:87(__newobj__)
113	0.000145	1.283e-06	0.000145	1.283e-06	~:0(<built-in method _imp.is_builtin>)
2	0.000145	7.25e-05	0.000208	0.000104	numeric.py:2256(within_tol)
1	0.000145	0.000145	0.0631	0.0631	_core.py:3(<module>)
13	0.000141	1.085e-05	0.003442	0.0002648	enum.py:366(_create_)
90	0.000141	1.567e-06	0.007549	8.388e-05	typing.py:133(__new__)
101	0.000141	1.396e-06	0.000544	5.386e-06	common.py:1702(is_extension_array_dtype)
10	0.00014	1.4e-05	0.002167	0.0002167	pyparsing.py:3118(__init__)
27	0.00014	5.185e-06	0.006026	0.0002232	pyparsing.py:3263(__init__)
198	0.000139	7.02e-07	0.000471	2.379e-06	enum.py:20(_is_descriptor)
45	0.000139	3.089e-06	0.000194	4.311e-06	enum.py:419(_get_mixins_)
9	0.000138	1.533e-05	0.000419	4.656e-05	enum.py:857(<listcomp>)
1	0.000138	0.000138	0.04453	0.04453	__init__.py:1(<module>)
1	0.000138	0.000138	0.000155	0.000155	colors.py:80(<dictcomp>)
1	0.000137	0.000137	0.000627	0.000627	rrule.py:7(<module>)
14/12	0.000136	1.133e-05	0.003602	0.0003002	series.py:152(__init__)
1	0.000136	0.000136	0.000502	0.000502	_color_data.py:1(<module>)
91	0.000135	1.484e-06	0.00053	5.824e-06	gzip.py:80(read)
1	0.000134	0.000134	0.00015	0.00015	offsets.py:2239(Tick)
56/9	0.000132	1.467e-05	0.002826	0.000314	pyparsing.py:3866(leaveWhitespace)
1	0.000131	0.000131	0.000131	0.000131	~:0(<pandas._libs.algos.take_2d_axis1_int64_int64>)
6	0.00013	2.167e-05	0.000824	0.0001373	getlimits.py:37(__init__)
1	0.00013	0.00013	0.00013	0.00013	~:0(<pandas._libs.algos.take_2d_axis1_float64_float64>)
33	0.000127	3.848e-06	0.000127	3.848e-06	~:0(<built-in method numpy.empty>)
238	0.000126	5.294e-07	0.00013	5.462e-07	enum.py:28(_is_dunder)
238	0.000126	5.294e-07	0.000158	6.639e-07	sre_compile.py:539(isstring)
1	0.000126	0.000126	0.08169	0.08169	parsers.py:1137(read)
7	0.000124	1.771e-05	0.000124	1.771e-05	~:0(<built-in method builtins.sorted>)
1	0.000124	0.000124	0.00014	0.00014	offsets.py:973(_CustomBusinessMonth)
36	0.000124	3.444e-06	0.000244	6.778e-06	pyparsing.py:2848(__init__)
1	0.000123	0.000123	0.001396	0.001396	managers.py:1019(set)
1	0.000122	0.000122	0.008235	0.008235	linalg.py:10(<module>)
10	0.000122	1.22e-05	0.00021	2.1e-05	~:0(<pandas._libs.lib.infer_dtype>)
176	0.000121	6.875e-07	0.000163	9.261e-07	_weakrefset.py:20(__enter__)
10	0.000121	1.21e-05	0.000615	6.15e-05	enum.py:839(_decompose)
19	0.000121	6.368e-06	0.000945	4.974e-05	blocks.py:3034(get_block_type)
114/56	0.000121	2.161e-06	0.002605	4.652e-05	pyparsing.py:3937(copy)
47	0.00012	2.553e-06	0.000237	5.043e-06	sre_parse.py:266(getuntil)
1	0.00012	0.00012	0.001662	0.001662	groupby.py:953(GroupBy)
5	0.000119	2.38e-05	0.000119	2.38e-05	~:0(<built-in method _imp.create_builtin>)
78	0.000119	1.526e-06	0.00034	4.359e-06	numericatypes.py:365(issubdtype)

209	0.000118	5.646e-07	0.000282	1.349e-06	__init__.py:309(set_function_name)
1	0.000118	0.000118	0.001378	0.001378	multi.py:123(MultiIndex)
1	0.000117	0.000117	0.000169	0.000169	pyparsing.py:1343(ParserElement)
156	0.000116	7.436e-07	0.000211	1.353e-06	numericitypes.py:293(issubclass_)
24	0.000116	4.833e-06	0.000116	4.833e-06	getlimits.py:497(__init__)
72	0.000116	1.611e-06	0.001071	1.487e-05	rcsetup.py:373(validate_color)
55/53	0.000115	2.17e-06	0.006747	0.0001273	typing.py:676(inner)
145	0.000115	7.931e-07	0.000148	1.021e-06	rcsetup.py:125(validate_bool)
40	0.000114	2.85e-06	0.00023	5.75e-06	_inspect.py:142(formatargspec)
1	0.000114	0.000114	0.00391	0.00391	__init__.py:7(<module>)
39/7	0.000114	1.629e-05	0.002314	0.0003306	pyparsing.py:4017(parseImpl)
1	0.000113	0.000113	0.000113	0.000113	base.py:170(SelectionMixin)
62	0.000113	1.823e-06	0.003029	4.885e-05	gzip.py:489(_add_read_data)
1	0.000112	0.000112	0.00291	0.00291	_add_newdocs.py:10(<module>)
215	0.000111	5.163e-07	0.000171	7.953e-07	types.py:135(__get__)
52	0.000111	2.135e-06	0.000179	3.442e-06	typing.py:354(_type_check)
267	0.000111	4.157e-07	0.000142	5.318e-07	typing.py:971(<genexpr>)
1	0.000111	0.000111	0.006212	0.006212	pytables.py:5(<module>)
1	0.00011	0.00011	0.05825	0.05825	generic.py:2(<module>)
1	0.000109	0.000109	0.001157	0.001157	arrayprint.py:5(<module>)
1	0.000108	0.000108	0.005736	0.005736	nanops.py:1(<module>)
33	0.000108	3.273e-06	0.000192	5.818e-06	generic.py:5069(__setattr__)
479	0.000107	2.234e-07	0.000107	2.234e-07	<frozen importlib._bootstrap>:424(has_location)
1	0.000107	0.000107	0.000129	0.000129	contextlib.py:49(inner)
4	0.000107	2.675e-05	0.000252	6.3e-05	managers.py:186(_rebuild_blknos_and_blklocs)
54	0.000107	1.981e-06	0.000556	1.03e-05	rcsetup.py:97(<listcomp>)
1	0.000106	0.000106	0.001819	0.001819	tokenize.py:21(<module>)
1	0.000106	0.000106	0.000973	0.000973	scimath.py:17(<module>)
238	0.000105	4.412e-07	0.000108	4.538e-07	enum.py:36(_is_sunder)
1	0.000105	0.000105	0.604	0.604	__init__.py:5(<module>)
323	0.000104	3.22e-07	0.000104	3.22e-07	~:0(<method 'get' of 'mappingproxy' objects>)
142	0.000103	7.254e-07	0.001153	8.12e-06	sre_parse.py:96(closegroup)
352	0.000103	2.926e-07	0.000163	4.631e-07	typing.py:1089(__eq__)
1	0.000103	0.000103	0.02286	0.02286	parsers.py:3195(_process_date_conversion)
10	0.000102	1.02e-05	0.000314	3.14e-05	ops.py:1350(<dictcomp>)
27	0.000101	3.741e-06	0.004602	0.0001704	dtypes.py:786(construct_from_string)
28	0.000101	3.607e-06	0.000336	1.2e-05	blocks.py:78(__init__)
25	0.000101	4.04e-06	0.002593	0.0001037	pyparsing.py:1275(_trim_arity)
54	0.0001	1.852e-06	0.000146	2.704e-06	pyparsing.py:3339(__str__)
9	9.8e-05	1.089e-05	0.000222	2.467e-05	base.py:996(_add_comparison_ops)
104	9.8e-05	9.423e-07	0.000162	1.558e-06	ops.py:220(_gen_eval_kwargs)
1	9.7e-05	9.7e-05	0.005009	0.005009	hmac.py:4(<module>)