


Reset Root

Reset Zoom

Style:

Depth:

Cutoff:



Search:

	ncalls		tottime		percall		cumtime		percall		filenam
1			0.05867		0.05867		14.02		14.02		pandas_test.py:2(<module>)
802/1			0.01471		0.01471		14.02		14.02		~:0(<built-in method builtins.exec>)
1			3.3e-05		3.3e-05		13.04		13.04		groupby.py:1357(f)
1			4.4e-05		4.4e-05		12.6		12.6		base.py:575(_aggregate_multiple_funcs)
1			3.9e-05		3.9e-05		12.6		12.6		generic.py:215(aggregate)
1			9e-06		9e-06		12.6		12.6		generic.py:1446(aggregate)
2/1			8.2e-05		8.2e-05		12.5		12.5		generic.py:817(aggregate)
1			2.7e-05		2.7e-05		12.5		12.5		generic.py:882(_aggregate_multiple_funcs)
1			2.3e-05		2.3e-05		12.49		12.49		groupby.py:892(_python_agg_general)
1			0.02439		0.02439		12.48		12.48		ops.py:661(agg_series)
1			9.1e-05		9.1e-05		12.46		12.46		ops.py:667(_aggregate_series_fast)
1			0.5694		0.5694		11.65		11.65		~:0(<method 'get_result' of 'pandas._libs.reduction.Seri
100000			0.07553		7.553e-07		10.82		0.0001082		groupby.py:894(<lambda>)

100000	0.07728	7.728e-07	10.75	0.0001075	groupby.py:1377(<lambda>)
100000	0.07394	7.393e-07	10.67	0.0001067	<__array_function__ internals>:2(amin)
200513/100319	0.2078	2.071e-06	10.59	0.0001055	~:0(<built-in method numpy.core._multiarray_umath.in
100000	0.1217	1.217e-06	10.44	0.0001044	fromnumeric.py:2629(amin)
200070/100070	0.4936	4.933e-06	10.32	0.0001031	fromnumeric.py:73(_wrapreduction)
100000	0.2311	2.311e-06	9.968	9.968e-05	generic.py:11594(stat_func)
100001	0.5797	5.797e-06	9.249	9.249e-05	series.py:4051(_reduce)
100000	0.1588	1.588e-06	6.498	6.498e-05	nanops.py:96(f)
100000	0.2383	2.383e-06	6.323	6.323e-05	nanops.py:829(reduction)
100001	0.3226	3.226e-06	3.13	3.13e-05	nanops.py:239(_get_values)
2931758/2931649	0.6964	2.375e-07	1.414	4.824e-07	~:0(<built-in method builtins.isinstance>)
700142	0.6034	8.619e-07	1.388	1.983e-06	common.py:1886(_is_dtype_type)
100000	0.1613	1.613e-06	1.318	1.318e-05	nanops.py:1187(_maybe_null_out)
300074	0.144	4.798e-07	1.315	4.382e-06	common.py:539(is_datetime64tz_dtype)
300190	0.1758	5.857e-07	1.172	3.903e-06	base.py:231(is_dtype)
100004	0.07879	7.878e-07	1.157	1.157e-05	<__array_function__ internals>:2(prod)
200107	1.084	5.418e-06	1.084	5.418e-06	~:0(<method 'reduce' of 'numpy.ufunc' objects>)
100001	0.09584	9.584e-07	1.058	1.058e-05	nanops.py:196(_maybe_get_mask)
100004	0.1091	1.091e-06	0.9931	9.931e-06	fromnumeric.py:2792(prod)
100000	0.1039	1.039e-06	0.9578	9.578e-06	nanops.py:345(_wrap_results)
200014	0.3376	1.688e-06	0.7909	3.954e-06	_ufunc_config.py:39(seterr)
1001188	0.3096	3.092e-07	0.7169	7.161e-07	generic.py:7(_check)
100022	0.1533	1.533e-06	0.6987	6.986e-06	common.py:1619(is_bool_dtype)
100000	0.05689	5.689e-07	0.6604	6.604e-06	~:0(<method 'min' of 'numpy.ndarray' objects>)
200030	0.1632	8.159e-07	0.643	3.215e-06	common.py:508(is_datetime64_dtype)
1717298	0.6394	3.723e-07	0.6395	3.724e-07	~:0(<built-in method builtins.getattr>)
100000	0.04357	4.357e-07	0.6035	6.035e-06	_methods.py:32(_amin)
530/1	0.002671	0.002671	0.5948	0.5948	<frozen importlib._bootstrap>:966(_find_and_load)
530/1	0.001892	0.001892	0.5948	0.5948	<frozen importlib._bootstrap>:936(_find_and_load_unl
511/1	0.002234	0.002234	0.5945	0.5945	<frozen importlib._bootstrap>:651(_load_unlocked)
417/1	0.001445	0.001445	0.5945	0.5945	<frozen importlib._bootstrap_external>:672(exec_modi
696/1	0.000379	0.000379	0.5944	0.5944	<frozen importlib._bootstrap>:211(call_with_frames_
1	6e-05	6e-05	0.5943	0.5943	__init__.py:3(<module>)
8	0.5729	0.07161	0.5729	0.07161	~:0(<method 'take' of 'numpy.ndarray' objects>)
200028	0.1338	6.687e-07	0.5292	2.645e-06	common.py:577(is_timedelta64_dtype)
200010	0.1447	7.233e-07	0.4977	2.488e-06	common.py:951(is_integer_dtype)
100007	0.08998	8.998e-07	0.4916	4.916e-06	_ufunc_config.py:446(_exit__)
100003	0.1077	1.077e-06	0.4875	4.874e-06	function.py:42(_call__)
8	0.00013	1.625e-05	0.4654	0.05817	algorithms.py:1608(take_nd)
100007	0.07507	7.507e-07	0.4644	4.643e-06	_ufunc_config.py:441(__enter__)
1	2.6e-05	2.6e-05	0.4367	0.4367	generic.py:134(_cython_agg_blocks)
1	5e-06	5e-06	0.4367	0.4367	generic.py:126(_cython_agg_general)

1	3.5e-05	3.5e-05	0.3951	0.3951	series.py:4427(take)
100002	0.11	1.1e-06	0.3797	3.797e-06	_validators.py:139(validate_kwargs)
100004	0.08569	8.569e-07	0.3786	3.786e-06	common.py:1284(is_datetime_or_timedelta_dtype)
1	4.1e-05	4.1e-05	0.3229	0.3229	api.py:3(<module>)
386/36	0.00044	1.222e-05	0.316	0.008779	~:0(<built-in method builtins.__import__>)
1	0.01591	0.01591	0.3114	0.3114	ops.py:453(_cython_operation)
1	5e-06	5e-06	0.3114	0.3114	ops.py:594(aggregate)
200014	0.2847	1.423e-06	0.3075	1.537e-06	_ufunc_config.py:139(geterr)
100128	0.1074	1.072e-06	0.3012	3.008e-06	common.py:1743(is_extension_array_dtype)
1	1.3e-05	1.3e-05	0.2941	0.2941	ops.py:330(result_index)
1	3e-06	3e-06	0.2941	0.2941	ops.py:320(ngroups)
1	1.9e-05	1.9e-05	0.294	0.294	grouper.py:414(_make_labels)
2	9e-06	4.5e-06	0.294	0.147	_decorators.py:164(wrapper)
1	3e-06	3e-06	0.294	0.294	grouper.py:400(result_index)
2	3e-06	1.5e-06	0.294	0.147	grouper.py:408(group_index)
1	0.008513	0.008513	0.2939	0.2939	algorithms.py:610(factorize)
1	5e-06	5e-06	0.2585	0.2585	__init__.py:1(<module>)
1	6.8e-05	6.8e-05	0.2561	0.2561	generic.py:7(<module>)
6	0.2491	0.04151	0.2491	0.04151	~:0(<pandas._libs.algos.take_1d_int64_int64>)
1	0.2487	0.2487	0.2487	0.2487	~:0(<pandas._libs.algos.groupsort_indexer>)
1	3.2e-05	3.2e-05	0.2487	0.2487	sorting.py:330(get_group_index_sorter)
1	7.6e-05	7.6e-05	0.2388	0.2388	frame.py:10(<module>)
300106	0.158	5.263e-07	0.2332	7.772e-07	common.py:2020(pandas_dtype)
2800/1679	0.001986	1.183e-06	0.2311	0.0001376	<frozen importlib._bootstrap>:997(_handle_fromlist)
2	2.7e-05	1.35e-05	0.23	0.115	base.py:885(take)
2	3.6e-05	1.8e-05	0.2167	0.1083	managers.py:1224(reindex_indexer)
2	8.5e-05	4.25e-05	0.2163	0.1082	managers.py:1274(_slice_take_blocks_ax0)
2	2.9e-05	1.45e-05	0.2158	0.1079	blocks.py:1294(take_nd)
2	1.2e-05	6e-06	0.2156	0.1078	algorithms.py:1364(_take_nd_object)
2	6e-06	3e-06	0.2156	0.1078	algorithms.py:1506(func)
500106	0.1261	2.521e-07	0.2031	4.062e-07	common.py:211(<lambda>)
1305164/1303901	0.1915	1.469e-07	0.1971	1.512e-07	~:0(<built-in method builtins.issubclass>)
1	0.000153	0.000153	0.1899	0.1899	algorithms.py:483(_factorize_array)
1	0.1897	0.1897	0.1897	0.1897	~:0(<method 'factorize' of 'pandas._libs.hashtable.Int64
2	0.1825	0.09127	0.1827	0.09134	~:0(<method 'randint' of 'numpy.random.mtrand.Rando
200036	0.1216	6.081e-07	0.176	8.8e-07	common.py:219(<lambda>)
100020	0.05228	5.227e-07	0.1641	1.641e-06	series.py:559(_values)
100019	0.0918	9.178e-07	0.1562	1.562e-06	series.py:460(name)
1	7e-05	7e-05	0.1499	0.1499	series.py:3(<module>)
1	0.000126	0.000126	0.1446	0.1446	__init__.py:106(<module>)
100150	0.1012	1.011e-06	0.1408	1.406e-06	dtypes.py:83(find)
100011	0.09973	9.972e-07	0.1389	1.388e-06	generic.py:400(_get_axis_number)

200001	0.1094	5.469e-07	0.1387	6.935e-07	nanops.py:340(_na_ok_dtype)
1	6e-06	6e-06	0.1369	0.1369	__init__.py:58(<module>)
1	2.1e-05	2.1e-05	0.136	0.136	_core.py:1(<module>)
1	2.3e-05	2.3e-05	0.1354	0.1354	__init__.py:1(<module>)
100002	0.1351	1.351e-06	0.1351	1.351e-06	_validators.py:120(_check_for_invalid_keys)
1	2.7e-05	2.7e-05	0.1338	0.1338	boxplot.py:1(<module>)
417	0.003014	7.228e-06	0.1295	0.0003106	<frozen importlib._bootstrap_external>:743(get_code)
1	1.1e-05	1.1e-05	0.1253	0.1253	generic.py:3921(_drop_axis)
1	8e-06	8e-06	0.1253	0.1253	generic.py:1502(_get_data_to_aggregate)
1	5e-06	5e-06	0.1253	0.1253	base.py:235(_obj_with_exclusions)
1	4e-06	4e-06	0.1253	0.1253	generic.py:3883(drop)
1	2e-06	2e-06	0.1253	0.1253	frame.py:3963(drop)
2	1.9e-05	9.5e-06	0.1251	0.06253	generic.py:4266(reindex)
1	9e-06	9e-06	0.125	0.125	frame.py:3942(reindex)
1	4e-06	4e-06	0.125	0.125	_decorators.py:219(wrapper)
1	8e-06	8e-06	0.1249	0.1249	frame.py:3837(_reindex_axes)
1	6e-06	6e-06	0.1249	0.1249	frame.py:3874(_reindex_columns)
1	2.4e-05	2.4e-05	0.1248	0.1248	generic.py:4552(_reindex_with_indexers)
100002	0.09789	9.789e-07	0.1166	1.166e-06	_validators.py:36(_check_for_default_values)
100001	0.0525	5.25e-07	0.1142	1.142e-06	nanops.py:173(_get_fill_value)
200070	0.1125	5.622e-07	0.1125	5.622e-07	fromnumeric.py:74(<dictcomp>)
100020	0.07102	7.101e-07	0.1119	1.118e-06	managers.py:1585(internal_values)
200015	0.1032	5.162e-07	0.1032	5.162e-07	~:0(<built-in method numpy.seterrobj>)
1	3.9e-05	3.9e-05	0.09511	0.09511	sorting.py:396(safe_sort)
4	7.6e-05	1.9e-05	0.09456	0.02364	frame.py:2949(__getitem__)
2	1.5e-05	7.5e-06	0.0943	0.04715	groupby.py:493(_selected_obj)
500106	0.09326	1.865e-07	0.09326	1.865e-07	common.py:209(classes)
1410/1342	0.02309	1.72e-05	0.09295	6.926e-05	~:0(<built-in method builtins.__build_class__>)
1	2.5e-05	2.5e-05	0.09214	0.09214	generic.py:3524(take)
1	1.9e-05	1.9e-05	0.09202	0.09202	managers.py:1376(take)
85/56	0.000205	3.661e-06	0.09064	0.001619	<frozen importlib._bootstrap_external>:927(exec_modi
85/56	0.01004	0.0001792	0.09046	0.001615	~:0(<built-in method _imp.exec_dynamic>)
100019	0.0902	9.018e-07	0.09023	9.021e-07	~:0(<pandas._libs.lib.values_from_object>)
100007	0.06824	6.823e-07	0.08619	8.618e-07	_ufunc_config.py:437(__init__)
318	0.08142	0.000256	0.08147	0.0002562	~:0(<method 'astype' of 'numpy.ndarray' objects>)
1	3.9e-05	3.9e-05	0.07982	0.07982	core.py:1(<module>)
1	9.4e-05	9.4e-05	0.07608	0.07608	generic.py:1(<module>)
6	4.9e-05	8.167e-06	0.07318	0.0122	frame.py:397(__init__)
2	3.2e-05	1.6e-05	0.0731	0.03655	construction.py:216(init_dict)
417	0.001019	2.444e-06	0.07202	0.0001727	<frozen importlib._bootstrap_external>:485(_compile_
507/504	0.000975	1.935e-06	0.07154	0.0001419	<frozen importlib._bootstrap>:564(module_from_spec)
1	4e-06	4e-06	0.07116	0.07116	__init__.py:3(<module>)

1	1.7e-05	1.7e-05	0.0708	0.0708	__init__.py:3(<module>)
417	0.06993	0.0001677	0.06993	0.0001677	~:0(<built-in method marshal.loads>)
400030	0.06543	1.636e-07	0.06543	1.636e-07	~:0(<built-in method numpy.geterrobj>)
1	0.000146	0.000146	0.06512	0.06512	__init__.py:1(<module>)
1	1.9e-05	1.9e-05	0.06476	0.06476	tools.py:2(<module>)
100037	0.044	4.399e-07	0.06447	6.445e-07	inference.py:386(is_hashable)
100060	0.04569	4.566e-07	0.06364	6.36e-07	numeric.py:1782(isscalar)
1	4.9e-05	4.9e-05	0.06332	0.06332	table.py:21(<module>)
1	3.6e-05	3.6e-05	0.06293	0.06293	__init__.py:1(<module>)
2	9e-06	4.5e-06	0.06243	0.03122	construction.py:69(arrays_to_mgr)
2	1.5e-05	7.5e-06	0.06203	0.03102	managers.py:1691(create_block_manager_from_arrays
2	6.3e-05	3.15e-05	0.06175	0.03088	managers.py:1726(form_blocks)
2	3.7e-05	1.85e-05	0.06151	0.03076	managers.py:1837(_multi_blockify)
3	0.06105	0.02035	0.06109	0.02036	managers.py:1854(_stack_arrays)
85/83	0.000229	2.759e-06	0.05996	0.0007224	<frozen importlib._bootstrap_external>:919(create_mo
85/83	0.05742	0.0006918	0.05962	0.0007183	~:0(<built-in method _imp.create_dynamic>)
200045	0.05572	2.785e-07	0.05572	2.785e-07	managers.py:1523(_block)
308773	0.05295	1.715e-07	0.05304	1.718e-07	~:0(<built-in method builtins.hasattr>)
525	0.003253	6.196e-06	0.05267	0.0001003	<frozen importlib._bootstrap>:870(_find_spec)
100050	0.0369	3.688e-07	0.04966	4.964e-07	common.py:1850(_get_dtype)
520	0.000455	8.75e-07	0.04707	9.052e-05	<frozen importlib._bootstrap_external>:1149(find_spec
520	0.001789	3.44e-06	0.04661	8.964e-05	<frozen importlib._bootstrap_external>:1117(_get_spec
1	7e-05	7e-05	0.04135	0.04135	text.py:3(<module>)
929	0.004553	4.901e-06	0.04104	4.417e-05	textwrap.py:414(dedent)
200036	0.03971	1.985e-07	0.03971	1.985e-07	common.py:214(classes_and_not_datetimelike)
417	0.01972	4.729e-05	0.03971	9.522e-05	<frozen importlib._bootstrap_external>:830(get_data)
1	4.2e-05	4.2e-05	0.03858	0.03858	format.py:4(<module>)
74	0.03801	0.0005137	0.03801	0.0005137	~:0(<built-in method numpy.arange>)
44	4.3e-05	9.773e-07	0.03791	0.0008617	base.py:3901(values)
801	0.006576	8.21e-06	0.03789	4.73e-05	<frozen importlib._bootstrap_external>:1233(find_spec
3	4e-05	1.333e-05	0.03784	0.01261	range.py:181(_data)
1	5.4e-05	5.4e-05	0.03748	0.03748	common.py:1(<module>)
1	0.00014	0.00014	0.0371	0.0371	__init__.py:101(<module>)
1	0.000106	0.000106	0.03653	0.03653	__init__.py:1(<module>)
1	0.000176	0.000176	0.03614	0.03614	lazy.py:97(_lazy)
593	0.000351	5.919e-07	0.03594	6.06e-05	__init__.py:1104(<genexpr>)
592	0.000775	1.309e-06	0.03558	6.011e-05	__init__.py:111(resource_exists)
1368	0.001623	1.186e-06	0.0336	2.456e-05	re.py:286(_compile)
507	0.000733	1.446e-06	0.03325	6.558e-05	_decorators.py:323(__call__)
592	0.002315	3.91e-06	0.03229	5.454e-05	__init__.py:78(open_resource)
120	5.4e-05	4.5e-07	0.03155	0.0002629	re.py:231(compile)
120	0.000598	4.983e-06	0.03074	0.0002562	sre_compile.py:557(compile)

317	0.00106	3.344e-06	0.03018	9.521e-05	overrides.py:154(decorator)
2590	0.02914	1.125e-05	0.02914	1.125e-05	~:0(<built-in method posix.stat>)
1	3e-05	3e-05	0.02839	0.02839	api.py:3(<module>)
200491	0.02697	1.345e-07	0.02697	1.345e-07	~:0(<method 'items' of 'dict' objects>)
1	0.000216	0.000216	0.02547	0.02547	rcsetup.py:15(<module>)
1	2.3e-05	2.3e-05	0.02281	0.02281	base.py:7(<module>)
1	2e-05	2e-05	0.02212	0.02212	fontconfig_pattern.py:7(<module>)
1958	0.000991	5.061e-07	0.02199	1.123e-05	<frozen importlib._bootstrap_external>:75(_path_stat)
103615	0.02129	2.055e-07	0.02129	2.055e-07	~:0(<method 'get' of 'dict' objects>)
1	3.7e-05	3.7e-05	0.02066	0.02066	client.py:69(<module>)
100183/100182	0.02054	2.05e-07	0.02055	2.052e-07	~:0(<built-in method builtins.hash>)
417	0.01999	4.793e-05	0.01999	4.793e-05	~:0(<method 'read' of '_io.FileIO' objects>)
1	0.000183	0.000183	0.01871	0.01871	pyparsing.py:96(<module>)
100008	0.0187	1.87e-07	0.0187	1.87e-07	~:0(<pandas._libs.lib.is_bool>)
100021	0.0186	1.859e-07	0.0186	1.859e-07	~:0(<pandas._libs.lib.is_integer>)
100020	0.01859	1.858e-07	0.01859	1.858e-07	blocks.py:207(internal_values)
1804	0.01855	1.028e-05	0.01857	1.03e-05	~:0(<method 'sub' of '_sre.SRE_Pattern' objects>)
100012	0.01818	1.817e-07	0.0184	1.839e-07	~:0(<method 'copy' of 'dict' objects>)
1	0.000115	0.000115	0.01819	0.01819	font_manager.py:21(<module>)
100666	0.01806	1.794e-07	0.01806	1.794e-07	~:0(<method 'pop' of 'dict' objects>)
1	9.9e-05	9.9e-05	0.01803	0.01803	multiarray.py:7(<module>)
112710/112292	0.0172	1.532e-07	0.01737	1.547e-07	~:0(<built-in method builtins.len>)
1	5.3e-05	5.3e-05	0.01729	0.01729	function.py:19(<module>)
100004	0.01716	1.716e-07	0.01716	1.716e-07	fromnumeric.py:2787(_prod_dispatcher)
1	4.4e-05	4.4e-05	0.017	0.017	_internal.py:6(<module>)
100000	0.01632	1.632e-07	0.01632	1.632e-07	fromnumeric.py:2624(_amin_dispatcher)
1	9e-05	9e-05	0.01599	0.01599	patches.py:3(<module>)
1	1.4e-05	1.4e-05	0.01594	0.01594	__init__.py:1(<module>)
120	0.000502	4.183e-06	0.01593	0.0001327	sre_parse.py:844(parse)
35	0.00076	2.171e-05	0.01577	0.0004506	__init__.py:357(namedtuple)
1	1.8e-05	1.8e-05	0.01564	0.01564	overrides.py:1(<module>)
595	0.01524	2.562e-05	0.01526	2.564e-05	~:0(<built-in method io.open>)
1	1e-05	1e-05	0.01523	0.01523	__init__.py:1(<module>)
1	5.1e-05	5.1e-05	0.01521	0.01521	platform.py:10(<module>)
248/216	0.000354	1.639e-06	0.01471	6.81e-05	typing.py:676(inner)
1	3.4e-05	3.4e-05	0.01469	0.01469	textpath.py:3(<module>)
319	0.01466	4.597e-05	0.01466	4.597e-05	~:0(<built-in method builtins.compile>)
295/120	0.000888	7.4e-06	0.01413	0.0001178	sre_parse.py:407(_parse_sub)
6	4.9e-05	8.167e-06	0.01404	0.002339	artist.py:1474(kwdoc)
1	1.1e-05	1.1e-05	0.01396	0.01396	style.py:2(<module>)
120	0.000228	1.9e-06	0.01376	0.0001147	sre_compile.py:542(_code)

929	0.01372	1.477e-05	0.01372	1.477e-05	~:0(<method 'findall' of '_sre.SRE_Pattern' objects>)
355/130	0.00489	3.762e-05	0.01361	0.0001047	sre_parse.py:470(_parse)
1	3.4e-05	3.4e-05	0.01349	0.01349	__init__.py:124(<module>)
2	0.01339	0.006693	0.01339	0.006693	~:0(<method 'argsort' of 'numpy.ndarray' objects>)
1	4.4e-05	4.4e-05	0.01339	0.01339	index_tricks.py:1(<module>)
1	0.000107	0.000107	0.01254	0.01254	cm.py:6(<module>)
1	7e-06	7e-06	0.01247	0.01247	index.py:1(<module>)
1	2.5e-05	2.5e-05	0.0124	0.0124	__init__.py:7(<module>)
118	0.001686	1.429e-05	0.01229	0.0001042	typing.py:922(__new__)
6	0.00025	4.167e-05	0.01222	0.002037	artist.py:1227(pprint_setters)
1	4.2e-05	4.2e-05	0.01218	0.01218	managers.py:1(<module>)
1	2.4e-05	2.4e-05	0.01218	0.01218	api.py:1(<module>)
1	9e-06	9e-06	0.01211	0.01211	__init__.py:7(<module>)
1	3.7e-05	3.7e-05	0.01147	0.01147	_decorators.py:1(<module>)
685	0.000468	6.832e-07	0.01124	1.64e-05	<frozen importlib._bootstrap_external>:94(_path_isfile)
14/13	0.000113	8.692e-06	0.01119	0.0008611	series.py:194(__init__)
740	0.000742	1.003e-06	0.01111	1.501e-05	<frozen importlib._bootstrap_external>:85(_path_is_m
1	9e-06	9e-06	0.01099	0.01099	parser.py:5(<module>)
649/120	0.003016	2.513e-05	0.01095	9.127e-05	sre_compile.py:64(_compile)
1	2.6e-05	2.6e-05	0.01095	0.01095	config.py:49(<module>)
1	1e-05	1e-05	0.01073	0.01073	__init__.py:1(<module>)
1	1.6e-05	1.6e-05	0.01064	0.01064	feedparser.py:20(<module>)
1	5.5e-05	5.5e-05	0.01032	0.01032	request.py:68(<module>)
8	0.000215	2.687e-05	0.01027	0.001284	__init__.py:722(_create_methods)
72	0.000694	9.639e-06	0.01004	0.0001394	typing.py:1099(__getitem__)
507	0.002175	4.29e-06	0.00989	1.951e-05	<frozen importlib._bootstrap>:504(_init_module_attrs)
170	0.001595	9.382e-06	0.009873	5.808e-05	abc.py:132(__new__)
1	0.00017	0.00017	0.009389	0.009389	numeric.py:1(<module>)
1	1.9e-05	1.9e-05	0.009329	0.009329	__init__.py:45(<module>)
1	0.000164	0.000164	0.009291	0.009291	typing.py:1(<module>)
288	0.001878	6.521e-06	0.009219	3.201e-05	inspect.py:1087(getfullargspec)
6	0.001163	0.0001938	0.009151	0.001525	artist.py:1149(_get_setters_and_targets)
1	9.4e-05	9.4e-05	0.009091	0.009091	mathtext.py:16(<module>)
845	0.000495	5.858e-07	0.009072	1.074e-05	re.py:184(sub)
1	5.8e-05	5.8e-05	0.009049	0.009049	datetimes.py:1(<module>)
1	1.2e-05	1.2e-05	0.009004	0.009004	_policybase.py:4(<module>)
1	3.3e-05	3.3e-05	0.008958	0.008958	interval.py:1(<module>)
7	4.5e-05	6.429e-06	0.008929	0.001276	construction.py:630(sanitize_array)
1	8e-06	8e-06	0.008927	0.008927	series.py:320(_init_dict)
150	0.000158	1.053e-06	0.008894	5.929e-05	cm.py:67(_generate_cmap)
7	3.7e-05	5.286e-06	0.008739	0.001248	construction.py:759(_try_cast)
1	4e-05	4e-05	0.00866	0.00866	artist.py:1(<module>)

4	2.3e-05	5.75e-06	0.008634	0.002158	__init__.py:861(add_flex_arithmetic_methods)
7	0.008335	0.001191	0.008417	0.001202	cast.py:1239(construct_1d_object_array_from_listlike)
1	6.2e-05	6.2e-05	0.008335	0.008335	_base.py:1(<module>)
1	0.000851	0.000851	0.008262	0.008262	inspect.py:27(<module>)
64	0.001166	1.822e-05	0.008253	0.000129	colors.py:706(from_list)
1	1.3e-05	1.3e-05	0.008238	0.008238	__init__.py:10(<module>)
1	9.7e-05	9.7e-05	0.008231	0.008231	pyparsing.py:6366(pyparsing_common)
600	0.000454	7.567e-07	0.008107	1.351e-05	genericpath.py:16(exists)
4143	0.002932	7.077e-07	0.008098	1.955e-06	<frozen importlib._bootstrap_external>:57(_path_join)
1858	0.002004	1.079e-06	0.007998	4.305e-06	~:0(<built-in method builtins.any>)
1	1.5e-05	1.5e-05	0.007742	0.007742	array_.py:1(<module>)
128	0.000132	1.031e-06	0.007565	5.91e-05	typing.py:133(__new__)
1	2e-05	2e-05	0.007563	0.007563	py3k.py:4(<module>)
1	4.3e-05	4.3e-05	0.007551	0.007551	datetimelike.py:1(<module>)
1	3e-05	3e-05	0.00753	0.00753	frame.py:4(<module>)
1	1.2e-05	1.2e-05	0.007476	0.007476	__init__.py:3(<module>)
1	2.6e-05	2.6e-05	0.007473	0.007473	subprocess.py:42(<module>)
3806	0.00161	4.23e-07	0.007319	1.923e-06	enum.py:267(__call__)
1	1.6e-05	1.6e-05	0.007063	0.007063	defmatrix.py:1(<module>)
1	8e-05	8e-05	0.006936	0.006936	base.py:1(<module>)
1	3.3e-05	3.3e-05	0.006821	0.006821	common.py:1(<module>)
2	1.9e-05	9.5e-06	0.006789	0.003394	generic.py:10740(_add_series_or_dataframe_operation)
1	4.8e-05	4.8e-05	0.006786	0.006786	npvio.py:1(<module>)
1	7.6e-05	7.6e-05	0.006776	0.006776	secrets.py:7(<module>)
288	0.000835	2.899e-06	0.00656	2.278e-05	inspect.py:2181(_signature_from_callable)
41705	0.006455	1.548e-07	0.006455	1.548e-07	~:0(<method 'startswith' of 'str' objects>)
904	0.000752	8.319e-07	0.006403	7.083e-06	<frozen importlib._bootstrap_external>:1080(_path_im
608/53	0.001989	3.753e-05	0.006275	0.0001184	abc.py:196(__subclasscheck__)
1	1.9e-05	1.9e-05	0.006177	0.006177	__init__.py:45(<module>)
834	0.002588	3.103e-06	0.006081	7.291e-06	<frozen importlib._bootstrap_external>:263(cache_fror
1	4.9e-05	4.9e-05	0.006072	0.006072	ssl.py:91(<module>)
417	0.000461	1.106e-06	0.006071	1.456e-05	<frozen importlib._bootstrap_external>:840(path_stats)
68	0.000232	3.412e-06	0.006007	8.834e-05	__init__.py:1463(_arith_method_FRAME)
1	3.9e-05	3.9e-05	0.005987	0.005987	lines.py:4(<module>)
1	4.6e-05	4.6e-05	0.005984	0.005984	categorical.py:1(<module>)
351	0.00035	9.972e-07	0.005969	1.701e-05	abc.py:180(__instancecheck__)
27	0.000121	4.481e-06	0.005821	0.0002156	pyparsing.py:3263(__init__)
1	0.000133	0.000133	0.005464	0.005464	mathtext.py:2209(Parser)
288	0.002057	7.142e-06	0.005443	1.89e-05	inspect.py:2100(_signature_from_function)
919	0.000675	7.345e-07	0.005308	5.776e-06	<frozen importlib._bootstrap>:403(cached)
417	0.004369	1.048e-05	0.005296	1.27e-05	<frozen importlib._bootstrap_external>:430(_validate_
1	1e-06	1e-06	0.005283	0.005283	mathtext.py:2756(<lambda>)

1	0.000246	0.000246	0.005282	0.005282	mathtext.py:2756(<listcomp>)
1	3.8e-05	3.8e-05	0.00528	0.00528	window.py:4(<module>)
2518	0.005253	2.086e-06	0.005253	2.086e-06	~:0(<built-in method __new__ of type object at 0x10bc
1	7e-05	7e-05	0.004932	0.004932	linalg.py:10(<module>)
1	3.9e-05	3.9e-05	0.004888	0.004888	frequencies.py:1(<module>)
530	0.000613	1.157e-06	0.004868	9.185e-06	<frozen importlib._bootstrap>:147(__enter__)
1	6.3e-05	6.3e-05	0.004794	0.004794	interval.py:1(<module>)
1403	0.001768	1.26e-06	0.004766	3.397e-06	enum.py:803(__and__)
1	1.4e-05	1.4e-05	0.004714	0.004714	_datasource.py:36(<module>)
1	2.2e-05	2.2e-05	0.004668	0.004668	case.py:1(<module>)
502	0.000875	1.743e-06	0.004633	9.229e-06	<frozen importlib._bootstrap_external>:361(_get_cache
1	2.2e-05	2.2e-05	0.004571	0.004571	utils.py:5(<module>)
54	8.8e-05	1.63e-06	0.004554	8.433e-05	~:0(<pandas._libs.lib.is_list_like>)
1	2.6e-05	2.6e-05	0.004551	0.004551	dtypes.py:1(<module>)
13	7.9e-05	6.077e-06	0.004516	0.0003474	enum.py:604(_convert)
1	0.000106	0.000106	0.004478	0.004478	fromnumeric.py:3(<module>)
1	0.000101	0.000101	0.004476	0.004476	defchararray.py:17(<module>)
1	4e-05	4e-05	0.004403	0.004403	converter.py:1(<module>)
287	0.001089	3.794e-06	0.004382	1.527e-05	overrides.py:72(verify_matching_signatures)
1	3.5e-05	3.5e-05	0.004351	0.004351	font_manager.py:984(json_load)
1	2.9e-05	2.9e-05	0.004321	0.004321	pathlib.py:1(<module>)
1	1.5e-05	1.5e-05	0.004238	0.004238	__init__.py:274(load)
4143	0.002594	6.261e-07	0.004143	1e-06	<frozen importlib._bootstrap_external>:59(<listcomp>)
1	3.6e-05	3.6e-05	0.004085	0.004085	shutil.py:5(<module>)
1	3e-06	3e-06	0.004079	0.004079	__init__.py:992(rc_params)
1	0.000103	0.000103	0.004065	0.004065	function_base.py:1(<module>)
10727	0.002403	2.24e-07	0.004049	3.775e-07	mathtext.py:2757(<genexpr>)
1	5.8e-05	5.8e-05	0.004041	0.004041	__init__.py:41(<module>)
1191	0.00252	2.116e-06	0.004011	3.368e-06	<frozen importlib._bootstrap>:157(_get_module_lock)
4	0.000225	5.625e-05	0.004003	0.001001	_collections_abc.py:824(update)
3	3e-06	1e-06	0.003986	0.001329	__init__.py:893(__init__)
207	0.003965	1.915e-05	0.003965	1.915e-05	~:0(<built-in method posix.getcwd>)
630	0.0006	9.524e-07	0.003964	6.292e-06	colors.py:142(to_rgba)
58	0.000279	4.81e-06	0.003947	6.805e-05	typing.py:790(__getitem__)
594	0.001827	3.076e-06	0.003942	6.636e-06	functools.py:44(update_wrapper)
1	5e-05	5e-05	0.003877	0.003877	hmac.py:4(<module>)
1	0.000109	0.000109	0.00384	0.00384	parsers.py:3(<module>)
1	6.1e-05	6.1e-05	0.003819	0.003819	pytables.py:4(<module>)
1	2.3e-05	2.3e-05	0.003816	0.003816	__init__.py:15(<module>)
1	5.2e-05	5.2e-05	0.003809	0.003809	groupby.py:8(<module>)
1	1.4e-05	1.4e-05	0.003776	0.003776	__init__.py:1119(rc_params_from_file)
2	2.2e-05	1.1e-05	0.003707	0.001853	groupby.py:786(_try_cast)

1	0.000212	0.000212	0.003706	0.003706	frame.py:305(DataFrame)
572	0.000173	3.024e-07	0.0037	6.469e-06	colors.py:330(to_rgba)
661	0.000765	1.157e-06	0.003604	5.452e-06	<frozen importlib._bootstrap>:194(_lock_unlock_modu
1	6.7e-05	6.7e-05	0.003581	0.003581	dates.py:137(<module>)
706/180	0.000436	2.422e-06	0.003547	1.971e-05	typing.py:1145(__subclasscheck__)
1	9e-05	9e-05	0.003534	0.003534	offsets.py:1(<module>)
266	0.000545	2.049e-06	0.003523	1.324e-05	sre_compile.py:223(_compile_charset)
2	0.0001	5e-05	0.003502	0.001751	cast.py:93(maybe_downcast_to_dtype)
55	0.000313	5.691e-06	0.003453	6.278e-05	<frozen importlib._bootstrap_external>:1281(_fill_cach
1	2.2e-05	2.2e-05	0.003437	0.003437	hashlib.py:54(<module>)
10	1.9e-05	1.9e-06	0.003426	0.0003426	pyparsing.py:5088(__init__)
1	6e-06	6e-06	0.003424	0.003424	testing.py:5(<module>)
596	0.000494	8.289e-07	0.003397	5.7e-06	__init__.py:896(__setitem__)
1	2.8e-05	2.8e-05	0.003383	0.003383	threading.py:1(<module>)
16	0.001228	7.675e-05	0.003381	0.0002113	enum.py:124(__new__)
1	2e-06	2e-06	0.003369	0.003369	api.py:3(<module>)
13	0.000146	1.123e-05	0.003353	0.0002579	enum.py:366(_create_)
1	1.4e-05	1.4e-05	0.003341	0.003341	__init__.py:2(<module>)
32/9	3.9e-05	4.333e-06	0.003338	0.0003709	pyparsing.py:4434(leaveWhitespace)
59	0.000364	6.169e-06	0.003256	5.519e-05	typing.py:732(__new__)
1	4.2e-05	4.2e-05	0.003219	0.003219	datetimes.py:1(<module>)
502	0.000847	1.687e-06	0.003152	6.279e-06	<frozen importlib._bootstrap_external>:1228(_get_spec
1	1.7e-05	1.7e-05	0.003127	0.003127	__init__.py:97(<module>)
1	2.5e-05	2.5e-05	0.00312	0.00312	base.py:3(<module>)
1	1e-05	1e-05	0.003113	0.003113	eval.py:5(<module>)
410	0.00034	8.293e-07	0.003092	7.541e-06	pyparsing.py:1409(copy)
1	9e-06	9e-06	0.003085	0.003085	api.py:3(<module>)
3	2.7e-05	9e-06	0.003058	0.001019	__init__.py:302(loads)
6659/6655	0.002194	3.297e-07	0.003051	4.585e-07	~:0(<method 'join' of 'str' objects>)
3	1.6e-05	5.333e-06	0.00301	0.001003	decoder.py:334(decode)
258	0.001112	4.31e-06	0.003004	1.164e-05	colors.py:176(_to_rgba_no_colorcycle)
3	0.001908	0.000636	0.002975	0.0009917	decoder.py:345(raw_decode)
618	0.000654	1.058e-06	0.002957	4.785e-06	_inspect.py:98(getargspec)
6	0.000246	4.1e-05	0.002928	0.000488	patches.py:1844(_pprint_styles)
1	1.7e-05	1.7e-05	0.002867	0.002867	__init__.py:1(<module>)
1	1.5e-05	1.5e-05	0.002852	0.002852	engines.py:3(<module>)
1	1.8e-05	1.8e-05	0.002847	0.002847	header.py:5(<module>)
1	4.2e-05	4.2e-05	0.002833	0.002833	packers.py:39(<module>)
1	4.5e-05	4.5e-05	0.002829	0.002829	tz.py:9(<module>)
60	4.7e-05	7.833e-07	0.002802	4.67e-05	<__array_function__ internals>:2(linspace)
55	0.002762	5.022e-05	0.002762	5.022e-05	~:0(<built-in method posix.listdir>)
411	0.000793	1.929e-06	0.002757	6.708e-06	copy.py:66(copy)

3952	0.001284	3.249e-07	0.00275	6.959e-07	sre_parse.py:253(get)
1	0.000206	0.000206	0.002704	0.002704	generic.py:123(NDFrame)
1	4e-06	4e-06	0.002689	0.002689	__init__.py:1(<module>)
2118	0.00259	1.223e-06	0.002687	1.269e-06	~:0(<method 'format' of 'str' objects>)
60	0.001069	1.782e-05	0.00268	4.467e-05	function_base.py:37(linspace)
1	2.7e-05	2.7e-05	0.00265	0.00265	financial.py:12(<module>)
1	8.6e-05	8.6e-05	0.00264	0.00264	_add_newdocs.py:10(<module>)
1	8e-06	8e-06	0.002632	0.002632	traceback.py:1(<module>)
195	0.000399	2.046e-06	0.002631	1.349e-05	artist.py:1120(get_valid_values)
56/9	0.000123	1.367e-05	0.002614	0.0002904	pyparsing.py:3866(leaveWhitespace)
266	0.001663	6.252e-06	0.002594	9.752e-06	sre_compile.py:250(_optimize_charset)
1	0.000174	0.000174	0.002588	0.002588	series.py:141(Series)
1	5.8e-05	5.8e-05	0.002578	0.002578	socket.py:47(<module>)
1	0.000568	0.000568	0.002572	0.002572	dviread.py:19(<module>)
1	2.7e-05	2.7e-05	0.002559	0.002559	series.py:4(<module>)
604	0.00166	2.748e-06	0.002554	4.228e-06	posixpath.py:75(join)
592	0.00252	4.257e-06	0.00252	4.257e-06	~:0(<method 'close' of ' _io.BufferedReader' objects>)
1	1.9e-05	1.9e-05	0.002509	0.002509	path.py:10(<module>)
1	9.7e-05	9.7e-05	0.002503	0.002503	__init__.py:7(<module>)
120	0.000578	4.817e-06	0.002493	2.078e-05	sre_compile.py:482(_compile_info)
25	0.000107	4.28e-06	0.002482	9.928e-05	pyparsing.py:1275(_trim_arity)
1	4e-06	4e-06	0.002469	0.002469	_dtype_ctypes.py:24(<module>)
21	8.7e-05	4.143e-06	0.002454	0.0001169	pyparsing.py:1504(setParseAction)
1542/1486	0.001718	1.156e-06	0.002446	1.646e-06	typing.py:1164(__setattr__)
114/56	0.000132	2.357e-06	0.002441	4.359e-05	pyparsing.py:3937(copy)
1	8.6e-05	8.6e-05	0.002407	0.002407	numerictypes.py:81(<module>)
1	2e-05	2e-05	0.002396	0.002396	afm.py:35(<module>)
1191	0.002194	1.842e-06	0.002377	1.996e-06	<frozen importlib._bootstrap>:78(acquire)
24	7.3e-05	3.042e-06	0.002361	9.837e-05	pyparsing.py:1283(extract_stack)
3793	0.001845	4.864e-07	0.002356	6.211e-07	enum.py:517(__new__)
273	0.000408	1.495e-06	0.002347	8.597e-06	function_base.py:441(add_newdoc)
4	3e-05	7.5e-06	0.002325	0.0005812	__init__.py:802(add_special_arithmetic_methods)
507	0.001171	2.31e-06	0.002316	4.568e-06	<frozen importlib._bootstrap>:318(__exit__)
24	8.5e-05	3.542e-06	0.002265	9.438e-05	traceback.py:200(extract_stack)
2	8e-06	4e-06	0.002257	0.001128	<__array_function__ internals>:2(allclose)
1	1e-05	1e-05	0.002252	0.002252	linecache.py:6(<module>)
2	3.8e-05	1.9e-05	0.002242	0.001121	numeric.py:2103(allclose)
1	7e-06	7e-06	0.002228	0.002228	indexing.py:1410(__getitem__)
1	4e-06	4e-06	0.002208	0.002208	indexing.py:2090(__getitem_tuple)
2	3e-06	1.5e-06	0.002172	0.001086	<__array_function__ internals>:2(isclose)
1	3.9e-05	3.9e-05	0.00217	0.00217	dis.py:1(<module>)
24	0.000256	1.067e-05	0.002149	8.954e-05	traceback.py:319(extract)

1	3.2e-05	3.2e-05	0.002141	0.002141	_json.py:1(<module>)
7	2.5e-05	3.571e-06	0.002141	0.0003059	common.py:99(is_bool_indexer)
1	4.8e-05	4.8e-05	0.002132	0.002132	datetime.py:5(<module>)
1191	0.001919	1.611e-06	0.002126	1.785e-06	<frozen importlib._bootstrap>:103(release)
10	0.00014	1.4e-05	0.002113	0.0002113	pyparsing.py:3118(__init__)
599	0.000685	1.144e-06	0.0021	3.506e-06	_collections_abc.py:657(get)
16/12	0.000312	2.6e-05	0.002094	0.0001745	base.py:277(__new__)
121	0.00082	6.777e-06	0.002073	1.713e-05	typing.py:613(_remove_dups_flatten)
2	6.9e-05	3.45e-05	0.002056	0.001028	numeric.py:2179(isclose)
1	8.8e-05	8.8e-05	0.002048	0.002048	nanops.py:1(<module>)
1	6e-06	6e-06	0.002046	0.002046	indexing.py:229(_has_valid_tuple)
1	1.5e-05	1.5e-05	0.002043	0.002043	__init__.py:3(<module>)
2	8e-06	4e-06	0.002038	0.001019	indexing.py:1996(_validate_key)
6	6e-06	1e-06	0.002033	0.0003388	inference.py:246(is_array_like)
1	2.3e-05	2.3e-05	0.002017	0.002017	indexing.py:1205(_convert_to_indexer)
1	1.6e-05	1.6e-05	0.002011	0.002011	decoder.py:2(<module>)
1	4e-05	4e-05	0.002007	0.002007	__init__.py:5(<module>)
23	2.7e-05	1.174e-06	0.002005	8.717e-05	overrides.py:200(decorator)
1	1e-05	1e-05	0.001983	0.001983	_base.py:786(ExcelFile)
502	0.001357	2.703e-06	0.001969	3.922e-06	<frozen importlib._bootstrap_external>:524(spec_from
44	7.5e-05	1.705e-06	0.001952	4.436e-05	__init__.py:1330(_flex_method_SERIES)
1	1.9e-05	1.9e-05	0.001949	0.001949	pytables.py:1(<module>)
1	4.1e-05	4.1e-05	0.001947	0.001947	__init__.py:9(<module>)
7	1.8e-05	2.571e-06	0.001947	0.0002781	pyparsing.py:1887(parseString)
114/56	8.6e-05	1.536e-06	0.001938	3.461e-05	pyparsing.py:3939(<listcomp>)
1	0.000216	0.000216	0.001932	0.001932	core.py:21(<module>)
1	4e-05	4e-05	0.001925	0.001925	__init__.py:24(<module>)
4843	0.001922	3.969e-07	0.001922	3.969e-07	sre_parse.py:232(__next)
1	1.5e-05	1.5e-05	0.00192	0.00192	indexing.py:1042(_get_listlike_indexer)
596	0.001071	1.797e-06	0.001915	3.213e-06	posixpath.py:154(dirname)
1031/508	0.001464	2.882e-06	0.0019	3.74e-06	sre_parse.py:173(getwidth)
1	2.6e-05	2.6e-05	0.001895	0.001895	strings.py:1(<module>)
1	3.8e-05	3.8e-05	0.001867	0.001867	pickle.py:24(<module>)
56	4.7e-05	8.393e-07	0.00185	3.304e-05	pyparsing.py:3870(<listcomp>)
1	5.4e-05	5.4e-05	0.001841	0.001841	blocks.py:1(<module>)
693	0.001078	1.556e-06	0.00184	2.655e-06	inspect.py:2450(__init__)
530	0.000417	7.868e-07	0.001837	3.466e-06	<frozen importlib._bootstrap>:151(__exit__)
1	9.9e-05	9.9e-05	0.001833	0.001833	tokenize.py:21(<module>)
1	0.000226	0.000226	0.00182	0.00182	strings.py:1904(StringMethods)
1	4.1e-05	4.1e-05	0.001787	0.001787	pocketfft.py:29(<module>)
1	1.2e-05	1.2e-05	0.001776	0.001776	__init__.py:1(<module>)

1	4.1e-05	4.1e-05	0.001764	0.001764	type_check.py:3(<module>)
6	3.7e-05	6.167e-06	0.001741	0.0002902	artist.py:1071(__init__)
66	8.2e-05	1.242e-06	0.001735	2.629e-05	pyparsing.py:2116(__add__)
55	0.000583	1.06e-05	0.00171	3.109e-05	<frozen importlib._bootstrap_external>:1067(_path_ho
1	1.1e-05	1.1e-05	0.001699	0.001699	fractions.py:4(<module>)
9722	0.001686	1.734e-07	0.001686	1.734e-07	~:0(<method 'rstrip' of 'str' objects>)
1	9.3e-05	9.3e-05	0.001675	0.001675	parse.py:28(<module>)
6	0.00031	5.167e-05	0.001669	0.0002782	artist.py:1091(get_aliases)
614	0.001438	2.342e-06	0.001667	2.715e-06	_inspect.py:67(getargs)
1	9e-06	9e-06	0.001656	0.001656	main.py:1(<module>)
12	4.1e-05	3.417e-06	0.001626	0.0001355	__init__.py:1513(_flex_comp_method_FRAME)
2473	0.001081	4.371e-07	0.00161	6.51e-07	sre_parse.py:163(__getitem__)
4475	0.001333	2.979e-07	0.0016	3.575e-07	~:0(<built-in method builtins.setattr>)
1	0.000151	0.000151	0.001598	0.001598	testing.py:1(<module>)
67	0.00022	3.284e-06	0.001591	2.375e-05	pyparsing.py:3980(__init__)
170	0.00044	2.588e-06	0.001586	9.329e-06	abc.py:135(<setcomp>)
217	0.001554	7.161e-06	0.001554	7.161e-06	~:0(<method 'search' of '_sre.SRE_Pattern' objects>)
2	0.00077	0.000385	0.001549	0.0007745	numeric.py:2256(within_tol)
1	3.1e-05	3.1e-05	0.00152	0.00152	fontconfig_pattern.py:73(__init__)
1	2.2e-05	2.2e-05	0.001494	0.001494	__init__.py:2(<module>)
600/598	0.001423	2.38e-06	0.001491	2.493e-06	~:0(<built-in method numpy.array>)
188/7	0.000431	6.157e-05	0.001487	0.0002124	pyparsing.py:1633(_parseNoCache)
1	1.7e-05	1.7e-05	0.001483	0.001483	grouper.py:4(<module>)
15410	0.00148	9.604e-08	0.00148	9.604e-08	~:0(<method 'append' of 'list' objects>)
1	1.1e-05	1.1e-05	0.001466	0.001466	hashing.py:3(<module>)
612	0.000786	1.284e-06	0.00146	2.386e-06	os.py:664(__getitem__)
39/7	9.9e-05	1.414e-05	0.001458	0.0002083	pyparsing.py:4017(parseImpl)
2	8.2e-05	4.1e-05	0.001455	0.0007275	generic.py:10448(_add_numeric_operations)
1	9e-06	9e-06	0.001451	0.001451	generic.py:951(_wrap_aggregated_output)
1822	0.00144	7.903e-07	0.00144	7.903e-07	~:0(<method 'update' of 'dict' objects>)
10	4.9e-05	4.9e-06	0.001437	0.0001437	typing.py:1248(__getitem__)
63	0.000116	1.841e-06	0.001424	2.26e-05	typing.py:805(_subs_tree)
14	1.9e-05	1.357e-06	0.001419	0.0001014	hashlib.py:116(__get_openssl_constructor)
1	1.2e-05	1.2e-05	0.00141	0.00141	decimal.py:2(<module>)
4514	0.001407	3.117e-07	0.001407	3.117e-07	<frozen importlib._bootstrap>:222(_verbose_message)
1	1.4e-05	1.4e-05	0.001404	0.001404	indexing.py:1138(_validate_read_indexer)
83	0.000844	1.017e-05	0.001394	1.68e-05	pyparsing.py:3839(__init__)
19	4.1e-05	2.158e-06	0.001391	7.321e-05	typing.py:843(__getitem__)
1	4.1e-05	4.1e-05	0.001389	0.001389	shape_base.py:1(<module>)
1	6e-06	6e-06	0.001387	0.001387	~:0(<method 'sum' of 'numpy.ndarray' objects>)
1	1e-06	1e-06	0.001381	0.001381	_methods.py:36(_sum)
8	1.2e-05	1.5e-06	0.001369	0.0001711	hashlib.py:73(__get_builtin_constructor)

547	0.000611	1.117e-06	0.001367	2.499e-06	_weakrefset.py:58(__iter__)
1	4.4e-05	4.4e-05	0.001363	0.001363	nanfunctions.py:22(<module>)
2	1.4e-05	7e-06	0.00134	0.00067	generic.py:6013(_convert)
1	0.000147	0.000147	0.001327	0.001327	random.py:38(<module>)
96	6.1e-05	6.354e-07	0.001325	1.38e-05	traceback.py:283(line)
1	4.3e-05	4.3e-05	0.001309	0.001309	polynomial.py:4(<module>)
74	3.6e-05	4.865e-07	0.001307	1.766e-05	_methods.py:44(_any)
2	5e-06	2.5e-06	0.001306	0.000653	generic.py:1791(_maybe_mangle_lambdas)
1	2.6e-05	2.6e-05	0.001305	0.001305	numeric.py:1(<module>)
291	0.000879	3.021e-06	0.001297	4.457e-06	inspect.py:2730(__init__)
1	0.0001	0.0001	0.001295	0.001295	interval.py:170(IntervalIndex)
1	1.4e-05	1.4e-05	0.001294	0.001294	scanner.py:2(<module>)
1	1e-05	1e-05	0.001291	0.001291	frame.py:3458(__setitem__)
1	7e-06	7e-06	0.001275	0.001275	frame.py:3537(_set_item)
1	1e-06	1e-06	0.001273	0.001273	pyparsing.py:5811(makeHTMLTags)
1	3.5e-05	3.5e-05	0.001272	0.001272	pyparsing.py:5774(_makeTags)
1	1.5e-05	1.5e-05	0.001266	0.001266	sorting.py:1(<module>)
1	0.00014	0.00014	0.001256	0.001256	expr.py:2(<module>)
1	4.5e-05	4.5e-05	0.001249	0.001249	colors.py:45(<module>)
1	7.1e-05	7.1e-05	0.001246	0.001246	sparse.py:3(<module>)
72	4.8e-05	6.667e-07	0.001236	1.717e-05	linecache.py:15(getline)
1	2.6e-05	2.6e-05	0.001236	0.001236	_normalize.py:4(<module>)
1	4.2e-05	4.2e-05	0.001232	0.001232	utils.py:4(<module>)
1	1.2e-05	1.2e-05	0.001216	0.001216	message.py:5(<module>)
1	0.001177	0.001177	0.001215	0.001215	~:0(<method 'read' of '_io.TextIOWrapper' objects>)
633	0.001014	1.602e-06	0.001213	1.916e-06	re.py:249(escape)
1	7.6e-05	7.6e-05	0.00121	0.00121	__init__.py:1(<module>)
1	3.9e-05	3.9e-05	0.001206	0.001206	generic.py:738(SeriesGroupBy)
72	3.9e-05	5.417e-07	0.00118	1.639e-05	linecache.py:37(getlines)
4055	0.001174	2.895e-07	0.001174	2.895e-07	~:0(<method 'rpartition' of 'str' objects>)
1	7e-06	7e-06	0.001174	0.001174	string.py:15(<module>)
1	6.2e-05	6.2e-05	0.001168	0.001168	groupby.py:1011(GroupBy)
1	1.1e-05	1.1e-05	0.001168	0.001168	generic.py:3380(_set_item)
1	0.000426	0.000426	0.001155	0.001155	managers.py:1031(set)
1	6.4e-05	6.4e-05	0.001154	0.001154	twodim_base.py:3(<module>)
1	3.2e-05	3.2e-05	0.001144	0.001144	signal.py:1(<module>)
2	8e-06	4e-06	0.001135	0.0005675	pyparsing.py:5647(srangle)
410	0.000446	1.088e-06	0.001134	2.766e-06	copy.py:268(_reconstruct)
1	1.9e-05	1.9e-05	0.001132	0.001132	ipaddress.py:9(<module>)
1	2.4e-05	2.4e-05	0.001131	0.001131	linecache.py:82(updatecache)
55	0.000141	2.564e-06	0.001127	2.049e-05	<frozen importlib._bootstrap_external>:1322(path_hoo

1	2.1e-05	2.1e-05	0.001091	0.001091	polynomial.py:57(<module>)
14	2e-05	1.429e-06	0.001081	7.721e-05	~:0(<method 'any' of 'numpy.ndarray' objects>)
399	0.000178	4.461e-07	0.001073	2.689e-06	re.py:169(match)
834	0.000715	8.573e-07	0.001068	1.281e-06	<frozen importlib._bootstrap_external>:63(_path_split)
572	0.00052	9.091e-07	0.001067	1.865e-06	font_manager.py:958(_json_decode)
1	2.4e-05	2.4e-05	0.001066	0.001066	patches.py:1944(BoxStyle)
527	0.000682	1.294e-06	0.001048	1.989e-06	<frozen importlib._bootstrap>:176(cb)
527	0.00064	1.214e-06	0.00104	1.973e-06	<frozen importlib._bootstrap>:58(__init__)
44	5e-05	1.136e-06	0.001032	2.345e-05	base.py:5707(ensure_index)
1	8e-06	8e-06	0.001032	0.001032	string.py:65(__init__)
1	2.6e-05	2.6e-05	0.001027	0.001027	patches.py:3157(ArrowStyle)
1	0.000126	0.000126	0.001022	0.001022	base.py:186(Index)
1	0.000104	0.000104	0.001013	0.001013	scimath.py:17(<module>)
1	0.000157	0.000157	0.001005	0.001005	getlimits.py:96(_register_known_types)
46	0.000182	3.957e-06	0.001004	2.183e-05	deprecation.py:163(deprecate)
7	1e-05	1.429e-06	0.001002	0.0001431	missing.py:48(isna)
147	0.0002	1.361e-06	0.001	6.803e-06	enum.py:797(__or__)
7	2.5e-05	3.571e-06	0.000992	0.0001417	missing.py:128(_isna_new)
238	0.000462	1.941e-06	0.00099	4.16e-06	enum.py:70(__setitem__)
1	1.1e-05	1.1e-05	0.000981	0.000981	bz2.py:5(<module>)
1	0.000913	0.000913	0.000979	0.000979	~:0(<method 'readlines' of '_io._IOBase' objects>)
1	3.5e-05	3.5e-05	0.000964	0.000964	ops.py:7(<module>)
1	4.2e-05	4.2e-05	0.000958	0.000958	window.py:1686(Rolling)
1	2.2e-05	2.2e-05	0.000953	0.000953	histograms.py:3(<module>)
1	3.8e-05	3.8e-05	0.000949	0.000949	multi.py:1(<module>)
1	4e-06	4e-06	0.000945	0.000945	__init__.py:1(<module>)
20	7.8e-05	3.9e-06	0.00094	4.7e-05	blocks.py:3241(make_block)
1	2e-06	2e-06	0.000939	0.000939	__init__.py:1(<module>)
1	2e-06	2e-06	0.000934	0.000934	version.py:27(<module>)
131	7.3e-05	5.573e-07	0.000933	7.122e-06	sre_parse.py:96(closegroup)
1	4.6e-05	4.6e-05	0.000926	0.000926	markers.py:84(<module>)
12	7e-06	5.833e-07	0.000919	7.658e-05	rcsetup.py:454(validate_font_properties)
13	0.000251	1.931e-05	0.000915	7.038e-05	enum.py:625(<listcomp>)
5	9e-06	1.8e-06	0.000912	0.0001824	fontconfig_pattern.py:121(parse)
156/128	0.000256	2e-06	0.00091	7.109e-06	typing.py:580(_subs_tree)
54	6e-05	1.111e-06	0.000903	1.672e-05	rcsetup.py:76(f)
1	0.000133	0.000133	0.000881	0.000881	config_init.py:11(<module>)
1	3.3e-05	3.3e-05	0.000873	0.000873	period.py:1(<module>)
25	9.4e-05	3.76e-06	0.000867	3.468e-05	__init__.py:988(dedent)
1	3.5e-05	3.5e-05	0.000867	0.000867	base.py:32(ExtensionArray)
3	0.000622	0.0002073	0.000859	0.0002863	missing.py:219(_isna_ndarraylike)
1	3.6e-05	3.6e-05	0.000842	0.000842	window.py:1985(Expanding)

53	4.6e-05	8.679e-07	0.000841	1.587e-05	config.py:733(inner)
1	4.2e-05	4.2e-05	0.000837	0.000837	series.py:49(SparseSeries)
1	3.8e-05	3.8e-05	0.000831	0.000831	ops.py:2(<module>)
1578	0.000536	3.397e-07	0.00083	5.26e-07	<frozen importlib._bootstrap>:847(__exit__)
72	8.7e-05	1.208e-06	0.00083	1.153e-05	rcsetup.py:373(validate_color)
12	1.9e-05	1.583e-06	0.000822	6.85e-05	pyparsing.py:4654(parseImpl)
1	1.9e-05	1.9e-05	0.000821	0.000821	arraysetops.py:27(<module>)
6	0.000125	2.083e-05	0.00081	0.000135	getlimits.py:37(__init__)
834	0.000402	4.82e-07	0.000807	9.676e-07	<frozen importlib._bootstrap_external>:52(_r_long)
1	2.8e-05	2.8e-05	0.000806	0.000806	indexing.py:1(<module>)
648	0.000306	4.722e-07	0.000804	1.241e-06	typing.py:646(<genexpr>)
1	1.1e-05	1.1e-05	0.000801	0.000801	_xlsxwriter.py:1(<module>)
585	0.000798	1.364e-06	0.000798	1.364e-06	_weakrefset.py:36(__init__)
417	0.000797	1.911e-06	0.000797	1.911e-06	~:0(<built-in method _imp._fix_co_filename>)
2175	0.000541	2.487e-07	0.000789	3.628e-07	sre_parse.py:248(match)
1	8e-06	8e-06	0.000785	0.000785	concat.py:31(concat)
292	0.000472	1.616e-06	0.000784	2.685e-06	typing.py:354(_type_check)
856	0.000571	6.671e-07	0.000783	9.147e-07	<frozen importlib._bootstrap>:416(parent)
3	9e-06	3e-06	0.000782	0.0002607	warnings.py:119(filterwarnings)
1	4.4e-05	4.4e-05	0.000776	0.000776	opcode.py:5(<module>)
76/72	0.000189	2.625e-06	0.000771	1.071e-05	typing.py:875(__extrahook__)
1	4.4e-05	4.4e-05	0.000769	0.000769	category.py:1(<module>)
1	6.1e-05	6.1e-05	0.000762	0.000762	multi.py:136(MultiIndex)
53	0.000314	5.925e-06	0.000749	1.413e-05	config.py:415(register_option)
60	3.2e-05	5.333e-07	0.000746	1.243e-05	<__array_function__ internals>:2(any)
76	0.00074	9.737e-06	0.00074	9.737e-06	~:0(<built-in method builtins.abs>)
1	7e-06	7e-06	0.000738	0.000738	base.py:1(<module>)
3169	0.000735	2.319e-07	0.000735	2.319e-07	~:0(<method 'endswith' of 'str' objects>)
1	2.5e-05	2.5e-05	0.000731	0.000731	pivot.py:1(<module>)
19	0.000171	9e-06	0.000722	3.8e-05	path.py:101(__init__)
1	7.7e-05	7.7e-05	0.000722	0.000722	algorithms.py:4(<module>)
1	0.000161	0.000161	0.00072	0.00072	markers.py:109(MarkerStyle)
15	0.000717	4.78e-05	0.000717	4.78e-05	~:0(<built-in method builtins.dir>)
1	9e-06	9e-06	0.000713	0.000713	result.py:1(<module>)
1	2.8e-05	2.8e-05	0.000711	0.000711	shape_base.py:1(<module>)
6	3.8e-05	6.333e-06	0.000707	0.0001178	managers.py:126(__init__)
70	4.2e-05	6e-07	0.000706	1.009e-05	colors.py:112(is_color_like)
1	1.7e-05	1.7e-05	0.000703	0.000703	lzma.py:9(<module>)
1	9.9e-05	9.9e-05	0.000701	0.000701	period.py:1(<module>)
1	2.8e-05	2.8e-05	0.000692	0.000692	transforms.py:30(<module>)
1	4.3e-05	4.3e-05	0.000688	0.000688	stata.py:11(<module>)

3	1e-05	3.333e-06	0.000688	0.0002293	base.py:5530(_add_logical_methods)
1578	0.000487	3.086e-07	0.000685	4.341e-07	<frozen importlib._bootstrap>:843(__enter__)
27	6e-05	2.222e-06	0.000685	2.537e-05	contextlib.py:129(contextmanager)
1	0.000682	0.000682	0.000682	0.000682	blocks.py:372(set)
1	2.6e-05	2.6e-05	0.000682	0.000682	datetimelike.py:3(<module>)
18	4.1e-05	2.278e-06	0.000676	3.756e-05	abc.py:151(register)
6	0.000318	5.3e-05	0.000674	0.0001123	artist.py:1103(<listcomp>)
22/10	6e-05	6e-06	0.000673	6.73e-05	pyparsing.py:4217(parseImpl)
22	4.1e-05	1.864e-06	0.000672	3.055e-05	docstring.py:113(dedent_interpd)
1	3.9e-05	3.9e-05	0.00067	0.00067	period.py:111(PeriodArray)
618	0.000339	5.485e-07	0.000666	1.078e-06	os.py:742(encode)
1	1.9e-05	1.9e-05	0.000666	0.000666	utils.py:1(<module>)
6	5.7e-05	9.5e-06	0.000665	0.0001108	base.py:2957(get_indexer)
102/96	0.000117	1.219e-06	0.000664	6.917e-06	typing.py:1083(_subs_tree)
1	5.5e-05	5.5e-05	0.000664	0.000664	arrayprint.py:5(<module>)
1	1.7e-05	1.7e-05	0.000663	0.000663	selectors.py:5(<module>)
274/231	0.000204	8.831e-07	0.00066	2.857e-06	typing.py:553(_replace_arg)
1	1e-06	1e-06	0.000659	0.000659	request.py:941(AbstractBasicAuthHandler)
16	0.000413	2.581e-05	0.000654	4.087e-05	enum.py:160(<setcomp>)
1	1.1e-05	1.1e-05	0.000652	0.000652	_odfreader.py:1(<module>)
120	0.000152	1.267e-06	0.000646	5.383e-06	sre_parse.py:828(fix_flags)
60	6.4e-05	1.067e-06	0.000638	1.063e-05	fromnumeric.py:2189(any)
233	0.000636	2.73e-06	0.000636	2.73e-06	pyparsing.py:1386(__init__)
1	5.8e-05	5.8e-05	0.000635	0.000635	_type_aliases.py:24(<module>)
18/4	2.9e-05	7.25e-06	0.000633	0.0001582	pyparsing.py:4428(parseImpl)
1	2.1e-05	2.1e-05	0.000633	0.000633	ntpath.py:6(<module>)
1	1.1e-05	1.1e-05	0.000625	0.000625	window.py:975(_Rolling_and_Expanding)
1	6e-06	6e-06	0.000624	0.000624	version.py:93(StrictVersion)
1588	0.000619	3.898e-07	0.00062	3.904e-07	_weakrefset.py:70(__contains__)
1	0.000132	0.000132	0.000605	0.000605	integer.py:1(<module>)
14	0.000101	7.214e-06	0.000601	4.293e-05	blocks.py:3195(get_block_type)
55	0.000265	4.818e-06	0.000593	1.078e-05	<frozen importlib._bootstrap_external>:1196(__init__)
167	0.000131	7.844e-07	0.000592	3.545e-06	typing.py:342(_type_vars)
700	0.000248	3.543e-07	0.000587	8.386e-07	colors.py:107(_is_nth_color)
1	1.3e-05	1.3e-05	0.000587	0.000587	charset.py:6(<module>)
3296	0.000585	1.775e-07	0.000585	1.775e-07	~:0(<built-in method _imp.acquire_lock>)
1	0.000159	0.000159	0.000582	0.000582	six.py:21(<module>)
1	0.00031	0.00031	0.000581	0.000581	__init__.py:1041(_rc_params_in_file)
1	2.5e-05	2.5e-05	0.000581	0.000581	generic.py:1353(DataFrameGroupBy)
1	1.4e-05	1.4e-05	0.000581	0.000581	difflib.py:27(<module>)
3296	0.000579	1.757e-07	0.000579	1.757e-07	~:0(<built-in method _imp.release_lock>)
1	2e-05	2e-05	0.000574	0.000574	csv.py:4(<module>)

1	5.4e-05	5.4e-05	0.000573	0.000573	category.py:39(CategoricalIndex)
16	2.1e-05	1.312e-06	0.000572	3.575e-05	accessor.py:140(add_delegate_accessors)
1	0.000569	0.000569	0.000569	0.000569	request.py:1558(CacheFTPHandler)
22	3.1e-05	1.409e-06	0.000569	2.586e-05	docstring.py:94(dedent)
1	2.7e-05	2.7e-05	0.000567	0.000567	concat.py:266(__init__)
1423	0.000561	3.942e-07	0.000561	3.942e-07	~:0(<method 'split' of 'str' objects>)
1	1.3e-05	1.3e-05	0.000559	0.000559	groupby.py:515(_set_group_selection)
1	4.8e-05	4.8e-05	0.000557	0.000557	interval.py:113(IntervalArray)
33/5	0.000131	2.62e-05	0.000554	0.0001108	pyparsing.py:3897(streamline)
1	1.4e-05	1.4e-05	0.000552	0.000552	_odfreader.py:11(_ODFReader)
16	0.000138	8.625e-06	0.000551	3.444e-05	accessor.py:62(_add_delegate_accessors)
1	1.6e-05	1.6e-05	0.00055	0.00055	loader.py:1(<module>)
24/4	5.7e-05	1.425e-05	0.000549	0.0001373	pyparsing.py:3999(streamline)
417	0.000443	1.062e-06	0.00054	1.295e-06	<frozen importlib._bootstrap_external>:393(_check_na
1204	0.00032	2.658e-07	0.000533	4.427e-07	posixpath.py:41(_get_sep)
13	5.8e-05	4.462e-06	0.000533	4.1e-05	managers.py:1470(__init__)
8	0.000125	1.563e-05	0.000527	6.588e-05	__init__.py:789(add_methods)
30	8.7e-05	2.9e-06	0.000524	1.747e-05	getlimits.py:43(<lambd>)
1	2.1e-05	2.1e-05	0.000519	0.000519	generic.py:1(<module>)
1230	0.000514	4.179e-07	0.000514	4.179e-07	colors.py:228(<genexpr>)
10	1.5e-05	1.5e-06	0.000511	5.11e-05	enum.py:760(_missing_)
1	0.00051	0.00051	0.00051	0.00051	pytables.py:1644(IndexCol)
855	0.000432	5.053e-07	0.00051	5.965e-07	~:0(<built-in method from_bytes>)
1	3.9e-05	3.9e-05	0.000509	0.000509	datetimelike.py:327(DatetimeLikeArrayMixin)
118	0.000398	3.373e-06	0.000506	4.288e-06	typing.py:852(_next_in_mro)
1	2.4e-05	2.4e-05	0.000504	0.000504	ticker.py:165(<module>)
1	4.7e-05	4.7e-05	0.000495	0.000495	datetimes.py:1(<module>)
10	4.5e-05	4.5e-06	0.000494	4.94e-05	enum.py:767(_create_pseudo_member_)
4	1.7e-05	4.25e-06	0.000491	0.0001228	typing.py:1322(__getitem__)
1099	0.00036	3.276e-07	0.00049	4.459e-07	sre_parse.py:171(append)
529	0.000487	9.206e-07	0.000487	9.206e-07	<frozen importlib._bootstrap>:369(__init__)
26	0.000484	1.862e-05	0.000484	1.862e-05	generic.py:6(create_pandas_abc_type)
1	1.5e-05	1.5e-05	0.000483	0.000483	patches.py:2687(ConnectionStyle)
1	4e-06	4e-06	0.000482	0.000482	artist.py:1065(ArtistInspector)
1	2e-05	2e-05	0.00048	0.00048	_parser.py:30(<module>)
30	6e-05	2e-06	0.000479	1.597e-05	~:0(<pandas._libs.lib.is_scalar>)
69	0.000195	2.826e-06	0.000477	6.913e-06	_dtype.py:319(_name_get)
1	2.4e-05	2.4e-05	0.000476	0.000476	_typing.py:1(<module>)
56	0.000216	3.857e-06	0.000475	8.482e-06	sre_compile.py:376(_mk_bitmap)
72	0.000138	1.917e-06	0.000474	6.583e-06	docstrings.py:7(_make_flex_doc)
1	9e-06	9e-06	0.000473	0.000473	frozen.py:9(<module>)
417	0.000472	1.132e-06	0.000472	1.132e-06	<frozen importlib._bootstrap>:35(_new_module)

2542	0.00047	1.849e-07	0.00047	1.849e-07	~:0(<built-in method posix.fspath>)
1	0.000317	0.000317	0.000469	0.000469	_mathtext_data.py:3(<module>)
67	0.000176	2.627e-06	0.000469	7e-06	pyparsing.py:4410(__init__)
1	4.5e-05	4.5e-05	0.000463	0.000463	cm.py:85(<dictcomp>)
16	2.9e-05	1.813e-06	0.000463	2.894e-05	arrayprint.py:1512(_array_str_implementation)
907	0.000373	4.112e-07	0.000462	5.094e-07	sre_parse.py:285(tell)
214/167	0.000271	1.623e-06	0.000461	2.76e-06	typing.py:336(_get_type_vars)
24	4.6e-05	1.917e-06	0.000459	1.913e-05	linecache.py:53(checkcache)
3	1e-05	3.333e-06	0.000458	0.0001527	typing.py:1342(__getitem__inner__)
520	0.000213	4.096e-07	0.000457	8.788e-07	<frozen importlib._bootstrap>:780(find_spec)
247	0.000134	5.425e-07	0.000457	1.85e-06	<__array_function__ internals>:2(can_cast)
1527	0.000456	2.986e-07	0.000456	2.986e-07	~:0(<built-in method builtins.min>)
1	4.1e-05	4.1e-05	0.000448	0.000448	managers.py:63(BlockManager)
158	0.000442	2.797e-06	0.000442	2.797e-06	_decorators.py:282(__call__)
44	4.2e-05	9.545e-07	0.000441	1.002e-05	core.py:145(get_object_signature)
1	2.3e-05	2.3e-05	0.000441	0.000441	base.py:669(IndexOpsMixin)
10	8.7e-05	8.7e-06	0.00044	4.4e-05	enum.py:839(_decompose)
34	0.000404	1.188e-05	0.000439	1.291e-05	colors.py:785(__init__)
23/7	2e-05	2.857e-06	0.000439	6.271e-05	pyparsing.py:4453(streamline)
97/95	5.6e-05	5.895e-07	0.000438	4.611e-06	_asarray.py:16(asarray)
1	3e-05	3e-05	0.000438	0.000438	encoder.py:2(<module>)
1	1e-05	1e-05	0.000435	0.000435	errors.py:5(<module>)
257	0.000278	1.082e-06	0.000434	1.689e-06	sre_compile.py:388(_simple)
309	0.000359	1.162e-06	0.000433	1.401e-06	enum.py:353(__setattr__)
13	2.8e-05	2.154e-06	0.000433	3.331e-05	nanops.py:54(__init__)
1	1.4e-05	1.4e-05	0.000426	0.000426	series.py:1065(__getitem__)
6	5.3e-05	8.833e-06	0.000425	7.083e-05	base.py:5617(_make_logical_function)
1	1.1e-05	1.1e-05	0.000425	0.000425	base64.py:3(<module>)
719	0.000267	3.713e-07	0.000422	5.869e-07	artist.py:1184(is_alias)
1	3.4e-05	3.4e-05	0.000419	0.000419	timedeltas.py:1(<module>)
2	2.6e-05	1.3e-05	0.000419	0.0002095	rcsetup.py:805(validate_cycler)
507	0.000418	8.245e-07	0.000418	8.245e-07	<frozen importlib._bootstrap>:311(__enter__)
75	0.000117	1.56e-06	0.000418	5.573e-06	cm.py:51(_reverse_cmap_spec)
1	1e-05	1e-05	0.000418	0.000418	datetimelike.py:193(TimelikeOps)
2026	0.000417	2.058e-07	0.000417	2.058e-07	<frozen importlib._bootstrap>:321(<genexpr>)
16	0.00036	2.25e-05	0.000416	2.6e-05	arrayprint.py:465(wrapper)
2	4e-05	2e-05	0.000416	0.000208	groupby.py:343(__init__)
54	6.6e-05	1.222e-06	0.000413	7.648e-06	rcsetup.py:97(<listcomp>)
1	9e-06	9e-06	0.000411	0.000411	generic.py:7758(groupby)
954	0.000324	3.396e-07	0.000408	4.277e-07	inspect.py:2779(<genexpr>)
6	8.5e-05	1.417e-05	0.000408	6.8e-05	patches.py:1807(_pprint_table)
1	8e-06	8e-06	0.000407	0.000407	util.py:1(<module>)

1	3.2e-05	3.2e-05	0.000406	0.000406	range.py:1(<module>)
33	1.6e-05	4.848e-07	0.000405	1.227e-05	nanops.py:56(<genexpr>)
1058	0.000401	3.79e-07	0.000401	3.79e-07	~:0(<built-in method _thread.allocate_lock>)
1	3e-05	3e-05	0.000401	0.000401	period.py:71(PeriodIndex)
1	2.7e-05	2.7e-05	0.000399	0.000399	frame.py:40(SparseDataFrame)
1	1e-05	1e-05	0.000399	0.000399	numbers.py:6(<module>)
193	6.5e-05	3.368e-07	0.000397	2.057e-06	typing.py:800(<genexpr>)
13	3.8e-05	2.923e-06	0.000396	3.046e-05	generic.py:11591(_make_stat_function)
1	9e-06	9e-06	0.000396	0.000396	boxplot.py:19(BoxPlot)
2399	0.000395	1.647e-07	0.000395	1.647e-07	~:0(<built-in method _thread.get_ident>)
1	8e-06	8e-06	0.000394	0.000394	groupby.py:2509(groupby)
55	5.2e-05	9.455e-07	0.000393	7.145e-06	<frozen importlib._bootstrap_external>:99(_path_isdir)
26	1.7e-05	6.538e-07	0.000389	1.496e-05	core.py:6619(__init__)
407	0.000299	7.346e-07	0.000387	9.509e-07	~:0(<method 'extend' of 'list' objects>)
1	2.5e-05	2.5e-05	0.000385	0.000385	accessors.py:3(<module>)
1	4e-06	4e-06	0.000384	0.000384	error.py:12(<module>)
1	3.8e-05	3.8e-05	0.00038	0.00038	cast.py:1(<module>)
341	0.000222	6.51e-07	0.000377	1.106e-06	_weakrefset.py:26(__exit__)
1	2.4e-05	2.4e-05	0.000376	0.000376	argparse.py:62(<module>)
1	1.1e-05	1.1e-05	0.000376	0.000376	ipaddress.py:2233(_IPv6Constants)
969	0.000301	3.106e-07	0.000373	3.849e-07	sre_parse.py:159(__len__)
801	0.000372	4.644e-07	0.000372	4.644e-07	<frozen importlib._bootstrap_external>:37(_relax_case
26	4.9e-05	1.885e-06	0.000372	1.431e-05	core.py:6624(getdoc)
3	0.000215	7.167e-05	0.000371	0.0001237	expr.py:314(disallowed)
1	1.2e-05	1.2e-05	0.00037	0.00037	spss.py:1(<module>)
1	1.9e-05	1.9e-05	0.000366	0.000366	window.py:2272(EWM)
28	9.7e-05	3.464e-06	0.000365	1.304e-05	ipaddress.py:2143(__init__)
618	0.00022	3.56e-07	0.000362	5.858e-07	_inspect.py:15(ismethod)
1	1.9e-05	1.9e-05	0.000362	0.000362	function_base.py:1(<module>)
579	0.000361	6.235e-07	0.000361	6.235e-07	functools.py:74(wraps)
58	5.5e-05	9.483e-07	0.000359	6.19e-06	strings.py:1830(_forbid_nonstring_types)
1	1.7e-05	1.7e-05	0.000358	0.000358	scope.py:3(<module>)
14	2.3e-05	1.643e-06	0.000356	2.543e-05	expr.py:227(_filter_nodes)
410	0.000318	7.756e-07	0.000355	8.659e-07	~:0(<method '__reduce_ex__' of 'object' objects>)
1	8e-06	8e-06	0.000351	0.000351	bisect.py:1(<module>)
123	0.000215	1.748e-06	0.00035	2.846e-06	sre_parse.py:223(__init__)
209	0.000236	1.129e-06	0.000347	1.66e-06	sre_parse.py:342(_escape)
1	2.2e-05	2.2e-05	0.000347	0.000347	html.py:4(<module>)
1	0.000119	0.000119	0.000346	0.000346	categorical.py:237(Categorical)
1	5e-05	5e-05	0.000346	0.000346	extras.py:10(<module>)
20	0.000202	1.01e-05	0.000345	1.725e-05	~:0(<pandas._libs.lib.infer_dtype>)
8	1.9e-05	2.375e-06	0.000345	4.312e-05	generic.py:11646(_make_cum_function)

1	4e-06	4e-06	0.000341	0.000341	encoders.py:5(<module>)
1	1.6e-05	1.6e-05	0.000338	0.000338	ufunclike.py:5(<module>)
1	1e-05	1e-05	0.000334	0.000334	numeric.py:349(Float64Index)
126	0.000199	1.579e-06	0.000333	2.643e-06	expr.py:229(<genexpr>)
20	1.7e-05	8.5e-07	0.000332	1.66e-05	rcsetup.py:357(validate_color_for_prop_cycle)
60	8.4e-05	1.4e-06	0.00033	5.5e-06	~:0(<method 'any' of 'numpy.generic' objects>)
167	7.6e-05	4.551e-07	0.000329	1.97e-06	typing.py:1107(<genexpr>)
1	3.6e-05	3.6e-05	0.000329	0.000329	grouper.py:431(_get_grouper)
12	2.1e-05	1.75e-06	0.000329	2.742e-05	pyparsing.py:4815(parseImpl)
1	4e-05	4e-05	0.000328	0.000328	zipfile.py:5(<module>)
1	2.5e-05	2.5e-05	0.000328	0.000328	ctypeslib.py:51(<module>)
1	7e-06	7e-06	0.000323	0.000323	concat.py:489(_get_new_axes)
1	4.4e-05	4.4e-05	0.000321	0.000321	lines.py:229(Line2D)
1	1.5e-05	1.5e-05	0.00032	0.00032	ipaddress.py:1542(_IPv4Constants)
1	1.4e-05	1.4e-05	0.00032	0.00032	algorithms.py:167(_reconstruct_data)
52	0.000141	2.712e-06	0.000318	6.115e-06	core.py:889(__init__)
1	9e-06	9e-06	0.000318	0.000318	pickle.py:1(<module>)
1	7e-05	7e-05	0.000317	0.000317	rrule.py:7(<module>)
185	8.3e-05	4.486e-07	0.000315	1.703e-06	__init__.py:422(<genexpr>)
1	1e-05	1e-05	0.000315	0.000315	runner.py:1(<module>)
692	0.000225	3.251e-07	0.000313	4.523e-07	typing.py:1089(__eq__)
525	0.000164	3.124e-07	0.000313	5.962e-07	<frozen importlib._bootstrap>:707(find_spec)
1	1.6e-05	1.6e-05	0.000312	0.000312	datetimelike.py:52(AttributesMixin)
364	0.000257	7.06e-07	0.000311	8.544e-07	_weakrefset.py:81(add)
55	0.000177	3.218e-06	0.000311	5.655e-06	<frozen importlib._bootstrap_external>:1310(<setcomp
653	0.00031	4.747e-07	0.00031	4.747e-07	sre_parse.py:111(__init__)
198	9.2e-05	4.646e-07	0.00031	1.566e-06	enum.py:20(_is_descriptor)
57	5.3e-05	9.298e-07	0.000308	5.404e-06	common.py:678(is_categorical_dtype)
72	0.000307	4.264e-06	0.000307	4.264e-06	typing.py:896(_no_slots_copy)
1	3.9e-05	3.9e-05	0.000306	0.000306	merge.py:3(<module>)
576	0.000229	3.976e-07	0.000305	5.295e-07	inspect.py:159(isfunction)
1	9e-06	9e-06	0.000305	0.000305	dtypes.py:611(DatetimeTZDtype)
131	0.000168	1.282e-06	0.000304	2.321e-06	sre_parse.py:84(opengroup)
1	1.2e-05	1.2e-05	0.000304	0.000304	align.py:2(<module>)
1	1.6e-05	1.6e-05	0.000303	0.000303	tzinfo.py:1(<module>)
1	4e-06	4e-06	0.000303	0.000303	__init__.py:1(<module>)
1	2.8e-05	2.8e-05	0.000301	0.000301	pickle.py:181(<listcomp>)
530	0.0003	5.66e-07	0.0003	5.66e-07	<frozen importlib._bootstrap>:143(__init__)
6	0.000117	1.95e-05	0.0003	5e-05	managers.py:216(_rebuild_blkno and _blklocs)
31	8.3e-05	2.677e-06	0.000299	9.645e-06	cm.py:34(revcmmap)
19	7.7e-05	4.053e-06	0.000298	1.568e-05	ipaddress.py:1460(__init__)

83	6.1e-05	7.349e-07	0.000297	3.578e-06	pyparsing.py:2806(__init__)
1	1.1e-05	1.1e-05	0.000296	0.000296	concat.py:535(_get_concat_axis)
54	4e-05	7.407e-07	0.000295	5.463e-06	common.py:642(is_interval_dtype)
19	0.000136	7.158e-06	0.000294	1.547e-05	path.py:198(_update_values)
16	2.5e-05	1.562e-06	0.000294	1.837e-05	pyparsing.py:2270(__or__)
1	1.2e-05	1.2e-05	0.000294	0.000294	base.py:11(ExtensionDtype)
1	4e-06	4e-06	0.000293	0.000293	_optional.py:52(import_optional_dependency)
71	0.0001	1.408e-06	0.000292	4.113e-06	numerictypes.py:365(issubdtype)
1	4.1e-05	4.1e-05	0.000292	0.000292	datetimelike.py:65(DatetimeIndexOpsMixin)
9	9.3e-05	1.033e-05	0.00029	3.222e-05	enum.py:857(<listcomp>)
1	1e-05	1e-05	0.00029	0.00029	__init__.py:797(matplotlib_fname)
200/199	0.000109	5.477e-07	0.000289	1.452e-06	~:0(<built-in method builtins.all>)
1	2e-06	2e-06	0.000289	0.000289	__init__.py:108(import_module)
20	7.1e-05	3.55e-06	0.000288	1.44e-05	blocks.py:120(__init__)
1	3e-06	3e-06	0.000287	0.000287	<frozen importlib._bootstrap>:982(_gcd_import)
1	3.1e-05	3.1e-05	0.000283	0.000283	concat.py:599(_make_concat_multiindex)
1	2.6e-05	2.6e-05	0.000278	0.000278	range.py:36(RangeIndex)
4	1.4e-05	3.5e-06	0.000278	6.95e-05	core.py:122(doc_note)
618	0.000203	3.285e-07	0.000274	4.434e-07	_inspect.py:28(isfunction)
1463	0.000273	1.866e-07	0.000273	1.866e-07	~:0(<method 'strip' of 'str' objects>)
1	2e-06	2e-06	0.000273	0.000273	base.py:4804(get_indexer_for)
1	9e-06	9e-06	0.000272	0.000272	glob.py:1(<module>)
1	1.8e-05	1.8e-05	0.000271	0.000271	__init__.py:1(<module>)
485	0.000268	5.526e-07	0.000268	5.526e-07	~:0(<method 'match' of '_sre.SRE_Pattern' objects>)
7/5	1.9e-05	3.8e-06	0.000268	5.36e-05	__init__.py:405(wrapper)
1	1.9e-05	1.9e-05	0.000267	0.000267	__init__.py:5(HTTPStatus)
1	1.5e-05	1.5e-05	0.000267	0.000267	relativedelta.py:2(<module>)
1	2.7e-05	2.7e-05	0.000266	0.000266	base.py:2687(difference)
2	1.2e-05	6e-06	0.000265	0.0001325	series.py:1177(_get_values)
1	4e-06	4e-06	0.000263	0.000263	__init__.py:2(<module>)
1	2e-06	2e-06	0.000263	0.000263	version.py:267(LooseVersion)
16	2.7e-05	1.687e-06	0.000262	1.637e-05	pyparsing.py:4204(__init__)
1	1e-05	1e-05	0.00026	0.00026	base.py:5315(drop)
36	5.2e-05	1.444e-06	0.000259	7.194e-06	deprecation.py:197(finalize)
2	1.5e-05	7.5e-06	0.000258	0.000129	base.py:3364(reindex)
4	3e-06	7.5e-07	0.000258	6.45e-05	re.py:204(split)
1	2.2e-05	2.2e-05	0.000256	0.000256	numpy_.py:1(<module>)
27	2.2e-05	8.148e-07	0.000256	9.481e-06	pyparsing.py:5066(__init__)
1	0.000211	0.000211	0.000255	0.000255	_cm_listed.py:1(<module>)
38	6.9e-05	1.816e-06	0.000255	6.711e-06	dtypes.py:1092(is_dtype)
341	0.000199	5.836e-07	0.000254	7.449e-07	_weakrefset.py:20(__enter__)
1	1.7e-05	1.7e-05	0.000254	0.000254	accessor.py:6(<module>)

417	0.000253	6.067e-07	0.000253	6.067e-07	<frozen importlib._bootstrap_external>:800(__init__)
1	6.9e-05	6.9e-05	0.000253	0.000253	_color_data.py:1(<module>)
507	0.000252	4.97e-07	0.000252	4.97e-07	<frozen importlib._bootstrap>:307(__init__)
1	3.2e-05	3.2e-05	0.000249	0.000249	timedeltas.py:1(<module>)
18	2.2e-05	1.222e-06	0.000249	1.383e-05	common.py:1163(is_datetime64_any_dtype)
1	1.1e-05	1.1e-05	0.000249	0.000249	stride_tricks.py:7(<module>)
9/3	1.2e-05	4e-06	0.000246	8.2e-05	pyparsing.py:4211(streamline)
864	0.000244	2.824e-07	0.000244	2.824e-07	~:0(<method 'find' of 'bytearray' objects>)
520	0.000244	4.692e-07	0.000244	4.692e-07	~:0(<built-in method _imp.is_frozen>)
1	1.1e-05	1.1e-05	0.000244	0.000244	message.py:105(Message)
2	9e-06	4.5e-06	0.000242	0.000121	textwrap.py:381(fill)
1	2e-06	2e-06	0.000242	0.000242	series.py:4688(isnull)
38	3.2e-05	8.421e-07	0.000241	6.342e-06	common.py:608(is_period_dtype)
1	6e-06	6e-06	0.000241	0.000241	generic.py:939(_wrap_output)
1	2e-06	2e-06	0.00024	0.00024	generic.py:7320(isnull)
1	2.2e-05	2.2e-05	0.000239	0.000239	einsumfunc.py:4(<module>)
1	1.2e-05	1.2e-05	0.000238	0.000238	helper.py:4(<module>)
26	5.8e-05	2.231e-06	0.000237	9.115e-06	_decorators.py:163(_deprecate_kwarg)
3	9e-06	3e-06	0.000235	7.833e-05	pyparsing.py:2193(__mul__)
36	0.000119	3.306e-06	0.000232	6.444e-06	pyparsing.py:2848(__init__)
9	0.000107	1.189e-05	0.000231	2.567e-05	base.py:1055(_add_comparison_ops)
605	0.00023	3.802e-07	0.00023	3.802e-07	~:0(<method 'rfind' of 'str' objects>)
40	0.000122	3.05e-06	0.00023	5.75e-06	_inspect.py:142(formatargspec)
62	5.2e-05	8.387e-07	0.00023	3.71e-06	<__array_function__ internals>:2(result_type)
2	1.3e-05	6.5e-06	0.00023	0.000115	_decorators.py:10(deprecate)
614	0.000154	2.508e-07	0.000229	3.73e-07	_inspect.py:43(iscode)
1	8e-06	8e-06	0.000229	0.000229	missing.py:23(<module>)
19	4.7e-05	2.474e-06	0.000228	1.2e-05	_add_newdocs.py:6704(add_newdoc_for_scalar_type)
1	1.6e-05	1.6e-05	0.000227	0.000227	managers.py:1462(SingleBlockManager)
65	0.000226	3.477e-06	0.000226	3.477e-06	~:0(<method 'copy' of 'numpy.ndarray' objects>)
157/155	0.000118	7.613e-07	0.000226	1.458e-06	pyparsing.py:546(__init__)
126	9.6e-05	7.619e-07	0.000226	1.794e-06	colors.py:632(__init__)
128	4.4e-05	3.437e-07	0.000226	1.766e-06	_asarray.py:88(asanyarray)
4	9e-06	2.25e-06	0.000226	5.65e-05	__init__.py:828(gen_candidates)
2	4e-06	2e-06	0.000225	0.0001125	textwrap.py:356(fill)
506	0.000178	3.518e-07	0.000224	4.427e-07	sre_parse.py:81(groups)
11	3.3e-05	3e-06	0.000224	2.036e-05	base.py:4377(equals)
10	1.5e-05	1.5e-06	0.000224	2.24e-05	pyparsing.py:4747(parseImpl)
56	0.000223	3.982e-06	0.000223	3.982e-06	sre_compile.py:378(<listcomp>)
2	1.9e-05	9.5e-06	0.000223	0.0001115	managers.py:353(apply)
1	1e-05	1e-05	0.000222	0.000222	_ranges.py:4(<module>)
1	1e-05	1e-05	0.000222	0.000222	blocks.py:1752(ExtensionBlock)

625	0.00022	3.52e-07	0.00022	3.52e-07	~:0(<method 'encode' of 'str' objects>)
507	0.000168	3.314e-07	0.00022	4.339e-07	_decorators.py:316(__init__)
4	2.2e-05	5.5e-06	0.00022	5.5e-05	generic.py:11696(_make_logical_function)
1	9e-06	9e-06	0.00022	0.00022	isoparser.py:9(<module>)
2	5e-06	2.5e-06	0.00022	0.00011	textwrap.py:342(wrap)
1	4.5e-05	4.5e-05	0.000219	0.000219	dviread.py:182(Dvi)
192	9.9e-05	5.156e-07	0.000216	1.125e-06	__init__.py:29(set_function_name)
6	1.9e-05	3.167e-06	0.000215	3.583e-05	managers.py:654(_consolidate_check)
3	1.2e-05	4e-06	0.000215	7.167e-05	generic.py:3265(_get_item_cache)
1	2e-06	2e-06	0.000213	0.000213	dates.py:605(DateFormatter)
1	8e-06	8e-06	0.000212	0.000212	groupby.py:1340(_add_numeric_operations)
1	2.4e-05	2.4e-05	0.000211	0.000211	timedeltas.py:66(TimedeltaIndex)
1533	0.000209	1.363e-07	0.00021	1.37e-07	~:0(<method 'add' of 'set' objects>)
2	1.5e-05	7.5e-06	0.00021	0.000105	managers.py:1541(get_slice)
1	1.2e-05	1.2e-05	0.00021	0.00021	concat.py:430(get_result)
38	4.4e-05	1.158e-06	0.000209	5.5e-06	dtypes.py:912(is_dtype)
2	8e-06	4e-06	0.000209	0.0001045	construction.py:300(_homogenize)
1	2.9e-05	2.9e-05	0.000208	0.000208	sql.py:4(<module>)
1	9e-06	9e-06	0.000206	0.000206	dates.py:3(<module>)
1	0.000135	0.000135	0.000205	0.000205	stata.py:770(StataMissingValue)
113	0.000133	1.177e-06	0.000204	1.805e-06	sre_parse.py:294(_class_escape)
6	2.5e-05	4.167e-06	0.000204	3.4e-05	groupby.py:1346(groupby_function)
1	1.1e-05	1.1e-05	0.000204	0.000204	window.py:478(Window)
1117	0.000203	1.817e-07	0.000203	1.817e-07	~:0(<method 'lower' of 'str' objects>)
108	0.000165	1.528e-06	0.000203	1.88e-06	__init__.py:269(_get_opstr)
2	0.000201	0.0001005	0.000201	0.0001005	~:0(<built-in method utcfromtimestamp>)
16	5.7e-05	3.562e-06	0.000201	1.256e-05	common.py:240(asarray_tuplesafe)
1	2.5e-05	2.5e-05	0.000201	0.000201	common.py:5(<module>)
3	4.8e-05	1.6e-05	0.0002	6.667e-05	_decorators.py:218(decorate)
1	2.4e-05	2.4e-05	0.000199	0.000199	calendar.py:6(<module>)
1	0.000106	0.000106	0.000198	0.000198	quoprimime.py:27(<module>)
185	8.1e-05	4.378e-07	0.000198	1.07e-06	__init__.py:420(<genexpr>)
12/2	1.3e-05	6.5e-06	0.000198	9.9e-05	pyparsing.py:2248(makeOptionalList)
116	0.000159	1.371e-06	0.000197	1.698e-06	accessor.py:77(_create_delegator_property)
19	2.7e-05	1.421e-06	0.000197	1.037e-05	__init__.py:2044(_to_unmasked_float_array)
1	2.3e-05	2.3e-05	0.000197	0.000197	melt.py:1(<module>)
1	1e-05	1e-05	0.000196	0.000196	range.py:410(_shallow_copy)
1	4.7e-05	4.7e-05	0.000195	0.000195	window.py:58(_Window)
1	1.1e-05	1.1e-05	0.000195	0.000195	gzip.py:4(<module>)
4	8e-06	2e-06	0.000195	4.875e-05	base.py:5525(_add_numeric_methods)
635	0.000194	3.055e-07	0.000194	3.055e-07	~:0(<method 'lstrip' of 'str' objects>)

16	4.5e-05	2.812e-06	0.000194	1.212e-05	enum.py:114(__prepare__)
1	1.3e-05	1.3e-05	0.000194	0.000194	_exceptions.py:7(<module>)
6	7e-06	1.167e-06	0.000193	3.217e-05	managers.py:655(<listcomp>)
3	6.6e-05	2.2e-05	0.000192	6.4e-05	base.py:1036(_add_arithmetic_ops)
192	9.4e-05	4.896e-07	0.00019	9.896e-07	__init__.py:323(_get_op_name)
1	1.3e-05	1.3e-05	0.00019	0.00019	_encoded_words.py:6(<module>)
34/26	3.6e-05	1.385e-06	0.000189	7.269e-06	pyparsing.py:4054(__str__)
6	1.5e-05	2.5e-06	0.000189	3.15e-05	generic.py:11624(_make_stat_function_ddof)
1	7e-06	7e-06	0.000189	0.000189	isoparser.py:42(isoparser)
21	8.5e-05	4.048e-06	0.000186	8.857e-06	base.py:569(_simple_new)
7	1.6e-05	2.286e-06	0.000186	2.657e-05	blocks.py:347(ftype)
410	0.000135	3.293e-07	0.000184	4.488e-07	copyreg.py:87(__newobj__)
45	0.000117	2.6e-06	0.000184	4.089e-06	enum.py:419(_get_mixins_)
142	0.00012	8.451e-07	0.000183	1.289e-06	numerictypes.py:293(issubclass_)
140/102	0.000172	1.686e-06	0.000182	1.784e-06	sre_compile.py:414(_get_literal_prefix)
1	7e-06	7e-06	0.000182	0.000182	dtypes.py:779(PeriodDtype)
63	8.4e-05	1.333e-06	0.000181	2.873e-06	typing.py:206(__new__)
1	2.9e-05	2.9e-05	0.00018	0.00018	ast.py:26(<module>)
8	6.5e-05	8.125e-06	0.000179	2.237e-05	algorithms.py:1481(_get_take_nd_function)
2	1e-05	5e-06	0.000179	8.95e-05	numeric.py:82(_shallow_copy)
126	0.000121	9.603e-07	0.000178	1.413e-06	typing.py:1025(_abc_negative_cache)
1	6e-06	6e-06	0.000178	0.000178	dtypes.py:941(IntervalDtype)
1	4e-06	4e-06	0.000178	0.000178	ctypeslib.py:359(_get_scalar_type_map)
1	0.000176	0.000176	0.000176	0.000176	_color_data.py:995(<dictcomp>)
1	5.6e-05	5.6e-05	0.000174	0.000174	ctypeslib.py:370(<dictcomp>)
20	1.7e-05	8.5e-07	0.000174	8.7e-06	common.py:357(is_categorical)
81	0.000116	1.432e-06	0.000173	2.136e-06	sre_compile.py:441(_get_charset_prefix)
60	0.000172	2.867e-06	0.000172	2.867e-06	cm.py:46(<listcomp>)
5	6.5e-05	1.3e-05	0.000172	3.44e-05	cast.py:298(maybe_promote)
2	1.6e-05	8e-06	0.000172	8.6e-05	__init__.py:649(_get_config_or_cache_dir)
8	6.9e-05	8.625e-06	0.000171	2.137e-05	__init__.py:785(<dictcomp>)
6	3.8e-05	6.333e-06	0.000171	2.85e-05	cast.py:986(maybe_cast_to_datetime)
50	6e-05	1.2e-06	0.00017	3.4e-06	_internal.py:819(_ufunc_doc_signature_formatter)
1	6.5e-05	6.5e-05	0.000168	0.000168	missing.py:293(notna)
16	3.6e-05	2.25e-06	0.000168	1.05e-05	offsets.py:94(apply_wraps)
359	0.000167	4.652e-07	0.000167	4.652e-07	__init__.py:930(_getitem__)
50	0.000122	2.44e-06	0.000167	3.34e-06	base.py:180(construct_from_string)
1	8e-06	8e-06	0.000167	0.000167	managers.py:2020(concatenate_block_managers)
1359	0.000166	1.221e-07	0.000166	1.221e-07	inspect.py:2500(name)
20	0.000165	8.25e-06	0.000165	8.25e-06	~:0(<method 'split' of '_sre.SRE_Pattern' objects>)
36	8.4e-05	2.333e-06	0.000165	4.583e-06	sre_parse.py:266(getuntil)
25	2.9e-05	1.16e-06	0.000165	6.6e-06	pyparsing.py:4809(__init__)

24	4.8e-05	2e-06	0.000164	6.833e-06	dviread.py:164(decorate)
1	4e-06	4e-06	0.000164	0.000164	pyparsing.py:6731(pyparsing_unicode)
1	4e-06	4e-06	0.000164	0.000164	pytables.py:4593(AppendableMultiFrameTable)
29	6.2e-05	2.138e-06	0.000163	5.621e-06	pyparsing.py:3308(parseImpl)
55	2.2e-05	4e-07	0.000163	2.964e-06	~:0(<built-in method builtins.next>)
1	3e-06	3e-06	0.000163	0.000163	numerictypes.py:593(_register_types)
120	0.000162	1.35e-06	0.000162	1.35e-06	~:0(<built-in method _sre.compile>)
160	0.000162	1.012e-06	0.000162	1.012e-06	colors.py:431(__init__)
16	1.8e-05	1.125e-06	0.000162	1.012e-05	strings.py:1851(_noarg_wrapper)
1	1.4e-05	1.4e-05	0.000162	0.000162	_openpyxl.py:1(<module>)
1	2e-06	2e-06	0.000161	0.000161	__init__.py:710(_get_cachedir)
317	0.000117	3.691e-07	0.00016	5.047e-07	typing.py:1019(_abc_negative_cache)
29	7.6e-05	2.621e-06	0.00016	5.517e-06	generic.py:5181(_setattr__)
15	3e-05	2e-06	0.00016	1.067e-05	functools.py:479(decorating_function)
424	0.000159	3.75e-07	0.000159	3.75e-07	~:0(<method 'replace' of 'str' objects>)
26	2.9e-05	1.115e-06	0.000158	6.077e-06	core.py:916(__init__)
1	1.3e-05	1.3e-05	0.000158	0.000158	typing.py:2244(IO)
1	1.2e-05	1.2e-05	0.000158	0.000158	indexing.py:901(_getitem_lowerdim)
1	7e-06	7e-06	0.000158	0.000158	dtypes.py:116(PandasExtensionDtype)
37	0.000157	4.243e-06	0.000157	4.243e-06	~:0(<built-in method numpy.empty>)
409	0.000119	2.91e-07	0.000157	3.839e-07	typing.py:971(<genexpr>)
1	1.6e-05	1.6e-05	0.000157	0.000157	_iotools.py:3(<module>)
1	2.9e-05	2.9e-05	0.000156	0.000156	datetimes.py:88(DatetimeIndex)
1	1.4e-05	1.4e-05	0.000156	0.000156	dtypes.py:172(CategoricalDtype)
30	8.2e-05	2.733e-06	0.000155	5.167e-06	common.py:255(is_sparse)
1	4.5e-05	4.5e-05	0.000155	0.000155	datetimes.py:238(DatetimeArray)
1	8e-06	8e-06	0.000155	0.000155	__init__.py:5(<module>)
20	7.8e-05	3.9e-06	0.000154	7.7e-06	blocks.py:243(mgr_locs)
6	5.4e-05	9e-06	0.000154	2.567e-05	patches.py:1834(<listcomp>)
914	0.000153	1.674e-07	0.000153	1.674e-07	~:0(<method 'isidentifier' of 'str' objects>)
195	0.000112	5.744e-07	0.000153	7.846e-07	artist.py:1194(alias_name)
5	2.7e-05	5.4e-06	0.000153	3.06e-05	base.py:1185(__iter__)
1	1.5e-05	1.5e-05	0.000152	0.000152	groupby.py:339(_GroupBy)
18	2.1e-05	1.167e-06	0.00015	8.333e-06	core.py:992(__init__)
1	4e-06	4e-06	0.00015	0.00015	series.py:1112(_get_with)
1522	0.000149	9.79e-08	0.000149	9.79e-08	~:0(<built-in method builtins.ord>)
22	3.3e-05	1.5e-06	0.000149	6.773e-06	~:0(<method 'all' of 'numpy.ndarray' objects>)
1	1.3e-05	1.3e-05	0.000149	0.000149	_misc.py:1(<module>)
3	6.3e-05	2.1e-05	0.000148	4.933e-05	~:0(<pandas._libs.lib.clean_index_list>)
34	3.9e-05	1.147e-06	0.000146	4.294e-06	common.py:225(is_object_dtype)
1	9e-06	9e-06	0.000146	0.000146	base.py:652(_shallow_copy_with_infer)
4	2e-06	5e-07	0.000145	3.625e-05	rcsetup.py:344(validate_color_or_inherit)

1341	0.000144	1.074e-07	0.000144	1.074e-07	_mathtext_data.py:1755(<genexpr>)
1	9e-06	9e-06	0.000144	0.000144	lazy.py:1(<module>)
1	5.2e-05	5.2e-05	0.000143	0.000143	mixins.py:1(<module>)
240	0.000111	4.625e-07	0.000142	5.917e-07	sre_compile.py:539(isstring)
22	4.8e-05	2.182e-06	0.000142	6.455e-06	managers.py:167(shape)
1	1.3e-05	1.3e-05	0.00014	0.00014	base.py:4702(get_value)
1	8e-06	8e-06	0.00014	0.00014	arraypad.py:5(<module>)
1	1e-06	1e-06	0.000139	0.000139	__init__.py:686(_get_configdir)
2	1.1e-05	5.5e-06	0.000138	6.9e-05	pyparsing.py:5297(delimitedList)
54	9.3e-05	1.722e-06	0.000137	2.537e-06	pyparsing.py:3339(__str__)
1	4.3e-05	4.3e-05	0.000137	0.000137	_type_aliases.py:115(_add_aliases)
3	3.4e-05	1.133e-05	0.000137	4.567e-05	base.py:5480(_add_numeric_methods_binary)
1	2.3e-05	2.3e-05	0.000137	0.000137	records.py:35(<module>)
1	0.000118	0.000118	0.000135	0.000135	_compat_pickle.py:9(<module>)
16	6.3e-05	3.937e-06	0.000135	8.438e-06	enum.py:464(_find_new_)
20	1.9e-05	9.5e-07	0.000135	6.75e-06	ipaddress.py:1099(_ip_int_from_string)
9	1.8e-05	2e-06	0.000134	1.489e-05	blocks.py:267(make_block_same_class)
1	8e-06	8e-06	0.000134	0.000134	_polybase.py:8(<module>)
80	4e-05	5e-07	0.000133	1.663e-06	typing.py:1047(_get_type_vars)
561	0.000132	2.353e-07	0.000132	2.353e-07	~:0(<built-in method sys._getframe>)
273	6.6e-05	2.418e-07	0.000132	4.835e-07	function_base.py:434(_add_docstring)
28	1.9e-05	6.786e-07	0.000132	4.714e-06	pyparsing.py:1305(wrapper)
30	1.5e-05	5e-07	0.000132	4.4e-06	getlimits.py:42(<lambda>)
1	2e-05	2e-05	0.00013	0.00013	chebyshev.py:89(<module>)
1	1e-05	1e-05	0.00013	0.00013	__init__.py:291(Verbose)
28	8.5e-05	3.036e-06	0.000129	4.607e-06	ipaddress.py:1614(_ip_int_from_string)
1	7e-06	7e-06	0.000129	0.000129	multi.py:232(__new__)
8	9e-06	1.125e-06	0.000128	1.6e-05	base.py:1877(inferred_type)
417	0.000127	3.046e-07	0.000127	3.046e-07	~:0(<method '__subclasses__' of 'type' objects>)
4	1.3e-05	3.25e-06	0.000127	3.175e-05	generic.py:11543(_make_min_count_stat_function)
216	0.000126	5.833e-07	0.000126	5.833e-07	~:0(<method 'mro' of 'type' objects>)
38	0.000126	3.316e-06	0.000126	3.316e-06	~:0(<method 'strftime' of 'datetime.date' objects>)
6	0.000106	1.767e-05	0.000126	2.1e-05	numeric.py:2400(extend_all)
82	7e-05	8.537e-07	0.000126	1.537e-06	typing.py:168(__new__)
116	6e-05	5.172e-07	0.000126	1.086e-06	~:0(<built-in method builtins.max>)
297	4.3e-05	1.448e-07	0.000126	4.242e-07	_collections_abc.py:719(__iter__)
60	4e-05	6.667e-07	0.000126	2.1e-06	<__array_function__ internals>:2(ndim)
1	3e-06	3e-06	0.000126	0.000126	managers.py:583(convert)
2	1e-06	5e-07	0.000126	6.3e-05	blocks.py:674(convert)
341	0.000125	3.666e-07	0.000125	3.666e-07	_weakrefset.py:16(__init__)
317	0.000125	3.943e-07	0.000125	3.943e-07	overrides.py:112(array_function_dispatch)
4	1.4e-05	3.5e-06	0.000125	3.125e-05	__init__.py:587(_get_home)

19	1.3e-05	6.842e-07	0.000125	6.579e-06	contextlib.py:79(__enter__)
2	7e-06	3.5e-06	0.000125	6.25e-05	blocks.py:768(copy)
204	9.8e-05	4.804e-07	0.000124	6.078e-07	typing.py:1033(_abc_negative_cache_version)
7	2.9e-05	4.143e-06	0.000124	1.771e-05	base.py:634(_shallow_copy)
1	1.8e-05	1.8e-05	0.000124	0.000124	hermite.py:60(<module>)
1	1.6e-05	1.6e-05	0.000124	0.000124	stata.py:1044(StataReader)
1	5e-06	5e-06	0.000124	0.000124	exceptions.py:1(<module>)
1	6e-06	6e-06	0.000123	0.000123	generic.py:1539(__invert__)
5	4e-05	8e-06	0.000122	2.44e-05	managers.py:340(_verify_integrity)
1	2.1e-05	2.1e-05	0.000122	0.000122	legendre.py:83(<module>)
1	2.1e-05	2.1e-05	0.000122	0.000122	hermite_e.py:60(<module>)
1	2e-05	2e-05	0.000122	0.000122	laguerre.py:60(<module>)
6	1.3e-05	2.167e-06	0.000122	2.033e-05	__init__.py:1838(getLogger)
1	7e-06	7e-06	0.000122	0.000122	dtypes.py:53(Registry)
29	8.7e-05	3e-06	0.000121	4.172e-06	~:0(<method 'sort' of 'list' objects>)
1	4e-06	4e-06	0.000121	0.000121	_parser.py:58(_timelex)
32	7.8e-05	2.437e-06	0.00012	3.75e-06	generic.py:65(whitelist_method_generator)
1	2.3e-05	2.3e-05	0.00012	0.00012	bezier.py:3(<module>)
1	9.9e-05	9.9e-05	0.000119	0.000119	contextlib.py:49(inner)
341	0.000118	3.46e-07	0.000118	3.46e-07	_weakrefset.py:52(_commit_removals)
215	7.7e-05	3.581e-07	0.000118	5.488e-07	types.py:135(__get__)
9	6.3e-05	7e-06	0.000118	1.311e-05	datetime.py:356(__new__)
41	4.1e-05	1e-06	0.000118	2.878e-06	codecs.py:318(decode)
157	8.2e-05	5.223e-07	0.000117	7.452e-07	pyparsing.py:537(__new__)
139	8.2e-05	5.899e-07	0.000117	8.417e-07	pyparsing.py:2563(__eq__)
1	1.2e-05	1.2e-05	0.000117	0.000117	pathlib.py:382(_NormalAccessor)
22	1e-05	4.545e-07	0.000116	5.273e-06	_methods.py:47(_all)
1	7e-06	7e-06	0.000116	0.000116	patches.py:1134(Arrow)
5	5e-06	1e-06	0.000116	2.32e-05	pyparsing.py:1476(_setResultsName)
86	3.2e-05	3.721e-07	0.000115	1.337e-06	pyparsing.py:4059(<genexpr>)
1	2.4e-05	2.4e-05	0.000113	0.000113	getlimits.py:3(<module>)
6	1.4e-05	2.333e-06	0.000113	1.883e-05	common.py:1684(is_extension_type)
2	7.9e-05	3.95e-05	0.000112	5.6e-05	textwrap.py:233(_wrap_chunks)
1196	0.000111	9.281e-08	0.000111	9.281e-08	~:0(<built-in method builtins.callable>)
16	2.4e-05	1.5e-06	0.000111	6.938e-06	__init__.py:934(_arith_method_SERIES)
844	0.00011	1.303e-07	0.00011	1.303e-07	inspect.py:2504(default)
6	3.7e-05	6.167e-06	0.000109	1.817e-05	__init__.py:1161(getLogger)
1	4e-06	4e-06	0.000109	0.000109	indexing.py:2135(_getitem_axis)
47	0.000108	2.298e-06	0.000108	2.298e-06	~:0(<built-in method builtins.sorted>)
1	9.7e-05	9.7e-05	0.000108	0.000108	offsets.py:2519(Tick)
126	6.9e-05	5.476e-07	0.000108	8.571e-07	typing.py:1039(_abc_negative_cache_version)
6	1.2e-05	2e-06	0.000108	1.8e-05	common.py:814(is_datetimelike)

10	7e-06	7e-07	0.000108	1.08e-05	extras.py:237(__init__)
120	0.000107	8.917e-07	0.000107	8.917e-07	sre_parse.py:76(__init__)
3	1.1e-05	3.667e-06	0.000107	3.567e-05	managers.py:942(get)
6	9e-06	1.5e-06	0.000107	1.783e-05	patches.py:1822(<listcomp>)
3	8e-06	2.667e-06	0.000107	3.567e-05	pyparsing.py:1553(addParseAction)
1	4e-06	4e-06	0.000107	0.000107	_compression.py:1(<module>)
108	0.000106	9.815e-07	0.000106	9.815e-07	~:0(<built-in method _imp.is_builtin>)
15	5.8e-05	3.867e-06	0.000106	7.067e-06	typing.py:498(__init__)
1	1.5e-05	1.5e-05	0.000106	0.000106	tokenize.py:448(open)
1	1.4e-05	1.4e-05	0.000106	0.000106	core.py:6317(__new__)
6	9e-06	1.5e-06	0.000106	1.767e-05	base.py:1814(is_boolean)
1	2e-06	2e-06	0.000106	0.000106	_parser.py:1361(_tzparser)
1	5e-06	5e-06	0.000105	0.000105	generic.py:1997(__array_wrap__)
24	0.000104	4.333e-06	0.000104	4.333e-06	getlimits.py:497(__init__)
90	5.7e-05	6.333e-07	0.000104	1.156e-06	__init__.py:203(_gen_eval_kwargs)
13	2.2e-05	1.692e-06	0.000104	8e-06	nanops.py:61(__call__)
5	8e-06	1.6e-06	0.000104	2.08e-05	<frozen importlib._bootstrap>:728(create_module)
1	4e-06	4e-06	0.000104	0.000104	managers.py:1553(convert)
507	0.000103	2.032e-07	0.000103	2.032e-07	<frozen importlib._bootstrap>:424(has_location)
42	3.3e-05	7.857e-07	0.000103	2.452e-06	base.py:127(_make_arithmetic_op)
2	3e-06	1.5e-06	0.000103	5.15e-05	textwrap.py:336(_split_chunks)
145	7.4e-05	5.103e-07	0.000102	7.034e-07	rcsetup.py:125(validate_bool)
218	6.6e-05	3.028e-07	0.000102	4.679e-07	socket.py:91(<lambda>)
2	2.5e-05	1.25e-05	0.000102	5.1e-05	lazy.py:139(__new__)
12	1.6e-05	1.333e-06	0.000102	8.5e-06	__init__.py:1554(_comp_method_FRAME)
54	0.000101	1.87e-06	0.000101	1.87e-06	patches.py:1869(<listcomp>)
215	6.1e-05	2.837e-07	0.000101	4.698e-07	socket.py:76(<lambda>)
217	5.5e-05	2.535e-07	0.000101	4.654e-07	socket.py:86(<lambda>)
10	8e-06	8e-07	0.000101	1.01e-05	extras.py:241(getdoc)
666	0.0001	1.502e-07	0.0001	1.502e-07	inspect.py:2508(annotation)
1	2.1e-05	2.1e-05	9.9e-05	9.9e-05	docstring.py:1(<module>)
4	8e-06	2e-06	9.9e-05	2.475e-05	pyparsing.py:2154(_radd__)
121	9.6e-05	7.934e-07	9.8e-05	8.099e-07	~:0(<built-in method builtins.repr>)
411	9e-05	2.19e-07	9.8e-05	2.384e-07	typing.py:651(<genexpr>)
216	5.8e-05	2.685e-07	9.8e-05	4.537e-07	socket.py:81(<lambda>)
417	9.7e-05	2.326e-07	9.7e-05	2.326e-07	<frozen importlib._bootstrap_external>:825(get_file_nar
7	3.4e-05	4.857e-06	9.7e-05	1.386e-05	_dtype.py:46(__str__)
4	2.9e-05	7.25e-06	9.7e-05	2.425e-05	managers.py:971(iget)
22	2.2e-05	1e-06	9.7e-05	4.409e-06	rcsetup.py:54(__init__)
1	5e-06	5e-06	9.7e-05	9.7e-05	generic.py:11699(logical_func)
6	4.1e-05	6.833e-06	9.6e-05	1.6e-05	cast.py:866(maybe_castable)
1	5.2e-05	5.2e-05	9.5e-05	9.5e-05	__init__.py:869(RcParams)

116	3.1e-05	2.672e-07	9.5e-05	8.19e-07	__init__.py:782(<lambda>)
2	1.8e-05	9e-06	9.5e-05	4.75e-05	lazy.py:84(__new__)
4	1e-05	2.5e-06	9.5e-05	2.375e-05	generic.py:4497(<genexpr>)
5	9.4e-05	1.88e-05	9.4e-05	1.88e-05	~:0(<built-in method _imp.create_builtin>)
439	9.4e-05	2.141e-07	9.4e-05	2.141e-07	typing.py:1096(__hash__)
1	9.4e-05	9.4e-05	9.4e-05	9.4e-05	__init__.py:1182(<listcomp>)
105	6.7e-05	6.381e-07	9.4e-05	8.952e-07	enum.py:874(_power_of_two)
1	2.1e-05	2.1e-05	9.4e-05	9.4e-05	concat.py:2(<module>)
66	1.9e-05	2.879e-07	9.4e-05	1.424e-06	managers.py:169(<genexpr>)
1	1.9e-05	1.9e-05	9.4e-05	9.4e-05	artist.py:74(Artist)
1	1.8e-05	1.8e-05	9.4e-05	9.4e-05	tempfile.py:24(<module>)
1	3e-06	3e-06	9.4e-05	9.4e-05	series.py:4215(reindex)
1	3e-06	3e-06	9.4e-05	9.4e-05	pyparsing.py:3248(Regex)
238	8.9e-05	3.739e-07	9.3e-05	3.908e-07	enum.py:28(_is_dunder)
11	3.1e-05	2.818e-06	9.3e-05	8.455e-06	six.py:91(__get__)
6	5e-06	8.333e-07	9.3e-05	1.55e-05	pyparsing.py:2392(__call__)
7	2.8e-05	4e-06	9.2e-05	1.314e-05	artist.py:37(allow_rasterization)
2	2e-05	1e-05	9.2e-05	4.6e-05	construction.py:331(extract_index)
1	1.6e-05	1.6e-05	9.2e-05	9.2e-05	numpy_.py:87(PandasArray)
96	6.8e-05	7.083e-07	9.1e-05	9.479e-07	typing.py:866(_make_subclasshook)
137	5.6e-05	4.088e-07	9.1e-05	6.642e-07	expr.py:221(<lambda>)
1	1.9e-05	1.9e-05	9.1e-05	9.1e-05	~:0(<method 'get_value' of 'pandas._libs.index.IndexEn
1	1.2e-05	1.2e-05	9.1e-05	9.1e-05	polyutils.py:45(<module>)
11	1.1e-05	1e-06	9.1e-05	8.273e-06	pathlib.py:384(_wrap_strfunc)
1	9e-06	9e-06	9.1e-05	9.1e-05	numeric.py:37(NumericIndex)
273	7.3e-05	2.674e-07	9e-05	3.297e-07	typing.py:974(<genexpr>)
3	5.3e-05	1.767e-05	9e-05	3e-05	tokenize.py:137(_all_string_prefixes)
4	1.2e-05	3e-06	9e-05	2.25e-05	frame.py:3451(_box_col_values)
3	2.7e-05	9e-06	8.9e-05	2.967e-05	numeric.py:47(__new__)
8	1.1e-05	1.375e-06	8.9e-05	1.112e-05	core.py:8059(__init__)
440	8.8e-05	2e-07	8.8e-05	2e-07	<frozen importlib._bootstrap_external>:1202(<genexpr
1	8.8e-05	8.8e-05	8.8e-05	8.8e-05	opcode.py:37(<listcomp>)
26	3.1e-05	1.192e-06	8.8e-05	3.385e-06	dtypes.py:866(construct_from_string)
1	3e-06	3e-06	8.8e-05	8.8e-05	ops.py:294(group_info)
1	2e-06	2e-06	8.8e-05	8.8e-05	indexing.py:162(_get_loc)
1	8e-05	8e-05	8.7e-05	8.7e-05	_misc.py:458(_Options)
6	6.9e-05	1.15e-05	8.7e-05	1.45e-05	~:0(<method 'get_indexer' of 'pandas._libs.index.Indexl
5	1.3e-05	2.6e-06	8.7e-05	1.74e-05	typing.py:668(_tp_cache)
1	8e-06	8e-06	8.7e-05	8.7e-05	base.py:5285(delete)
1	8e-06	8e-06	8.7e-05	8.7e-05	frame.py:3668(_sanitize_column)
742	8.6e-05	1.159e-07	8.6e-05	1.159e-07	~:0(<built-in method builtins.chr>)
3	5.6e-05	1.867e-05	8.6e-05	2.867e-05	six.py:837(wrapper)

299	3.5e-05	1.171e-07	8.6e-05	2.876e-07	__init__.py:968(__iter__)
4	1.3e-05	3.25e-06	8.6e-05	2.15e-05	cast.py:880(maybe_infer_to_datetimelike)
1	1e-05	1e-05	8.6e-05	8.6e-05	frame.py:2901(_ixs)
6	8e-06	1.333e-06	8.6e-05	1.433e-05	<__array_function__ internals>:2(all)
2	7e-06	3.5e-06	8.6e-05	4.3e-05	__init__.py:218(_is_writable_dir)
1	8.1e-05	8.1e-05	8.5e-05	8.5e-05	transforms.py:766(Bbox)
26	1.7e-05	6.538e-07	8.4e-05	3.231e-06	calendar.py:58(__getitem__)
16	1.6e-05	1e-06	8.4e-05	5.25e-06	pyparsing.py:4246(__str__)
10	1.5e-05	1.5e-06	8.4e-05	8.4e-06	pyparsing.py:4640(__init__)
1	8e-06	8e-06	8.4e-05	8.4e-05	ops.py:311(_get_compressed_labels)
1	4e-06	4e-06	8.4e-05	8.4e-05	common.py:144(ensure_int_or_float)
1	2e-06	2e-06	8.4e-05	8.4e-05	<string>:2(<module>)
85	8.3e-05	9.765e-07	8.3e-05	9.765e-07	<frozen importlib._bootstrap_external>:908(__init__)
1	7.1e-05	7.1e-05	8.3e-05	8.3e-05	colors.py:80(<dictcomp>)
1	1e-05	1e-05	8.3e-05	8.3e-05	text.py:1925(Annotation)
14	9e-06	6.429e-07	8.3e-05	5.929e-06	version.py:302(__init__)
2	9e-06	4.5e-06	8.3e-05	4.15e-05	generic.py:1934(__contains__)
3	7e-06	2.333e-06	8.3e-05	2.767e-05	frame.py:3444(_box_item_values)
323	8.2e-05	2.539e-07	8.2e-05	2.539e-07	~:0(<method 'get' of 'mappingproxy' objects>)
1	8.2e-05	8.2e-05	8.2e-05	8.2e-05	__init__.py:1141(<listcomp>)
5	4.4e-05	8.8e-06	8.2e-05	1.64e-05	base.py:710(_engine)
1	2.5e-05	2.5e-05	8.2e-05	8.2e-05	_ufunc_config.py:5(<module>)
1	1.1e-05	1.1e-05	8.2e-05	8.2e-05	_string_helpers.py:5(<module>)
4	9e-06	2.25e-06	8.2e-05	2.05e-05	strings.py:1866(_pat_wrapper)
12	8.1e-05	6.75e-06	8.1e-05	6.75e-06	period.py:54(_field_accessor)
1	2.4e-05	2.4e-05	8.1e-05	8.1e-05	__init__.py:259(_reset_cache)
2	1.6e-05	8e-06	8.1e-05	4.05e-05	__init__.py:1023(_open_file_or_url)
1	4e-06	4e-06	8.1e-05	8.1e-05	response.py:7(<module>)
693	8e-05	1.154e-07	8e-05	1.154e-07	inspect.py:2512(kind)
9	2.4e-05	2.667e-06	8e-05	8.889e-06	base.py:4262(__getitem__)
2	7e-06	3.5e-06	8e-05	4e-05	textwrap.py:160(_split)
1	7e-06	7e-06	8e-05	8e-05	suite.py:1(<module>)
254	5.1e-05	2.008e-07	7.9e-05	3.11e-07	pyparsing.py:3851(<genexpr>)
128	3.9e-05	3.047e-07	7.9e-05	6.172e-07	~:0(<built-in method builtins.iter>)
36	1.4e-05	3.889e-07	7.9e-05	2.194e-06	getlimits.py:41(<lambd>)
14	1.2e-05	8.571e-07	7.9e-05	5.643e-06	calendar.py:77(__getitem__)
1	1.1e-05	1.1e-05	7.9e-05	7.9e-05	generic.py:108(NDFrameGroupBy)
1	7.8e-05	7.8e-05	7.8e-05	7.8e-05	rrule.py:93(rrulebase)
4	7.4e-05	1.85e-05	7.8e-05	1.95e-05	pyparsing.py:594(__setitem__)
80	5.6e-05	7e-07	7.8e-05	9.75e-07	ipaddress.py:1125(_parse_octet)
16	3.4e-05	2.125e-06	7.8e-05	4.875e-06	_type_aliases.py:79(bitname)
41	7.7e-05	1.878e-06	7.7e-05	1.878e-06	~:0(<built-in method _codecs.utf_8_decode>)

298	7.7e-05	2.584e-07	7.7e-05	2.584e-07	~:0(<built-in method numpy.core._multiarray_umath.ac
1	7.7e-05	7.7e-05	7.7e-05	7.7e-05	font_manager.py:1037(FontManager)
88	4.9e-05	5.568e-07	7.7e-05	8.75e-07	six.py:141(__init__)
1	1.4e-05	1.4e-05	7.7e-05	7.7e-05	hist.py:1(<module>)
1	6e-06	6e-06	7.7e-05	7.7e-05	_xlrd.py:1(<module>)
2	4e-06	2e-06	7.7e-05	3.85e-05	base.py:4404(identical)
1	8e-06	8e-06	7.6e-05	7.6e-05	_common.py:1(<module>)
1	6e-06	6e-06	7.6e-05	7.6e-05	_xlwt.py:1(<module>)
2	3e-06	1.5e-06	7.6e-05	3.8e-05	random.py:87(__init__)
1	2e-06	2e-06	7.6e-05	7.6e-05	chainmap.py:1(<module>)
22	4e-05	1.818e-06	7.5e-05	3.409e-06	rcsetup.py:64(<dictcomp>)
1	2.6e-05	2.6e-05	7.5e-05	7.5e-05	reshape.py:1(<module>)
8	1.1e-05	1.375e-06	7.5e-05	9.375e-06	core.py:8064(getdoc)
78	7.4e-05	9.487e-07	7.4e-05	9.487e-07	overrides.py:94(set_module)
238	7.1e-05	2.983e-07	7.4e-05	3.109e-07	enum.py:36(_is_sunder)
14	4.1e-05	2.929e-06	7.4e-05	5.286e-06	version.py:307(parse)
1	8e-06	8e-06	7.4e-05	7.4e-05	__future__.py:48(<module>)
52	6e-05	1.154e-06	7.3e-05	1.404e-06	typing.py:654(_check_generic)
7	4.2e-05	6e-06	7.3e-05	1.043e-05	base.py:4228(__contains__)
14	3.7e-05	2.643e-06	7.3e-05	5.214e-06	series.py:416(_set_axis)
9	2.8e-05	3.111e-06	7.3e-05	8.111e-06	<frozen importlib._bootstrap>:433(spec_from_loader)
3	2.8e-05	9.333e-06	7.3e-05	2.433e-05	_asarray.py:223(require)
6	1.2e-05	2e-06	7.3e-05	1.217e-05	fromnumeric.py:2277(all)
1	8e-06	8e-06	7.3e-05	7.3e-05	_globals.py:17(<module>)
1	6e-06	6e-06	7.3e-05	7.3e-05	random.py:96(seed)
1	2e-06	2e-06	7.3e-05	7.3e-05	pyparsing.py:1563(addCondition)
933	7.2e-05	7.717e-08	7.2e-05	7.717e-08	~:0(<method 'isupper' of 'str' objects>)
1	7.2e-05	7.2e-05	7.2e-05	7.2e-05	quoprimime.py:55(<listcomp>)
5	5.3e-05	1.06e-05	7.2e-05	1.44e-05	base.py:5397(_add_numeric_methods_disabled)
257	7.1e-05	2.763e-07	7.1e-05	2.763e-07	sre_parse.py:167(__setitem__)
1	4e-06	4e-06	7.1e-05	7.1e-05	__init__.py:635(_get_xdg_cache_dir)
1	3e-06	3e-06	7.1e-05	7.1e-05	indexing.py:2377(check_bool_indexer)
2	7e-05	3.5e-05	7e-05	3.5e-05	~:0(<built-in method posix.access>)
70	4.5e-05	6.429e-07	7e-05	1e-06	__init__.py:517(iterable)
1	3.1e-05	3.1e-05	7e-05	7e-05	__init__.py:195(_sanity_check)
138	3.1e-05	2.246e-07	7e-05	5.072e-07	expr.py:222(<genexpr>)
1	1.9e-05	1.9e-05	7e-05	7e-05	_endian.py:1(<module>)
3	6e-06	2e-06	7e-05	2.333e-05	base.py:1470(rename)
1	5e-06	5e-06	7e-05	7e-05	pyparsing.py:280(conditionAsParseAction)
1	3e-06	3e-06	7e-05	7e-05	exceptions.py:3(<module>)
289	6.9e-05	2.388e-07	6.9e-05	2.388e-07	~:0(<method 'values' of 'mappingproxy' objects>)

320	6.9e-05	2.156e-07	6.9e-05	2.156e-07	~:0(<method '__contains__' of 'frozenset' objects>)
7	1e-05	1.429e-06	6.9e-05	9.857e-06	genericpath.py:39(isdir)
1	6e-06	6e-06	6.9e-05	6.9e-05	arrayprint.py:520(array2string)
46	6.8e-05	1.478e-06	6.8e-05	1.478e-06	deprecation.py:23(_generate_deprecation_message)
1	6.8e-05	6.8e-05	6.8e-05	6.8e-05	ops.py:108(BaseGrouper)
1	2.9e-05	2.9e-05	6.8e-05	6.8e-05	common.py:53(<setcomp>)
13	2.6e-05	2e-06	6.8e-05	5.231e-06	<frozen importlib._bootstrap>:861(_find_spec_legacy)
1	2.3e-05	2.3e-05	6.8e-05	6.8e-05	mixins.py:63(NDArrayOperatorsMixin)
3	6e-06	2e-06	6.7e-05	2.233e-05	common.py:1466(needs_i8_conversion)
1	6.6e-05	6.6e-05	6.6e-05	6.6e-05	~:0(<function Random.seed at 0x116b78a60>)
1	6.6e-05	6.6e-05	6.6e-05	6.6e-05	testing.py:2504(_AssertRaisesContextmanager)
204	4.4e-05	2.157e-07	6.6e-05	3.235e-07	patches.py:1822(<genexpr>)
1	3.9e-05	3.9e-05	6.6e-05	6.6e-05	_string_helpers.py:9(<listcomp>)
8	2e-06	2.5e-07	6.6e-05	8.25e-06	pyparsing.py:5675(<genexpr>)
2	6.5e-05	3.25e-05	6.5e-05	3.25e-05	~:0(<built-in method numpy.zeros>)
26	4.4e-05	1.692e-06	6.5e-05	2.5e-06	dtypes.py:1040(construct_from_string)
3	1.2e-05	4e-06	6.5e-05	2.167e-05	__init__.py:73(CFUNCTYPE)
1	4e-06	4e-06	6.5e-05	6.5e-05	_factories.py:1(<module>)
1	4e-06	4e-06	6.5e-05	6.5e-05	indexing.py:1311(_IXIndexer)
1	6.3e-05	6.3e-05	6.4e-05	6.4e-05	threading.py:738(Thread)
21	4e-05	1.905e-06	6.4e-05	3.048e-06	pyparsing.py:3203(__str__)
62	3.7e-05	5.968e-07	6.4e-05	1.032e-06	accessor.py:91(_create_delegator_method)
1	3.5e-05	3.5e-05	6.4e-05	6.4e-05	construction.py:4(<module>)
2	1.8e-05	9e-06	6.4e-05	3.2e-05	utils.py:75(__call__)
6	1.5e-05	2.5e-06	6.4e-05	1.067e-05	pyparsing.py:5673(<lambda>)
11	1.4e-05	1.273e-06	6.4e-05	5.818e-06	re.py:324(_subx)
1	1.2e-05	1.2e-05	6.4e-05	6.4e-05	pprint.py:35(<module>)
3	9e-06	3e-06	6.4e-05	2.133e-05	base.py:1390(set_names)
1	5e-06	5e-06	6.4e-05	6.4e-05	<__array_function__ internals>:2(delete)
2	1e-06	5e-07	6.3e-05	3.15e-05	pyparsing.py:1453(setResultsName)
27	3.5e-05	1.296e-06	6.2e-05	2.296e-06	dtypes.py:717(construct_from_string)
11	1.2e-05	1.091e-06	6.2e-05	5.636e-06	base.py:1012(_ndarray_values)
1	8e-06	8e-06	6.2e-05	6.2e-05	parquet.py:1(<module>)
1	6e-06	6e-06	6.2e-05	6.2e-05	typing.py:2354(TextIO)
116	6.1e-05	5.259e-07	6.1e-05	5.259e-07	pyparsing.py:2523(__str__)
67	4.3e-05	6.418e-07	6.1e-05	9.104e-07	signal.py:10(<lambda>)
6	1.4e-05	2.333e-06	6.1e-05	1.017e-05	nanops.py:88(__call__)
1	8e-06	8e-06	6.1e-05	6.1e-05	units.py:43(<module>)
7	6e-06	8.571e-07	6.1e-05	8.714e-06	pyparsing.py:4743(__init__)
5	2.3e-05	4.6e-06	6e-05	1.2e-05	posixpath.py:232(expanduser)
7	2.1e-05	3e-06	6e-05	8.571e-06	missing.py:393(array_equivalent)
1	1.8e-05	1.8e-05	6e-05	6e-05	concat.py:3(<module>)

1	2e-06	2e-06	6e-05	6e-05	_parser.py:575(__init__)
80	3.2e-05	4e-07	5.9e-05	7.375e-07	__init__.py:244(_get_frame_op_default_axis)
93	4.8e-05	5.161e-07	5.8e-05	6.237e-07	pyparsing.py:1614(preParse)
1	4.3e-05	4.3e-05	5.8e-05	5.8e-05	core.py:2708(MaskedArray)
1	9e-06	9e-06	5.8e-05	5.8e-05	_parser.py:300(__init__)
158	5.7e-05	3.608e-07	5.7e-05	3.608e-07	_decorators.py:276(__init__)
58	5.7e-05	9.828e-07	5.7e-05	9.828e-07	strings.py:1781(forbid_nonstring_types)
22	5.7e-05	2.591e-06	5.7e-05	2.591e-06	docstring.py:44(__call__)
1	3.4e-05	3.4e-05	5.7e-05	5.7e-05	path.py:26(Path)
1	3.3e-05	3.3e-05	5.7e-05	5.7e-05	function_base.py:4225(delete)
2	2.6e-05	1.3e-05	5.7e-05	2.85e-05	core.py:2929(__array_finalize__)
28	2.2e-05	7.857e-07	5.7e-05	2.036e-06	ipaddress.py:1596(_make_netmask)
1	1.9e-05	1.9e-05	5.7e-05	5.7e-05	timedeltas.py:126(TimedeltaArray)
1	1e-05	1e-05	5.7e-05	5.7e-05	numeric.py:275(UIInt64Index)
2	7e-06	3.5e-06	5.7e-05	2.85e-05	utils.py:147(deprecate)
1	6e-06	6e-06	5.7e-05	5.7e-05	<__array_function__ internals>:2(setdiff1d)
1	6e-06	6e-06	5.7e-05	5.7e-05	win.py:8(<module>)
1	3e-06	3e-06	5.7e-05	5.7e-05	typing.py:2340(BinaryIO)
186	5.6e-05	3.011e-07	5.6e-05	3.011e-07	~:0(<method 'ljust' of 'str' objects>)
81	4.2e-05	5.185e-07	5.6e-05	6.914e-07	base.py:723(__len__)
1	1.1e-05	1.1e-05	5.6e-05	5.6e-05	memmap.py:1(<module>)
1	7e-06	7e-06	5.6e-05	5.6e-05	os.py:40(_get_exports_list)
21	3.6e-05	1.714e-06	5.5e-05	2.619e-06	generic.py:5162(__getattr__)
13	1.9e-05	1.462e-06	5.5e-05	4.231e-06	_dtype_ctype.py:97(dtype_from_ctype_type)
29	1.1e-05	3.793e-07	5.5e-05	1.897e-06	typing.py:1263(<genexpr>)
40	2.8e-05	7e-07	5.4e-05	1.35e-06	__init__.py:819(_wrap_inplace_method)
1	5e-06	5e-06	5.4e-05	5.4e-05	__init__.py:621(_get_xdg_config_dir)
20	5.3e-05	2.65e-06	5.3e-05	2.65e-06	generic.py:162(__init__)
57	4.4e-05	7.719e-07	5.3e-05	9.298e-07	__init__.py:19(__new__)
102	3.1e-05	3.039e-07	5.3e-05	5.196e-07	sre_compile.py:102(fixup)
18	2e-05	1.111e-06	5.3e-05	2.944e-06	series.py:467(dtype)
14	1.9e-05	1.357e-06	5.3e-05	3.786e-06	__init__.py:139(_check_size)
1	1.9e-05	1.9e-05	5.3e-05	5.3e-05	expr.py:353(f)
1	1.8e-05	1.8e-05	5.3e-05	5.3e-05	_policybase.py:99(_extend_docstrings)
22	2.7e-05	1.227e-06	5.2e-05	2.364e-06	series.py:453(name)
30	2.3e-05	7.667e-07	5.2e-05	1.733e-06	getlimits.py:27(_fr1)
14	2.2e-05	1.571e-06	5.2e-05	3.714e-06	common.py:1006(is_signed_integer_dtype)
19	2e-05	1.053e-06	5.2e-05	2.737e-06	contextlib.py:157(helper)
3	1.2e-05	4e-06	5.2e-05	1.733e-05	_decorators.py:331(indent)
1	1.2e-05	1.2e-05	5.2e-05	5.2e-05	patches.py:2466(FancyBboxPatch)
1	1e-05	1e-05	5.2e-05	5.2e-05	core.py:2773(__new__)
1	1e-05	1e-05	5.2e-05	5.2e-05	cycler.py:41(<module>)

1	9e-06	9e-06	5.2e-05	5.2e-05	patches.py:4010(FancyArrowPatch)
1	8e-06	8e-06	5.2e-05	5.2e-05	display.py:3(<module>)
6	6e-06	1e-06	5.2e-05	8.667e-06	generic.py:5246(_consolidate_inplace)
3	4e-06	1.333e-06	5.2e-05	1.733e-05	__init__.py:35(__deprecate_private_class)
417	5.1e-05	1.223e-07	5.1e-05	1.223e-07	<frozen importlib._bootstrap_external>:669(create_mo
1	3.1e-05	3.1e-05	5.1e-05	5.1e-05	patches.py:31(Patch)
1	1.5e-05	1.5e-05	5.1e-05	5.1e-05	pickle_compat.py:3(<module>)
1	9e-06	9e-06	5.1e-05	5.1e-05	transforms.py:2126(IdentityTransform)
3	6e-06	2e-06	5.1e-05	1.7e-05	config.py:232(__call__)
217	5e-05	2.304e-07	5e-05	2.304e-07	~:0(<method 'group' of ' _sre.SRE_Match' objects>)
1	5e-05	5e-05	5e-05	5e-05	ops.py:602(_aggregate)
1	3.9e-05	3.9e-05	5e-05	5e-05	_cm.py:7(<module>)
15	1.6e-05	1.067e-06	5e-05	3.333e-06	generic.py:426(_get_axis)
3	7e-06	2.333e-06	5e-05	1.667e-05	re.py:314(_compile_repl)
1	6e-06	6e-06	5e-05	5e-05	token.py:1(<module>)
1	4e-06	4e-06	5e-05	5e-05	nanops.py:405(nanany)
1	4.9e-05	4.9e-05	4.9e-05	4.9e-05	~:0(<built-in method builtins.print>)
1	4.9e-05	4.9e-05	4.9e-05	4.9e-05	ipaddress.py:539(_BaseAddress)
6	3.8e-05	6.333e-06	4.9e-05	8.167e-06	weakref.py:102(__init__)
1	3.5e-05	3.5e-05	4.9e-05	4.9e-05	umath.py:7(<module>)
5	1e-05	2e-06	4.9e-05	9.8e-06	fontconfig_pattern.py:140(_family)
1	9e-06	9e-06	4.9e-05	4.9e-05	arraysetops.py:744(setdiff1d)
2	4e-06	2e-06	4.9e-05	2.45e-05	_dtype.py:57(__repr__)
49	4.8e-05	9.796e-07	4.8e-05	9.796e-07	_collections_abc.py:72(_check_methods)
93	3.6e-05	3.871e-07	4.8e-05	5.161e-07	typing.py:518(_get_type_vars)
60	3.4e-05	5.667e-07	4.8e-05	8e-07	function_base.py:20(_index_deprecate)
3	9e-06	3e-06	4.8e-05	1.6e-05	__init__.py:171(compare_versions)
1	4e-06	4e-06	4.8e-05	4.8e-05	series.py:886(__array__)
207	4.7e-05	2.271e-07	4.7e-05	2.271e-07	~:0(<built-in method _sre.getlower>)
1	4.7e-05	4.7e-05	4.7e-05	4.7e-05	dates.py:1589(MicrosecondLocator)
1	2.4e-05	2.4e-05	4.7e-05	4.7e-05	timedeltas.py:3(<module>)
16	2.2e-05	1.375e-06	4.7e-05	2.937e-06	sparse.py:1747(_create_arithmetic_method)
44	2.1e-05	4.773e-07	4.7e-05	1.068e-06	pyparsing.py:4251(<genexpr>)
22	1.7e-05	7.727e-07	4.7e-05	2.136e-06	numpy_.py:443(_create_arithmetic_method)
1	1.4e-05	1.4e-05	4.7e-05	4.7e-05	feather_format.py:1(<module>)
1	1e-05	1e-05	4.7e-05	4.7e-05	common.py:1(<module>)
6	8e-06	1.333e-06	4.7e-05	7.833e-06	core.py:1141(__init__)
61	4.6e-05	7.541e-07	4.6e-05	7.541e-07	~:0(<method 'reshape' of 'numpy.ndarray' objects>)
72	3.8e-05	5.278e-07	4.6e-05	6.389e-07	linecache.py:147(lazycache)
2	3.1e-05	1.55e-05	4.6e-05	2.3e-05	generic.py:269(_setup_axes)
1	2.6e-05	2.6e-05	4.6e-05	4.6e-05	offsets.py:1179(_CustomBusinessMonth)
1	2.4e-05	2.4e-05	4.6e-05	4.6e-05	pathlib.py:107(_WindowsFlavour)

19	2.1e-05	1.105e-06	4.6e-05	2.421e-06	contextlib.py:85(__exit__)
6	1.3e-05	2.167e-06	4.6e-05	7.667e-06	generic.py:5236(_protect_consolidate)
1	5e-06	5e-06	4.6e-05	4.6e-05	inspect.py:2390(_ParameterKind)
1	2e-06	2e-06	4.6e-05	4.6e-05	generic.py:1889(__iter__)
16	4.5e-05	2.812e-06	4.5e-05	2.812e-06	enum.py:135(<dictcomp>)
11	2.5e-05	2.273e-06	4.5e-05	4.091e-06	pyparsing.py:5422(_escapeRegexRangeChars)
13	7e-06	5.385e-07	4.5e-05	3.462e-06	inference.py:120(is_iterator)
3	6e-06	2e-06	4.5e-05	1.5e-05	config.py:101(_get_option)
2	6e-06	3e-06	4.5e-05	2.25e-05	algorithms.py:61(_ensure_data)
4	5e-06	1.25e-06	4.5e-05	1.125e-05	ssl.py:360(__new__)
1	2e-06	2e-06	4.5e-05	4.5e-05	frame.py:3688(reindexer)
347	4.4e-05	1.268e-07	4.4e-05	1.268e-07	typing.py:975(<genexpr>)
21	4.3e-05	2.048e-06	4.4e-05	2.095e-06	sre_compile.py:393(_generate_overlap_table)
64	3.7e-05	5.781e-07	4.4e-05	6.875e-07	rcsetup.py:66(__call__)
164	3.6e-05	2.195e-07	4.4e-05	2.683e-07	_collections_abc.py:392(__subclasshook__)
9	1.6e-05	1.778e-06	4.4e-05	4.889e-06	six.py:159(_resolve)
1	1.4e-05	1.4e-05	4.4e-05	4.4e-05	_methods.py:5(<module>)
1	7e-06	7e-06	4.4e-05	4.4e-05	_parseaddr.py:7(<module>)
2	6e-06	3e-06	4.4e-05	2.2e-05	typing.py:222(__init__)
1	6e-06	6e-06	4.4e-05	4.4e-05	multi.py:666(_set_levels)
3	5e-06	1.667e-06	4.4e-05	1.467e-05	common.py:297(maybe_iterable_to_list)
69	4.3e-05	6.232e-07	4.3e-05	6.232e-07	~:0(<method 'setter' of 'property' objects>)
7	2.8e-05	4e-06	4.3e-05	6.143e-06	_parser.py:315(_convert)
3	1.8e-05	6e-06	4.3e-05	1.433e-05	sre_parse.py:876(parse_template)
16	1.8e-05	1.125e-06	4.3e-05	2.687e-06	integer.py:684(_create_arithmetic_method)
47	1.8e-05	3.83e-07	4.3e-05	9.149e-07	ipaddress.py:158(_split_optional_netmask)
1	1.1e-05	1.1e-05	4.3e-05	4.3e-05	nosetester.py:6(<module>)
1	9e-06	9e-06	4.3e-05	4.3e-05	arrayprint.py:482(_array2string)
1	4e-06	4e-06	4.3e-05	4.3e-05	threading.py:1190(__init__)
2	3e-06	1.5e-06	4.3e-05	2.15e-05	_dtype.py:80(_construction_repr)
36	3.2e-05	8.889e-07	4.2e-05	1.167e-06	config.py:702(config_prefix)
1	2.6e-05	2.6e-05	4.2e-05	4.2e-05	token.py:74(<dictcomp>)
16	2e-05	1.25e-06	4.2e-05	2.625e-06	_type_aliases.py:66(_bits_of)
11	2e-05	1.818e-06	4.2e-05	3.818e-06	common.py:862(is_dtype_equal)
1	8e-06	8e-06	4.2e-05	4.2e-05	tokenize.py:355(detect_encoding)
1	8e-06	8e-06	4.2e-05	4.2e-05	multi.py:1190(_set_names)
1	6e-06	6e-06	4.2e-05	4.2e-05	numeric.py:2066(identity)
5	6e-06	1.2e-06	4.2e-05	8.4e-06	common.py:711(is_string_dtype)
4	6e-06	1.5e-06	4.2e-05	1.05e-05	pyparsing.py:2345(__invert__)
3	2e-06	6.667e-07	4.2e-05	1.4e-05	__init__.py:476(PYFUNCTYPE)
136	4.1e-05	3.015e-07	4.1e-05	3.015e-07	~:0(<method 'issuperset' of 'frozenset' objects>)
154	4.1e-05	2.662e-07	4.1e-05	2.662e-07	typing.py:822(__hash__)

297	4.1e-05	1.38e-07	4.1e-05	1.38e-07	__init__.py:878(<genexpr>)
38	2.5e-05	6.579e-07	4.1e-05	1.079e-06	six.py:586(iteritems)
1	1.4e-05	1.4e-05	4.1e-05	4.1e-05	pyparsing.py:1343(ParserElement)
1	1.3e-05	1.3e-05	4.1e-05	4.1e-05	tile.py:3(<module>)
3	1.2e-05	4e-06	4.1e-05	1.367e-05	numeric.py:166(ones)
1	1.2e-05	1.2e-05	4.1e-05	4.1e-05	clipboards.py:1(<module>)
31	1.1e-05	3.548e-07	4.1e-05	1.323e-06	typing.py:512(<genexpr>)
205	4e-05	1.951e-07	4e-05	1.951e-07	enum.py:594(name)
1	4e-05	4e-05	4e-05	4e-05	<string>:5(DefaultVerifyPaths)
1	4e-05	4e-05	4e-05	4e-05	__init__.py:2548(_FuncInfo)
2	1.5e-05	7.5e-06	4e-05	2e-05	_dtype.py:115(_scalar_str)
8	1.3e-05	1.625e-06	4e-05	5e-06	base.py:2888(get_loc)
1	1.1e-05	1.1e-05	4e-05	4e-05	grouper.py:245(__init__)
7	8e-06	1.143e-06	4e-05	5.714e-06	common.py:1825(_is_dtype)
1	5e-06	5e-06	4e-05	4e-05	indexing.py:1465(_LocIndexer)
1	2e-06	2e-06	4e-05	4e-05	<__array_function__ internals>:2(in1d)
167	3.9e-05	2.335e-07	3.9e-05	2.335e-07	typing.py:984(<genexpr>)
78	2.1e-05	2.692e-07	3.9e-05	5e-07	_internal.py:830(<genexpr>)
19	1.6e-05	8.421e-07	3.9e-05	2.053e-06	ipaddress.py:1075(_make_netmask)
8	1.1e-05	1.375e-06	3.9e-05	4.875e-06	__init__.py:675(_get_method_wrappers)
7	7e-06	1e-06	3.9e-05	5.571e-06	pyparsing.py:3676(__init__)
1	3e-06	3e-06	3.9e-05	3.9e-05	generic.py:10707(_add_series_only_operations)
90	3.8e-05	4.222e-07	3.8e-05	4.222e-07	_inspect.py:133(strseq)
132	3.8e-05	2.879e-07	3.8e-05	2.879e-07	six.py:88(__init__)
45	3.8e-05	8.444e-07	3.8e-05	8.444e-07	pyparsing.py:1438(setName)
6	1.5e-05	2.5e-06	3.8e-05	6.333e-06	base.py:4821(_maybe_promote)
1	8e-06	8e-06	3.8e-05	3.8e-05	core.py:3078(view)
1	5e-06	5e-06	3.8e-05	3.8e-05	generic.py:1459(_gotitem)
3	4e-06	1.333e-06	3.8e-05	1.267e-05	platform.py:1254(python_implementation)
1	3e-06	3e-06	3.8e-05	3.8e-05	construction.py:252(<listcomp>)
344	3.7e-05	1.076e-07	3.7e-05	1.076e-07	~:0(<method 'remove' of 'set' objects>)
16	2.3e-05	1.438e-06	3.7e-05	2.312e-06	pyparsing.py:3175(parseImpl)
59	2.2e-05	3.729e-07	3.7e-05	6.271e-07	_inspect.py:146(<lambdas>)
14	2.1e-05	1.5e-06	3.7e-05	2.643e-06	pyparsing.py:844(_iadd__)
14	1.9e-05	1.357e-06	3.7e-05	2.643e-06	copyreg.py:96(_slotnames)
7	9e-06	1.286e-06	3.7e-05	5.286e-06	arrays.py:7(extract_array)
1	6e-06	6e-06	3.7e-05	3.7e-05	offsets.py:1110(MonthOffset)
1	3e-06	3e-06	3.7e-05	3.7e-05	patches.py:1538(Arc)
54	3.6e-05	6.667e-07	3.6e-05	6.667e-07	~:0(<method 'translate' of 'str' objects>)
53	3.6e-05	6.792e-07	3.6e-05	6.792e-07	~:0(<method 'view' of 'numpy.ndarray' objects>)
2	3.6e-05	1.8e-05	3.6e-05	1.8e-05	~:0(<built-in method _ctypes.POINTER>)
288	3.6e-05	1.25e-07	3.6e-05	1.25e-07	inspect.py:2813(return_annotation)

43	2.6e-05	6.047e-07	3.6e-05	8.372e-07	ipaddress.py:1866(__init__)
1	2.2e-05	2.2e-05	3.6e-05	3.6e-05	arraysetops.py:483(in1d)
12	2e-05	1.667e-06	3.6e-05	3e-06	pyparsing.py:5641(<lambda>)
13	1.5e-05	1.154e-06	3.6e-05	2.769e-06	_collections_abc.py:252(__subclasshook__)
1	7e-06	7e-06	3.6e-05	3.6e-05	base.py:831(array)
4	5e-06	1.25e-06	3.6e-05	9e-06	pyparsing.py:4618(__init__)
4	3.5e-05	8.75e-06	3.5e-05	8.75e-06	~:0(<built-in method _ssl.txt2obj>)
138	3.5e-05	2.536e-07	3.5e-05	2.536e-07	pyparsing.py:2428(setWhitespaceChars)
14	2.7e-05	1.929e-06	3.5e-05	2.5e-06	pyparsing.py:4474(__str__)
1	2.7e-05	2.7e-05	3.5e-05	3.5e-05	text.py:119(Text)
149	2.6e-05	1.745e-07	3.5e-05	2.349e-07	rcsetup.py:59(func)
30	2.2e-05	7.333e-07	3.5e-05	1.167e-06	getlimits.py:19(_fr0)
101	1.9e-05	1.881e-07	3.5e-05	3.465e-07	ssl.py:144(<lambda>)
1	1.7e-05	1.7e-05	3.5e-05	3.5e-05	missing.py:3(<module>)
1	1.7e-05	1.7e-05	3.5e-05	3.5e-05	timeseries.py:3(<module>)
1	1.3e-05	1.3e-05	3.5e-05	3.5e-05	linalg.py:82(_determine_error_states)
15	1.3e-05	8.667e-07	3.5e-05	2.333e-06	pyparsing.py:4829(__str__)
1	7e-06	7e-06	3.5e-05	3.5e-05	<string>:1(<module>)
31	3.4e-05	1.097e-06	3.4e-05	1.097e-06	_internal.py:865(npy_ctypes_check)
44	2.4e-05	5.455e-07	3.4e-05	7.727e-07	six.py:105(__init__)
2	2.3e-05	1.15e-05	3.4e-05	1.7e-05	utils.py:133(_get_indent)
1	1.5e-05	1.5e-05	3.4e-05	3.4e-05	_table_schema.py:5(<module>)
3	1.3e-05	4.333e-06	3.4e-05	1.133e-05	platform.py:1147(_sys_version)
13	1.3e-05	1e-06	3.4e-05	2.615e-06	mixins.py:48(_numeric_methods)
1	7e-06	7e-06	3.4e-05	3.4e-05	machar.py:7(<module>)
1	5e-06	5e-06	3.4e-05	3.4e-05	multi.py:790(_set_codes)
1	4e-06	4e-06	3.4e-05	3.4e-05	sparse.py:1845(_add_comparison_ops)
1	4e-06	4e-06	3.4e-05	3.4e-05	deprecation.py:1(<module>)
42	3.3e-05	7.857e-07	3.3e-05	7.857e-07	~:0(<built-in method builtins.delattr>)
108	3.3e-05	3.056e-07	3.3e-05	3.056e-07	abc.py:9(abstractmethod)
96	3.3e-05	3.437e-07	3.3e-05	3.437e-07	traceback.py:290(walk_stack)
257	3.3e-05	1.284e-07	3.3e-05	1.284e-07	hmac.py:10(<genexpr>)
118	3.3e-05	2.797e-07	3.3e-05	2.797e-07	opcode.py:39(def_op)
7	2.3e-05	3.286e-06	3.3e-05	4.714e-06	warnings.py:159(_add_filter)
97	2.3e-05	2.371e-07	3.3e-05	3.402e-07	pyparsing.py:5673(<genexpr>)
1	2.2e-05	2.2e-05	3.3e-05	3.3e-05	twodim_base.py:154(eye)
45	2.2e-05	4.889e-07	3.3e-05	7.333e-07	typing.py:889(__extrahook__)
6	2.1e-05	3.5e-06	3.3e-05	5.5e-06	__init__.py:1268(__init__)
101	2e-05	1.98e-07	3.3e-05	3.267e-07	ssl.py:129(<lambda>)
18	1.4e-05	7.778e-07	3.3e-05	1.833e-06	managers.py:1558(dtype)
19	2.6e-05	1.368e-06	3.2e-05	1.684e-06	contextlib.py:59(__init__)
101	1.8e-05	1.782e-07	3.2e-05	3.168e-07	ssl.py:139(<lambda>)

1	1.8e-05	1.8e-05	3.2e-05	3.2e-05	__init__.py:2642(_StringFuncParser)
16	1.5e-05	9.375e-07	3.2e-05	2e-06	enum.py:312(__getattr__)
4	1.4e-05	3.5e-06	3.2e-05	8e-06	<frozen importlib._bootstrap>:622(_load_backward_co
1	1.3e-05	1.3e-05	3.2e-05	3.2e-05	_type_aliases.py:246(_set_array_types)
11	1.3e-05	1.182e-06	3.2e-05	2.909e-06	generic.py:5145(__finalize__)
6	1.1e-05	1.833e-06	3.2e-05	5.333e-06	generic.py:5249(f)
1	1.1e-05	1.1e-05	3.2e-05	3.2e-05	base.py:5(<module>)
4	1e-05	2.5e-06	3.2e-05	8e-06	warnings.py:143(simplefilter)
1	7e-06	7e-06	3.2e-05	3.2e-05	range.py:196(_int64index)
3	6e-06	2e-06	3.2e-05	1.067e-05	multi.py:681(<genexpr>)
1	6e-06	6e-06	3.2e-05	3.2e-05	pytables.py:4139(LegacyTable)
3	3e-06	1e-06	3.2e-05	1.067e-05	construction.py:248(<genexpr>)
112	3.1e-05	2.768e-07	3.1e-05	2.768e-07	~:0(<built-in method _struct.unpack>)
159	3.1e-05	1.95e-07	3.1e-05	1.95e-07	expr.py:292(_node_not_implemented)
58	2.9e-05	5e-07	3.1e-05	5.345e-07	rcsetup.py:414(validate_string)
115	2.6e-05	2.261e-07	3.1e-05	2.696e-07	typing.py:931(<genexpr>)
1	2.5e-05	2.5e-05	3.1e-05	3.1e-05	_polybase.py:19(ABCPolyBase)
31	2e-05	6.452e-07	3.1e-05	1e-06	ipaddress.py:1718(_parse_hextet)
101	1.9e-05	1.881e-07	3.1e-05	3.069e-07	ssl.py:124(<lambda>)
7	7e-06	1e-06	3.1e-05	4.429e-06	_collections_abc.py:664(__contains__)
1	7e-06	7e-06	3.1e-05	3.1e-05	arrayiterator.py:9(<module>)
4	7e-06	1.75e-06	3.1e-05	7.75e-06	isoparser.py:22(_takes_ascii)
22	7e-06	3.182e-07	3.1e-05	1.409e-06	__init__.py:1624(_arith_method_SPARSE_SERIES)
1	6e-06	6e-06	3.1e-05	3.1e-05	signals.py:1(<module>)
1	6e-06	6e-06	3.1e-05	3.1e-05	base.py:3228(_convert_listlike_indexer)
1	1e-06	1e-06	3.1e-05	3.1e-05	missing.py:501(_maybe_fill)
247	3e-05	1.215e-07	3e-05	1.215e-07	multimarray.py:469(can_cast)
72	3e-05	4.167e-07	3e-05	4.167e-07	traceback.py:243(__init__)
257	3e-05	1.167e-07	3e-05	1.167e-07	hmac.py:11(<genexpr>)
288	3e-05	1.042e-07	3e-05	1.042e-07	inspect.py:2809(parameters)
31	2.6e-05	8.387e-07	3e-05	9.677e-07	pyparsing.py:2874(parseImpl)
1	2e-05	2e-05	3e-05	3e-05	offsets.py:157(DateOffset)
30	1.8e-05	6e-07	3e-05	1e-06	ipaddress.py:1251(__init__)
3	1.6e-05	5.333e-06	3e-05	1e-05	config.py:83(_get_single_key)
1	1.1e-05	1.1e-05	3e-05	3e-05	category.py:899(_add_comparison_methods)
1	1.1e-05	1.1e-05	3e-05	3e-05	indexing.py:270(_convert_scalar_indexer)
1	5e-06	5e-06	3e-05	3e-05	missing.py:376(_isna_compat)
1	5e-06	5e-06	3e-05	3e-05	_version.py:20(get_versions)
1	5e-06	5e-06	3e-05	3e-05	_version.py:22(get_versions)
363	2.9e-05	7.989e-08	2.9e-05	7.989e-08	~:0(<built-in method builtins.globals>)
78	2.9e-05	3.718e-07	2.9e-05	3.718e-07	overrides.py:105(decorator)

1	2.9e-05	2.9e-05	2.9e-05	2.9e-05	_type_aliases.py:154(_add_integer_aliases)
1	2.9e-05	2.9e-05	2.9e-05	2.9e-05	base.py:159(SelectionMixin)
115	2.9e-05	2.522e-07	2.9e-05	2.522e-07	expr.py:233(<lambda>)
18	1.4e-05	7.778e-07	2.9e-05	1.611e-06	rcsetup.py:920(_validate_linestyle)
1	1.3e-05	1.3e-05	2.9e-05	2.9e-05	format.py:163(<module>)
4	1.2e-05	3e-06	2.9e-05	7.25e-06	function_base.py:2031(__init__)
1	1e-05	1e-05	2.9e-05	2.9e-05	range.py:711(_add_numeric_methods_binary)
7	9e-06	1.286e-06	2.9e-05	4.143e-06	config.py:804(is_one_of_factory)
1	8e-06	8e-06	2.9e-05	2.9e-05	datetime.py:1961(timezone)
2	7e-06	3.5e-06	2.9e-05	1.45e-05	font_manager.py:1014(__init__)
1	5e-06	5e-06	2.9e-05	2.9e-05	_version.py:7(<module>)
2	4e-06	2e-06	2.9e-05	1.45e-05	arrayprint.py:462(decorating_function)
3	4e-06	1.333e-06	2.9e-05	9.667e-06	_common.py:132(_validate_fromutc_inputs)
1	0	0	2.9e-05	2.9e-05	core.py:6335(__array_finalize__)
134	2.8e-05	2.09e-07	2.8e-05	2.09e-07	enum.py:630(<lambda>)
282	2.8e-05	9.929e-08	2.8e-05	9.929e-08	pyparsing.py:3122(<genexpr>)
1	1.9e-05	1.9e-05	2.8e-05	2.8e-05	pyparsing.py:1852(enablePackrat)
6	1.6e-05	2.667e-06	2.8e-05	4.667e-06	managers.py:132(<listcomp>)
101	1.6e-05	1.584e-07	2.8e-05	2.772e-07	ssl.py:134(<lambda>)
101	1.6e-05	1.584e-07	2.8e-05	2.772e-07	ssl.py:149(<lambda>)
11	1.5e-05	1.364e-06	2.8e-05	2.545e-06	six.py:80(_import_module)
2	1.3e-05	6.5e-06	2.8e-05	1.4e-05	cycler.py:349(by_key)
3	1e-05	3.333e-06	2.8e-05	9.333e-06	base.py:1803(is_unique)
3	8e-06	2.667e-06	2.8e-05	9.333e-06	pyparsing.py:3743(__init__)
3	5e-06	1.667e-06	2.8e-05	9.333e-06	multi.py:800(<genexpr>)
1	5e-06	5e-06	2.8e-05	2.8e-05	patches.py:4427(ConnectionPatch)
200	2.7e-05	1.35e-07	2.7e-05	1.35e-07	~:0(<method 'items' of 'collections.OrderedDict' objects
8	2.7e-05	3.375e-06	2.7e-05	3.375e-06	~:0(<method 'get_loc' of 'pandas._libs.index.IndexEngi
2	2.7e-05	1.35e-05	2.7e-05	1.35e-05	decoder.py:283(__init__)
98	2.7e-05	2.755e-07	2.7e-05	2.755e-07	pyparsing.py:2529(streamline)
1	2.7e-05	2.7e-05	2.7e-05	2.7e-05	colors.py:64(__init__)
5	2.2e-05	4.4e-06	2.7e-05	5.4e-06	base.py:5503(_add_numeric_methods_unary)
18	2.1e-05	1.167e-06	2.7e-05	1.5e-06	generic.py:413(_get_axis_name)
82	1.7e-05	2.073e-07	2.7e-05	3.293e-07	enum.py:822(_high_bit)
13	1.4e-05	1.077e-06	2.7e-05	2.077e-06	dtypes.py:27(register_extension_dtype)
1	1.3e-05	1.3e-05	2.7e-05	2.7e-05	offsets.py:1291(SemiMonthOffset)
22	1.2e-05	5.455e-07	2.7e-05	1.227e-06	docstring.py:48(update)
1	1.1e-05	1.1e-05	2.7e-05	2.7e-05	base.py:5373(_add_comparison_methods)
1	1e-05	1e-05	2.7e-05	2.7e-05	patches.py:653(Rectangle)
36	9e-06	2.5e-07	2.7e-05	7.5e-07	_string_helpers.py:16(english_lower)
1	6e-06	6e-06	2.7e-05	2.7e-05	base.py:5801(default_index)
1	6e-06	6e-06	2.7e-05	2.7e-05	pyparsing.py:3550(__init__)

1	5e-06	5e-06	2.7e-05	2.7e-05	__init__.py:332(__init__)
1	5e-06	5e-06	2.7e-05	2.7e-05	result.py:24(TestResult)
5	4e-06	8e-07	2.7e-05	5.4e-06	series.py:720(__len__)
56	2.6e-05	4.643e-07	2.6e-05	4.643e-07	~:0(<method 'translate' of 'bytearray' objects>)
158	2.6e-05	1.646e-07	2.6e-05	1.646e-07	pyparsing.py:3994(<genexpr>)
36	2e-05	5.556e-07	2.6e-05	7.222e-07	_add_newdocs.py:6710(<genexpr>)
18	1.6e-05	8.889e-07	2.6e-05	1.444e-06	datetimelike.py:120(_create_comparison_method)
1	1.4e-05	1.4e-05	2.6e-05	2.6e-05	indexers.py:161(maybe_convert_indices)
6	1.3e-05	2.167e-06	2.6e-05	4.333e-06	config.py:777(is_instance_factory)
1	1.1e-05	1.1e-05	2.6e-05	2.6e-05	_tester.py:3(<module>)
1	6e-06	6e-06	2.6e-05	2.6e-05	_pytesttester.py:29(<module>)
3	5e-06	1.667e-06	2.6e-05	8.667e-06	datetime.py:1369(__new__)
1	4e-06	4e-06	2.6e-05	2.6e-05	base.py:1160(tolist)
1	3e-06	3e-06	2.6e-05	2.6e-05	typing.py:686(_Union)
2	3e-06	1.5e-06	2.6e-05	1.3e-05	rcsetup.py:115(validate_path_exists)
3	3e-06	1e-06	2.6e-05	8.667e-06	pyparsing.py:5130(__init__)
1	3e-06	3e-06	2.6e-05	2.6e-05	patches.py:2729(_Base)
1	1e-06	1e-06	2.6e-05	2.6e-05	pyparsing.py:6765(Japanese)
23	2.5e-05	1.087e-06	2.5e-05	1.087e-06	~:0(<built-in method _struct.calcsize>)
1	2.5e-05	2.5e-05	2.5e-05	2.5e-05	offsets.py:2654(Day)
49	2.5e-05	5.102e-07	2.5e-05	5.102e-07	pyparsing.py:296(__init__)
54	2.5e-05	4.63e-07	2.5e-05	4.63e-07	patches.py:1861(<listcomp>)
1	2.1e-05	2.1e-05	2.5e-05	2.5e-05	_print_versions.py:1(<module>)
1	1.9e-05	1.9e-05	2.5e-05	2.5e-05	offsets.py:2242(FY5253Quarter)
37	1.9e-05	5.135e-07	2.5e-05	6.757e-07	pyparsing.py:585(__getitem__)
1	1.2e-05	1.2e-05	2.5e-05	2.5e-05	_version.py:7(<module>)
1	9e-06	9e-06	2.5e-05	2.5e-05	typing.py:907(GenericMeta)
1	5e-06	5e-06	2.5e-05	2.5e-05	ipaddress.py:1245(IPv4Address)
1	3e-06	3e-06	2.5e-05	2.5e-05	_parser.py:574(parser)
1	2e-06	2e-06	2.5e-05	2.5e-05	_parser.py:1363(_result)
1	1e-06	1e-06	2.5e-05	2.5e-05	_common.py:3(<module>)
110	2.4e-05	2.182e-07	2.4e-05	2.182e-07	~:0(<method 'setdefault' of 'dict' objects>)
17	2.4e-05	1.412e-06	2.4e-05	1.412e-06	getlimits.py:521(max)
51	2.4e-05	4.706e-07	2.4e-05	4.706e-07	six.py:177(_add_module)
96	2.4e-05	2.5e-07	2.4e-05	2.5e-07	__init__.py:180(make_invalid_op)
1	2.4e-05	2.4e-05	2.4e-05	2.4e-05	core.py:48(MPLPlot)
1	2.2e-05	2.2e-05	2.4e-05	2.4e-05	numerictypes.py:445(_construct_lookups)
44	1.9e-05	4.318e-07	2.4e-05	5.455e-07	_collections_abc.py:302(__subclasshook__)
5	1.9e-05	3.8e-06	2.4e-05	4.8e-06	__init__.py:1212(_fixupParents)
8	1.5e-05	1.875e-06	2.4e-05	3e-06	base.py:613(_get_attributes_dict)
2	1.4e-05	7e-06	2.4e-05	1.2e-05	converter.py:58(register)
1	1.3e-05	1.3e-05	2.4e-05	2.4e-05	case.py:341(TestCase)

25	1.3e-05	5.2e-07	2.4e-05	9.6e-07	ipaddress.py:476(_prefix_from_prefix_string)
1	1.1e-05	1.1e-05	2.4e-05	2.4e-05	bezier.py:152(BezierSegment)
1	8e-06	8e-06	2.4e-05	2.4e-05	numeric.py:220(Int64Index)
1	7e-06	7e-06	2.4e-05	2.4e-05	mathtext.py:1067(StandardPsFonts)
1	7e-06	7e-06	2.4e-05	2.4e-05	api.py:3(<module>)
2	6e-06	3e-06	2.4e-05	1.2e-05	os.py:678(__delitem__)
2	6e-06	3e-06	2.4e-05	1.2e-05	base.py:1884(is_all_dates)
1	6e-06	6e-06	2.4e-05	2.4e-05	uu.py:31(<module>)
1	4e-06	4e-06	2.4e-05	2.4e-05	offsets.py:640(BusinessHourMixin)
2	3e-06	1.5e-06	2.4e-05	1.2e-05	__init__.py:772(_get_data_path_cached)
1	1e-06	1e-06	2.4e-05	2.4e-05	base.py:3265(_convert_arr_indexer)
1	2.3e-05	2.3e-05	2.3e-05	2.3e-05	~:0(<built-in method posix.uname>)
108	2.3e-05	2.13e-07	2.3e-05	2.13e-07	~:0(<built-in method _struct.pack>)
128	2.3e-05	1.797e-07	2.3e-05	1.797e-07	typing.py:139(__init__)
24	2.1e-05	8.75e-07	2.3e-05	9.583e-07	traceback.py:273(__getitem__)
1	1.8e-05	1.8e-05	2.3e-05	2.3e-05	docstrings.py:3(<module>)
6	1.3e-05	2.167e-06	2.3e-05	3.833e-06	_policybase.py:94(_append_doc)
6	7e-06	1.167e-06	2.3e-05	3.833e-06	datetimes.py:152(_dt_array_cmp)
1	5e-06	5e-06	2.3e-05	2.3e-05	offsets.py:1812(QuarterOffset)
2	4e-06	2e-06	2.3e-05	1.15e-05	os.py:672(__setitem__)
5	4e-06	8e-07	2.3e-05	4.6e-06	common.py:741(condition)
4	4e-06	1e-06	2.3e-05	5.75e-06	indexers.py:13(is_list_like_indexer)
2	4e-06	2e-06	2.3e-05	1.15e-05	nanops.py:828(_nanminmax)
1	3e-06	3e-06	2.3e-05	2.3e-05	managers.py:2033(<listcomp>)
1	3e-06	3e-06	2.3e-05	2.3e-05	patches.py:1201(FancyArrow)
2	2e-06	1e-06	2.3e-05	1.15e-05	core.py:6500(__init__)
1	2e-06	2e-06	2.3e-05	2.3e-05	tz.py:1464(__get_gettz)
8	1.9e-05	2.375e-06	2.2e-05	2.75e-06	common.py:352(apply_if_callable)
1	1.9e-05	1.9e-05	2.2e-05	2.2e-05	sparse.py:534(SparseArray)
10	1.6e-05	1.6e-06	2.2e-05	2.2e-06	sre_parse.py:257(getwhile)
10	1.4e-05	1.4e-06	2.2e-05	2.2e-06	rcsetup.py:303(__call__)
1	1.4e-05	1.4e-05	2.2e-05	2.2e-05	table.py:213(Table)
10	1e-05	1e-06	2.2e-05	2.2e-06	common.py:1063(is_unsigned_integer_dtype)
2	8e-06	4e-06	2.2e-05	1.1e-05	functools.py:193(total_ordering)
1	7e-06	7e-06	2.2e-05	2.2e-05	frozen.py:123(FrozenNDArray)
1	7e-06	7e-06	2.2e-05	2.2e-05	__init__.py:1(<module>)
1	7e-06	7e-06	2.2e-05	2.2e-05	patches.py:820(RegularPolygon)
2	5e-06	2.5e-06	2.2e-05	1.1e-05	font_manager.py:1018(make_rcparams_key)
3	4e-06	1.333e-06	2.2e-05	7.333e-06	result.py:12(failfast)
1	3e-06	3e-06	2.2e-05	2.2e-05	algorithms.py:253(_get_data_algo)
3	2e-06	6.667e-07	2.2e-05	7.333e-06	ufunlike.py:60(_fix_and_maybe_deprecate_out_name)
9	2.1e-05	2.333e-06	2.1e-05	2.333e-06	~:0(<built-in method builtins.round>)

16	2.1e-05	1.312e-06	2.1e-05	1.312e-06	enum.py:65(__init__)
50	2.1e-05	4.2e-07	2.1e-05	4.2e-07	enum.py:181(<genexpr>)
1	2.1e-05	2.1e-05	2.1e-05	2.1e-05	_iotools.py:499(StringConverter)
1	2.1e-05	2.1e-05	2.1e-05	2.1e-05	pickle.py:986(_Unpickler)
12	1.8e-05	1.5e-06	2.1e-05	1.75e-06	pyparsing.py:1846(resetCache)
7	1.6e-05	2.286e-06	2.1e-05	3e-06	sre_parse.py:784(_parse_flags)
1	1.5e-05	1.5e-05	2.1e-05	2.1e-05	fractions.py:60(Fraction)
2	1e-05	5e-06	2.1e-05	1.05e-05	sre_compile.py:381(_bytes_to_codes)
1	1e-05	1e-05	2.1e-05	2.1e-05	offsets.py:1519(Week)
1	6e-06	6e-06	2.1e-05	2.1e-05	fnmatch.py:11(<module>)
6	6e-06	1e-06	2.1e-05	3.5e-06	__init__.py:1073(_comp_method_SERIES)
14	6e-06	4.286e-07	2.1e-05	1.5e-06	base.py:4006(_internal_get_values)
2	4e-06	2e-06	2.1e-05	1.05e-05	frozen.py:188(_ensure_frozen)
1	4e-06	4e-06	2.1e-05	2.1e-05	__init__.py:729(_get_data_path)
1	2e-06	2e-06	2.1e-05	2.1e-05	base.py:2832(_assert_can_do_setop)
3	1e-06	3.333e-07	2.1e-05	7e-06	pyparsing.py:2412(suppress)
84	2e-05	2.381e-07	2e-05	2.381e-07	lazy.py:149(lazy)
1	2e-05	2e-05	2e-05	2e-05	tzinfo.py:18(memorized_timedelta)
24	2e-05	8.333e-07	2e-05	8.333e-07	base.py:700(_reset_identity)
28	2e-05	7.143e-07	2e-05	7.143e-07	blocks.py:343(dtype)
11	1.6e-05	1.455e-06	2e-05	1.818e-06	rcsetup.py:75(_listify_validator)
2	1.4e-05	7e-06	2e-05	1e-05	generic.py:346(_construct_axes_from_arguments)
7	1.2e-05	1.714e-06	2e-05	2.857e-06	~:0(<built-in method builtins.sum>)
2	1.1e-05	5.5e-06	2e-05	1e-05	core.py:2903(_update_from)
6	1.1e-05	1.833e-06	2e-05	3.333e-06	period.py:65(_period_array_cmp)
48	1.1e-05	2.292e-07	2e-05	4.167e-07	pyparsing.py:4002(<genexpr>)
10	1e-05	1e-06	2e-05	2e-06	common.py:1585(is_float_dtype)
1	1e-05	1e-05	2e-05	2e-05	range.py:83(__new__)
6	1e-05	1.667e-06	2e-05	3.333e-06	rcsetup.py:886(validate_animation_writer_path)
1	8e-06	8e-06	2e-05	2e-05	numeric.py:1(<module>)
3	8e-06	2.667e-06	2e-05	6.667e-06	generic.py:10884(_doc_parms)
1	7e-06	7e-06	2e-05	2e-05	_dtype.py:5(<module>)
2	6e-06	3e-06	2e-05	1e-05	textwrap.py:146(_munge_whitespace)
3	6e-06	2e-06	2e-05	6.667e-06	<__array_function__ internals>:2(copyto)
12	6e-06	5e-07	2e-05	1.667e-06	__init__.py:1245(_bool_method_SERIES)
1	6e-06	6e-06	2e-05	2e-05	_exceptions.py:1(<module>)
1	6e-06	6e-06	2e-05	2e-05	concat.py:28(get_mgr_concatenation_plan)
3	5e-06	1.667e-06	2e-05	6.667e-06	ufunlike.py:43(_fix_out_named_y)
7	5e-06	7.143e-07	2e-05	2.857e-06	managers.py:325(__len__)
1	3e-06	3e-06	2e-05	2e-05	contextlib.py:48(__call__)
1	3e-06	3e-06	2e-05	2e-05	ssl.py:376(Purpose)
1	3e-06	3e-06	2e-05	2e-05	patches.py:1303(YAArrow)

1	3e-06	3e-06	2e-05	2e-05	testing.py:82(set_testing_mode)
1	1.9e-05	1.9e-05	1.9e-05	1.9e-05	offsets.py:2659(Hour)
30	1.8e-05	6e-07	1.9e-05	6.333e-07	_type_aliases.py:238(_add_array_type)
5	1.3e-05	2.6e-06	1.9e-05	3.8e-06	generic.py:3236(_create_indexer)
13	1.2e-05	9.231e-07	1.9e-05	1.462e-06	_dtype_ctypes.py:69(_from_ctypes_scalar)
1	1.2e-05	1.2e-05	1.9e-05	1.9e-05	lazy.py:118(<listcomp>)
1	1.1e-05	1.1e-05	1.9e-05	1.9e-05	missing.py:3(<module>)
2	9e-06	4.5e-06	1.9e-05	9.5e-06	base.py:3104(_convert_scalar_indexer)
9	8e-06	8.889e-07	1.9e-05	2.111e-06	__init__.py:1544(isEnabledFor)
1	7e-06	7e-06	1.9e-05	1.9e-05	threading.py:757(__init__)
6	7e-06	1.167e-06	1.9e-05	3.167e-06	timedeltas.py:76(_td_array_cmp)
6	7e-06	1.167e-06	1.9e-05	3.167e-06	category.py:903(_make_compare)
1	6e-06	6e-06	1.9e-05	1.9e-05	_add_newdocs.py:6668(numeric_type_aliases)
8	4e-06	5e-07	1.9e-05	2.375e-06	range.py:715(_make_evaluate_binop)
1	2e-06	2e-06	1.9e-05	1.9e-05	typing.py:1298(CallableMeta)
1	1e-06	1e-06	1.9e-05	1.9e-05	pyparsing.py:3956(And)
1	1e-06	1e-06	1.9e-05	1.9e-05	cycler.py:468(cycler)
60	1.8e-05	3e-07	1.8e-05	3e-07	function_base.py:32(_linspace_dispatcher)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	pprint.py:98(PrettyPrinter)
1	1.7e-05	1.7e-05	1.8e-05	1.8e-05	_type_aliases.py:95(_add_types)
1	1.7e-05	1.7e-05	1.8e-05	1.8e-05	blocks.py:93(Block)
1	1.6e-05	1.6e-05	1.8e-05	1.8e-05	mathtext.py:642(BakomaFonts)
15	1.4e-05	9.333e-07	1.8e-05	1.2e-06	functools.py:448(lru_cache)
24	1.2e-05	5e-07	1.8e-05	7.5e-07	tokenize.py:148(<listcomp>)
6	1.1e-05	1.833e-06	1.8e-05	3e-06	patches.py:1829(<listcomp>)
8	8e-06	1e-06	1.8e-05	2.25e-06	sparse.py:1796(_create_comparison_method)
1	8e-06	8e-06	1.8e-05	1.8e-05	ops.py:406(_get_cython_function)
1	6e-06	6e-06	1.8e-05	1.8e-05	localization.py:5(<module>)
5	6e-06	1.2e-06	1.8e-05	3.6e-06	pyparsing.py:3591(__str__)
1	6e-06	6e-06	1.8e-05	1.8e-05	patches.py:584(Shadow)
1	6e-06	6e-06	1.8e-05	1.8e-05	patches.py:934(Polygon)
2	5e-06	2.5e-06	1.8e-05	9e-06	rcsetup.py:283(validate_toolbar)
1	5e-06	5e-06	1.8e-05	1.8e-05	rrule.py:1306(rruleset)
1	4e-06	4e-06	1.8e-05	1.8e-05	argparse.py:150(HelpFormatter)
1	4e-06	4e-06	1.8e-05	1.8e-05	concat.py:525(_get_comb_axis)
2/1	3e-06	3e-06	1.8e-05	1.8e-05	deprecation.py:206(wrapper)
1	3e-06	3e-06	1.8e-05	1.8e-05	patches.py:1498(Circle)
1	2e-06	2e-06	1.8e-05	1.8e-05	base.py:4297(_can_hold_identifiers_and_holds_name)
1	2e-06	2e-06	1.8e-05	1.8e-05	__init__.py:2493(Locked)
87	1.7e-05	1.954e-07	1.7e-05	1.954e-07	~:0(<method 'items' of 'mappingproxy' objects>)
1	1.7e-05	1.7e-05	1.7e-05	1.7e-05	~:0(<method 'dot' of 'numpy.ndarray' objects>)

62	1.7e-05	2.742e-07	1.7e-05	2.742e-07	lazy.py:96(lazy)
77	1.7e-05	2.208e-07	1.7e-05	2.208e-07	typing.py:165(__init__)
66	1.7e-05	2.576e-07	1.7e-05	2.576e-07	pyparsing.py:4014(<genexpr>)
1	1.7e-05	1.7e-05	1.7e-05	1.7e-05	transforms.py:258(BboxBase)
20	1.4e-05	7e-07	1.7e-05	8.5e-07	tokenize.py:112(group)
1	1.2e-05	1.2e-05	1.7e-05	1.7e-05	concat.py:3(<module>)
17	1.2e-05	7.059e-07	1.7e-05	1e-06	range.py:652(__len__)
1	1.2e-05	1.2e-05	1.7e-05	1.7e-05	_openpyxl.py:460(_OpenpyxlReader)
3	1.2e-05	4e-06	1.7e-05	5.667e-06	pytables.py:1663(__init__)
11	1.1e-05	1e-06	1.7e-05	1.545e-06	generic.py:510(ndim)
8	9e-06	1.125e-06	1.7e-05	2.125e-06	datetimelike.py:185(_join_i8_wrapper)
1	8e-06	8e-06	1.7e-05	1.7e-05	ipaddress.py:1860(IPv6Address)
6	6e-06	1e-06	1.7e-05	2.833e-06	__init__.py:1286(debug)
1	6e-06	6e-06	1.7e-05	1.7e-05	numpy_.py:122(__init__)
2	5e-06	2.5e-06	1.7e-05	8.5e-06	font_manager.py:1020(<listcomp>)
1	4e-06	4e-06	1.7e-05	1.7e-05	concat.py:93(_get_frame_result_type)
1	4e-06	4e-06	1.7e-05	1.7e-05	sql.py:1048(SQLDatabase)
1	3e-06	3e-06	1.7e-05	1.7e-05	<__array_function__ internals>:2(concatenate)
1	2e-06	2e-06	1.7e-05	1.7e-05	arrayprint.py:717(_formatArray)
1	2e-06	2e-06	1.7e-05	1.7e-05	cycler.py:529(_cyclcer)
1	1e-06	1e-06	1.7e-05	1.7e-05	typing.py:835(Optional)
1	1e-06	1e-06	1.7e-05	1.7e-05	typing.py:1245(TupleMeta)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	os.py:44(<listcomp>)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	offsets.py:534(__init__)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	offsets.py:2664(Minute)
47	1.6e-05	3.404e-07	1.6e-05	3.404e-07	ipaddress.py:607(__init__)
46	1.6e-05	3.478e-07	1.6e-05	3.478e-07	deprecation.py:110(deprecated)
90	1.6e-05	1.778e-07	1.6e-05	1.778e-07	rcsetup.py:160(validate_float)
34	1.6e-05	4.706e-07	1.6e-05	4.706e-07	artist.py:1205(<listcomp>)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	font_manager.py:609(FontProperties)
26	1.5e-05	5.769e-07	1.6e-05	6.154e-07	_decorators.py:90(deprecate_kwarg)
8	1.5e-05	1.875e-06	1.6e-05	2e-06	missing.py:574(clean_reindex_fill_method)
3	1.3e-05	4.333e-06	1.6e-05	5.333e-06	common.py:180(ensure_python_int)
1	1.2e-05	1.2e-05	1.6e-05	1.6e-05	numbers.py:32(Complex)
2	1.1e-05	5.5e-06	1.6e-05	8e-06	rcsetup.py:901(validate_webagg_address)
1	1.1e-05	1.1e-05	1.6e-05	1.6e-05	_util.py:1(<module>)
16	1e-05	6.25e-07	1.6e-05	1e-06	_string_helpers.py:72(english_capitalize)
1	9e-06	9e-06	1.6e-05	1.6e-05	enum.py:850(<listcomp>)
1	8e-06	8e-06	1.6e-05	1.6e-05	_asarray.py:5(<module>)
4	8e-06	2e-06	1.6e-05	4e-06	generic.py:3279(_set_as_cached)
4	8e-06	2e-06	1.6e-05	4e-06	timedeltas.py:160(_join_i8_wrapper)
2	7e-06	3.5e-06	1.6e-05	8e-06	inference.py:327(is_dict_like)

5	7e-06	1.4e-06	1.6e-05	3.2e-06	multi.py:1184(__len__)
9	6e-06	6.667e-07	1.6e-05	1.778e-06	os.py:746(decode)
1	6e-06	6e-06	1.6e-05	1.6e-05	offsets.py:525(BusinessDay)
1	6e-06	6e-06	1.6e-05	1.6e-05	pyparsing.py:3639(__init__)
1	5e-06	5e-06	1.6e-05	1.6e-05	__config__.py:3(<module>)
1	5e-06	5e-06	1.6e-05	1.6e-05	polynomial.py:1442(Polynomial)
1	5e-06	5e-06	1.6e-05	1.6e-05	lazy.py:172(<listcomp>)
1	5e-06	5e-06	1.6e-05	1.6e-05	calendar.py:50(_localized_month)
1	4e-06	4e-06	1.6e-05	1.6e-05	algorithms.py:199(_ensure_arraylike)
1	3e-06	3e-06	1.6e-05	1.6e-05	<__array_function__ internals>:2(repeat)
1	3e-06	3e-06	1.6e-05	1.6e-05	threading.py:512(set)
6	3e-06	5e-07	1.6e-05	2.667e-06	base.py:98(_make_comparison_op)
1	3e-06	3e-06	1.6e-05	1.6e-05	range.py:363(__contains__)
1	2e-06	2e-06	1.6e-05	1.6e-05	tokenize.py:379(read_or_stop)
2	1.5e-05	7.5e-06	1.5e-05	7.5e-06	~:0(<built-in method posix.putenv>)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	pathlib.py:602(PurePath)
32	1.5e-05	4.687e-07	1.5e-05	4.687e-07	_type_aliases.py:68(<genexpr>)
3	1.5e-05	5e-06	1.5e-05	5e-06	~:0(<built-in method _csv.register_dialect>)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	<string>:5(_Instruction)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	offsets.py:2669(Second)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	offsets.py:2674(Milli)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	offsets.py:2679(Micro)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	offsets.py:2684(Nano)
20	1.5e-05	7.5e-07	1.5e-05	7.5e-07	blocks.py:131(_check_ndim)
95	1.5e-05	1.579e-07	1.5e-05	1.579e-07	pyparsing.py:277(<genexpr>)
26	1.5e-05	5.769e-07	1.5e-05	5.769e-07	pyparsing.py:688(haskeys)
3	1.4e-05	4.667e-06	1.5e-05	5e-06	_asarray.py:300(<setcomp>)
2	1.2e-05	6e-06	1.5e-05	7.5e-06	base.py:5385(_add_numeric_methods_add_sub_disable
1	1.2e-05	1.2e-05	1.5e-05	1.5e-05	api.py:3(<module>)
19	1.1e-05	5.789e-07	1.5e-05	7.895e-07	_collections_abc.py:367(__subclasshook__)
2/1	1.1e-05	1.1e-05	1.5e-05	1.5e-05	arrayprint.py:726(recursor)
8	1.1e-05	1.375e-06	1.5e-05	1.875e-06	frozen.py:78(__getitem__)
1	9e-06	9e-06	1.5e-05	1.5e-05	cycler.py:191(_from_iter)
1	9e-06	9e-06	1.5e-05	1.5e-05	pytables.py:2035(__init__)
1	8e-06	8e-06	1.5e-05	1.5e-05	tzfile.py:4(<module>)
1	8e-06	8e-06	1.5e-05	1.5e-05	__init__.py:1(<module>)
3	7e-06	2.333e-06	1.5e-05	5e-06	__init__.py:1359(log)
1	6e-06	6e-06	1.5e-05	1.5e-05	tokenize.py:385(find_cookie)
1	5e-06	5e-06	1.5e-05	1.5e-05	arrayprint.py:413(_get_format_function)
1	5e-06	5e-06	1.5e-05	1.5e-05	ufunlike.py:18(_deprecate_out_named_y)
1	5e-06	5e-06	1.5e-05	1.5e-05	offsets.py:1935(YearOffset)

1	5e-06	5e-06	1.5e-05	1.5e-05	stata.py:2062(StataWriter)
1	4e-06	4e-06	1.5e-05	1.5e-05	tz.py:41(tzutc)
1	4e-06	4e-06	1.5e-05	1.5e-05	pyparsing.py:4896(__init__)
1	4e-06	4e-06	1.5e-05	1.5e-05	patches.py:1043(Wedge)
1	3e-06	3e-06	1.5e-05	1.5e-05	_internal.py:241(_missing_ctype)
2	3e-06	1.5e-06	1.5e-05	7.5e-06	blocks.py:2771(__init__)
1	3e-06	3e-06	1.5e-05	1.5e-05	patches.py:1435(Ellipse)
1	2e-06	2e-06	1.5e-05	1.5e-05	<__array_function__ internals>:2(tile)
1	2e-06	2e-06	1.5e-05	1.5e-05	typing.py:2137(__new__)
2	2e-06	1e-06	1.5e-05	7.5e-06	cast.py:583(coerce_indexer_dtype)
1	2e-06	2e-06	1.5e-05	1.5e-05	generic.py:689(_set_axis)
2	1.4e-05	7e-06	1.4e-05	7e-06	~:0(<built-in method posix.unsetenv>)
60	1.4e-05	2.333e-07	1.4e-05	2.333e-07	~:0(<built-in method _operator.index>)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	~:0(<method 'readline' of '_io.BufferedReader' objects>)
12	1.4e-05	1.167e-06	1.4e-05	1.167e-06	~:0(<method 'fill' of 'numpy.ndarray' objects>)
60	1.4e-05	2.333e-07	1.4e-05	2.333e-07	fromnumeric.py:2986(ndim)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	<string>:5(uname_result)
24	1.4e-05	5.833e-07	1.4e-05	5.833e-07	managers.py:171(ndim)
22	1.4e-05	6.364e-07	1.4e-05	6.364e-07	rcsetup.py:648(__call__)
71	1.4e-05	1.972e-07	1.4e-05	1.972e-07	pyparsing.py:2419(leaveWhitespace)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	_openpyxl.py:13(_OpenpyxlWriter)
4	1.3e-05	3.25e-06	1.4e-05	3.5e-06	warnings.py:449(__enter__)
14	1.3e-05	9.286e-07	1.4e-05	1e-06	__init__.py:2554(__init__)
14	1.3e-05	9.286e-07	1.4e-05	1e-06	pyparsing.py:3211(charsAsStr)
4	1.2e-05	3e-06	1.4e-05	3.5e-06	function_base.py:257(iterable)
1	1.2e-05	1.2e-05	1.4e-05	1.4e-05	misc.py:1(<module>)
12	1.1e-05	9.167e-07	1.4e-05	1.167e-06	rcsetup.py:437(validate_fontsize)
5	1e-05	2e-06	1.4e-05	2.8e-06	datetime.py:292(_check_time_fields)
7	1e-05	1.429e-06	1.4e-05	2e-06	__init__.py:219(_acquireLock)
1	9e-06	9e-06	1.4e-05	1.4e-05	inference.py:1(<module>)
1	9e-06	9e-06	1.4e-05	1.4e-05	generic.py:1682(_check_label_or_level_ambiguity)
2	9e-06	4.5e-06	1.4e-05	7e-06	blocks.py:3273(_extend_blocks)
2	9e-06	4.5e-06	1.4e-05	7e-06	managers.py:2002(_preprocess_slice_or_indexer)
1	8e-06	8e-06	1.4e-05	1.4e-05	base.py:328(_aggregate)
9	7e-06	7.778e-07	1.4e-05	1.556e-06	_collections_abc.py:349(__subclasshook__)
13	7e-06	5.385e-07	1.4e-05	1.077e-06	mixins.py:40(_inplace_binary_method)
1	5e-06	5e-06	1.4e-05	1.4e-05	table.py:39(Cell)
1	5e-06	5e-06	1.4e-05	1.4e-05	align.py:40(_filter_special_cases)
1	4e-06	4e-06	1.4e-05	1.4e-05	_factories.py:24(__init__)
1	4e-06	4e-06	1.4e-05	1.4e-05	__init__.py:20(_deprecated_private_func)
1	4e-06	4e-06	1.4e-05	1.4e-05	common.py:264(index_labels_to_array)
3	4e-06	1.333e-06	1.4e-05	4.667e-06	series.py:517(values)

2	3e-06	1.5e-06	1.4e-05	7e-06	pathlib.py:390(_wrap_binary_strfunc)
1	3e-06	3e-06	1.4e-05	1.4e-05	patches.py:904(PathPatch)
1	1.3e-05	1.3e-05	1.3e-05	1.3e-05	datetime.py:1361(datetime)
1	1.3e-05	1.3e-05	1.3e-05	1.3e-05	~:0(<built-in method pandas._libs.missing.isnaobj>)
21	1.3e-05	6.19e-07	1.3e-05	6.19e-07	datetimes.py:112(_field_accessor)
94	1.3e-05	1.383e-07	1.3e-05	1.383e-07	ipaddress.py:550(__int__)
1	1.2e-05	1.2e-05	1.3e-05	1.3e-05	polynomial.py:1009(poly1d)
2	1e-05	5e-06	1.3e-05	6.5e-06	charset.py:211(__init__)
1	9e-06	9e-06	1.3e-05	1.3e-05	numbers.py:294(Integral)
12	9e-06	7.5e-07	1.3e-05	1.083e-06	opcode.py:43(name_op)
18	8e-06	4.444e-07	1.3e-05	7.222e-07	_add_newdocs.py:6669(type_aliases_gen)
13	8e-06	6.154e-07	1.3e-05	1e-06	dtypes.py:72(register)
1	7e-06	7e-06	1.3e-05	1.3e-05	decorators.py:15(<module>)
9	7e-06	7.778e-07	1.3e-05	1.444e-06	version.py:331(_cmp)
3	7e-06	2.333e-06	1.3e-05	4.333e-06	base.py:1358(_set_names)
2	7e-06	3.5e-06	1.3e-05	6.5e-06	range.py:148(_simple_new)
1	7e-06	7e-06	1.3e-05	1.3e-05	scipy_sparse.py:5(<module>)
1	6e-06	6e-06	1.3e-05	1.3e-05	offsets.py:997(CustomBusinessDay)
1	6e-06	6e-06	1.3e-05	1.3e-05	offsets.py:2040(FY5253)
5	5e-06	1e-06	1.3e-05	2.6e-06	datetime.py:279(_check_date_fields)
5	5e-06	1e-06	1.3e-05	2.6e-06	version.py:51(__lt__)
2	5e-06	2.5e-06	1.3e-05	6.5e-06	common.py:1510(is_numeric_dtype)
1	5e-06	5e-06	1.3e-05	1.3e-05	__init__.py:5(<module>)
2	4e-06	2e-06	1.3e-05	6.5e-06	locale.py:565(getlocale)
1	4e-06	4e-06	1.3e-05	1.3e-05	__init__.py:771(__init__)
4	4e-06	1e-06	1.3e-05	3.25e-06	datetimes.py:230(_join_i8_wrapper)
8	4e-06	5e-07	1.3e-05	1.625e-06	rrule.py:77(<genexpr>)
1	3e-06	3e-06	1.3e-05	1.3e-05	ipaddress.py:1445(IPv4Network)
1	2e-06	2e-06	1.3e-05	1.3e-05	blocks.py:2172(should_store)
1	2e-06	2e-06	1.3e-05	1.3e-05	patches.py:1407(CirclePolygon)
1	1e-06	1e-06	1.3e-05	1.3e-05	argparse.py:1054(_SubParsersAction)
1	1e-06	1e-06	1.3e-05	1.3e-05	dtypes.py:225(__init__)
1	0	0	1.3e-05	1.3e-05	__init__.py:1085(__init__)
72	1.2e-05	1.667e-07	1.2e-05	1.667e-07	~:0(<method 'pop' of 'list' objects>)
2	1.2e-05	6e-06	1.2e-05	6e-06	~:0(<built-in method _warnings.warn>)
16	1.2e-05	7.5e-07	1.2e-05	7.5e-07	enum.py:337(__members__)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	_globals.py:67(__new__)
5	1.2e-05	2.4e-06	1.2e-05	2.4e-06	getlimits.py:508(min)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	~:0(<built-in method _hashlib.openssl_md5>)
13	1.2e-05	9.231e-07	1.2e-05	9.231e-07	six.py:184(find_module)
15	1.2e-05	8e-07	1.2e-05	8e-07	~:0(<pandas._libs.algos.ensure_int64>)

1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	frequencies.py:278(_FrequencyInferer)
7	1.2e-05	1.714e-06	1.2e-05	1.714e-06	offsets.py:2524(__init__)
14	1.2e-05	8.571e-07	1.2e-05	8.571e-07	series.py:443(_set_subtyp)
44	1.2e-05	2.727e-07	1.2e-05	2.727e-07	colors.py:196(<genexpr>)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	pytables.py:3242(Table)
2	1e-05	5e-06	1.2e-05	6e-06	_dtype.py:172(_byte_order_str)
1	9e-06	9e-06	1.2e-05	1.2e-05	numbers.py:147(Real)
7	9e-06	1.286e-06	1.2e-05	1.714e-06	pyparsing.py:5718(tokenMap)
4	8e-06	2e-06	1.2e-05	3e-06	six.py:195(load_module)
3	7e-06	2.333e-06	1.2e-05	4e-06	managers.py:203(_is_single_block)
4	6e-06	1.5e-06	1.2e-05	3e-06	six.py:209(is_package)
4	6e-06	1.5e-06	1.2e-05	3e-06	rcsetup.py:264(validate_backend)
5	6e-06	1.2e-06	1.2e-05	2.4e-06	pyparsing.py:4753(__str__)
1	6e-06	6e-06	1.2e-05	1.2e-05	stata.py:2836(StataWriter117)
1	5e-06	5e-06	1.2e-05	1.2e-05	tz.py:126(tzoffset)
1	5e-06	5e-06	1.2e-05	1.2e-05	patches.py:1879(_simpleprint_styles)
6	4e-06	6.667e-07	1.2e-05	2e-06	integer.py:593(_create_comparison_method)
1	4e-06	4e-06	1.2e-05	1.2e-05	textpath.py:35(__init__)
1	3e-06	3e-06	1.2e-05	1.2e-05	fromnumeric.py:439(repeat)
1	3e-06	3e-06	1.2e-05	1.2e-05	dtypes.py:339(_finalize)
2	3e-06	1.5e-06	1.2e-05	6e-06	indexing.py:2065(_validate_integer)
3	3e-06	1e-06	1.2e-05	4e-06	managers.py:1857(_asarray_compat)
3	3e-06	1e-06	1.2e-05	4e-06	managers.py:1863(_shape_compat)
3	2e-06	6.667e-07	1.2e-05	4e-06	base.py:87(_reset_cache)
1	2e-06	2e-06	1.2e-05	1.2e-05	api.py:68(_get_objs_combined_axis)
3	2e-06	6.667e-07	1.2e-05	4e-06	series.py:593(_internal_get_values)
2	2e-06	1e-06	1.2e-05	6e-06	pyparsing.py:3777(__init__)
1	1e-06	1e-06	1.2e-05	1.2e-05	case.py:44(_Outcome)
1	1e-06	1e-06	1.2e-05	1.2e-05	_common.py:149(_tzinfo)
1	1e-06	1e-06	1.2e-05	1.2e-05	__init__.py:905(RingBuffer)
10	1.1e-05	1.1e-06	1.1e-05	1.1e-06	~:0(<method 'decode' of 'bytes' objects>)
85	1.1e-05	1.294e-07	1.1e-05	1.294e-07	_compat_pickle.py:167(<genexpr>)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	_type_aliases.py:187(_set_up_aliases)
60	1.1e-05	1.833e-07	1.1e-05	1.833e-07	fromnumeric.py:2185(_any_dispatcher)
69	1.1e-05	1.594e-07	1.1e-05	1.594e-07	signal.py:22(<lambdax>)
9	1.1e-05	1.222e-06	1.1e-05	1.222e-06	__init__.py:1530(getEffectiveLevel)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	calendar.py:52(<listcomp>)
16	1.1e-05	6.875e-07	1.1e-05	6.875e-07	~:0(<pandas._libs.algos.ensure_platform_int>)
2	1.1e-05	5.5e-06	1.1e-05	5.5e-06	~:0(<pandas._libs.algos.ensure_int8>)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	<string>:5(FullArgSpec)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	sparse.py:63(SparseDtype)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	indexing.py:102(_NDFrameIndexer)

1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	format.py:424(DataFrameFormatter)
25	1.1e-05	4.4e-07	1.1e-05	4.4e-07	ipaddress.py:433(_ip_int_from_prefix)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	ipaddress.py:598(_BaseNetwork)
42	1.1e-05	2.619e-07	1.1e-05	2.619e-07	pyparsing.py:1547(<genexpr>)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	pytables.py:432(HDFStore)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	expr.py:367(BaseExprVisitor)
8	9e-06	1.125e-06	1.1e-05	1.375e-06	core.py:2551(_arraymethod)
1	9e-06	9e-06	1.1e-05	1.1e-05	ssl.py:721(SSLSocket)
27	8e-06	2.963e-07	1.1e-05	4.074e-07	pathlib.py:119(<genexpr>)
7	8e-06	1.143e-06	1.1e-05	1.571e-06	config.py:806(<listcomp>)
11	8e-06	7.273e-07	1.1e-05	1e-06	base.py:681(is_)
27	7e-06	2.593e-07	1.1e-05	4.074e-07	_add_newdocs.py:6709(<genexpr>)
4	7e-06	1.75e-06	1.1e-05	2.75e-06	offsets.py:2501(_tick_comp)
2	7e-06	3.5e-06	1.1e-05	5.5e-06	fontconfig_pattern.py:160(_property)
1	6e-06	6e-06	1.1e-05	1.1e-05	shape_base.py:1155(tile)
6	6e-06	1e-06	1.1e-05	1.833e-06	managers.py:919(consolidate)
1	5e-06	5e-06	1.1e-05	1.1e-05	numpy_.py:39(__init__)
1	5e-06	5e-06	1.1e-05	1.1e-05	sparse.py:1839(_add_unary_ops)
1	5e-06	5e-06	1.1e-05	1.1e-05	managers.py:175(set_axis)
1	4e-06	4e-06	1.1e-05	1.1e-05	generic.py:5254(_consolidate)
5	4e-06	8e-07	1.1e-05	2.2e-06	fontconfig_pattern.py:152(_families)
1	3e-06	3e-06	1.1e-05	1.1e-05	sql.py:1559(SQLiteDatabase)
1	2e-06	2e-06	1.1e-05	1.1e-05	datetime.py:531(__neg__)
82	1e-05	1.22e-07	1e-05	1.22e-07	~:0(<method 'bit_length' of 'int' objects>)
1	1e-05	1e-05	1e-05	1e-05	datetime.py:659(date)
60	1e-05	1.667e-07	1e-05	1.667e-07	fromnumeric.py:2982(_ndim_dispatcher)
1	1e-05	1e-05	1e-05	1e-05	__init__.py:1590(LoggerAdapter)
14	1e-05	7.143e-07	1e-05	7.143e-07	version.py:312(<listcomp>)
6	1e-05	1.667e-06	1e-05	1.667e-06	six.py:126(__init__)
54	1e-05	1.852e-07	1e-05	1.852e-07	config.py:732(wrap)
7	1e-05	1.429e-06	1e-05	1.429e-06	~:0(<pandas._libs.tslibs.offsets.apply_index_wraps>)
25	1e-05	4e-07	1e-05	4e-07	function.py:36(__init__)
1	1e-05	1e-05	1e-05	1e-05	<string>:5(Attribute)
3	1e-05	3.333e-06	1e-05	3.333e-06	datetimelike.py:501(_add_datetimelike_methods)
39	1e-05	2.564e-07	1e-05	2.564e-07	blocks.py:239(mgr_locs)
1	1e-05	1e-05	1e-05	1e-05	client.py:788(HTTPConnection)
96	1e-05	1.042e-07	1e-05	1.042e-07	pyparsing.py:1629(postParse)
44	1e-05	2.273e-07	1e-05	2.273e-07	pyparsing.py:4207(<genexpr>)
1	1e-05	1e-05	1e-05	1e-05	ticker.py:489(ScalarFormatter)
1	1e-05	1e-05	1e-05	1e-05	pytables.py:2479(Fixed)
1	9e-06	9e-06	1e-05	1e-05	ops.py:66(Term)
1	9e-06	9e-06	1e-05	1e-05	_base.py:534(ExcelWriter)

8	8e-06	1e-06	1e-05	1.25e-06	common.py:150(cast_scalar_indexer)
7	8e-06	1.143e-06	1e-05	1.429e-06	base.py:5642(_add_logical_methods_disabled)
1	8e-06	8e-06	1e-05	1e-05	compat.py:2(<module>)
5	7e-06	1.4e-06	1e-05	2e-06	<frozen importlib._bootstrap>:232(_requires_builtin_w
3	7e-06	2.333e-06	1e-05	3.333e-06	codecs.py:308(__init__)
6	7e-06	1.167e-06	1e-05	1.667e-06	weakref.py:288(update)
3	7e-06	2.333e-06	1e-05	3.333e-06	generic.py:319(set_axis)
1	7e-06	7e-06	1e-05	1e-05	subprocess.py:14(<module>)
35	6e-06	1.714e-07	1e-05	2.857e-07	datetime.py:262(_check_int_field)
1	6e-06	6e-06	1e-05	1e-05	printing.py:3(<module>)
2	5e-06	2.5e-06	1e-05	5e-06	_bootlocale.py:23(getpreferredencoding)
1	5e-06	5e-06	1e-05	1e-05	random.py:680(getrandbits)
2	5e-06	2.5e-06	1e-05	5e-06	rcsetup.py:476(validate_whiskers)
5	4e-06	8e-07	1e-05	2e-06	<frozen importlib._bootstrap>:736(exec_module)
20	4e-06	2e-07	1e-05	5e-07	mixins.py:20(_binary_method)
1	4e-06	4e-06	1e-05	1e-05	generic.py:4540(_needs_reindex_multi)
3	4e-06	1.333e-06	1e-05	3.333e-06	managers.py:1582(external_values)
3	4e-06	1.333e-06	1e-05	3.333e-06	managers.py:1592(get_values)
2	3e-06	1.5e-06	1e-05	5e-06	datetime.py:1049(__new__)
1	3e-06	3e-06	1e-05	1e-05	threading.py:357(notify_all)
1	3e-06	3e-06	1e-05	1e-05	threading.py:498(__init__)
1	3e-06	3e-06	1e-05	1e-05	range.py:662(__getitem__)
2	3e-06	1.5e-06	1e-05	5e-06	rcsetup.py:194(validate_axisbelow)
4	3e-06	7.5e-07	1e-05	2.5e-06	rcsetup.py:237(validate_fonttype)
9	3e-06	3.333e-07	1e-05	1.111e-06	pyparsing.py:4630(__str__)
1	2e-06	2e-06	1e-05	1e-05	_factories.py:51(__init__)
1	2e-06	2e-06	1e-05	1e-05	generic.py:388(_from_axes)
1	2e-06	2e-06	1e-05	1e-05	testing.py:2215(optional_args)
1	1e-06	1e-06	1e-05	1e-05	<__array_function__ internals>:2(atleast_2d)
1	0	0	1e-05	1e-05	construction.py:255(<listcomp>)
6	9e-06	1.5e-06	9e-06	1.5e-06	~:0(<method 'rsplit' of 'str' objects>)
1	9e-06	9e-06	9e-06	9e-06	defchararray.py:1810(chararray)
10	9e-06	9e-07	9e-06	9e-07	_pytesttester.py:72(__init__)
1	9e-06	9e-06	9e-06	9e-06	defmatrix.py:74(matrix)
1	9e-06	9e-06	9e-06	9e-06	random.py:71(Random)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(Components)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(ClosureVars)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(Traceback)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(FrameInfo)
1	9e-06	9e-06	9e-06	9e-06	client.py:107(<dictcomp>)
1	9e-06	9e-06	9e-06	9e-06	client.py:218(HTTPResponse)

1	9e-06	9e-06	9e-06	9e-06	zipfile.py:1063(ZipFile)
10	9e-06	9e-07	9e-06	9e-07	deprecation.py:174(finalize)
1	9e-06	9e-06	9e-06	9e-06	pyparsing.py:1758(__init__)
1	9e-06	9e-06	9e-06	9e-06	afm.py:329(AFM)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(Page)
8	8e-06	1e-06	9e-06	1.125e-06	base.py:617(<dictcomp>)
1	7e-06	7e-06	9e-06	9e-06	__init__.py:9(<module>)
7	7e-06	1e-06	9e-06	1.286e-06	config.py:807(<listcomp>)
1	7e-06	7e-06	9e-06	9e-06	request.py:324(Request)
8	6e-06	7.5e-07	9e-06	1.125e-06	_collections_abc.py:271(__subclasshook__)
1	6e-06	6e-06	9e-06	9e-06	chebyshev.py:1966(Chebyshev)
3	6e-06	2e-06	9e-06	3e-06	config.py:553(_get_root)
1	5e-06	5e-06	9e-06	9e-06	_validators.py:4(<module>)
7	5e-06	7.143e-07	9e-06	1.286e-06	rrule.py:70(__init__)
4	4e-06	1e-06	9e-06	2.25e-06	version.py:69(__ge__)
7	4e-06	5.714e-07	9e-06	1.286e-06	opcode.py:47(jrel_op)
1	4e-06	4e-06	9e-06	9e-06	datetimelike.py:144(DatelineOps)
1	4e-06	4e-06	9e-06	9e-06	indexing.py:242(_is_nested_tuple_indexer)
1	3e-06	3e-06	9e-06	9e-06	<__array_function__ internals>:2(<module>)
2	3e-06	1.5e-06	9e-06	4.5e-06	datetime.py:689(__new__)
1	3e-06	3e-06	9e-06	9e-06	dtypes.py:477(validate_ordered)
1	3e-06	3e-06	9e-06	9e-06	offsets.py:2450(Easter)
1	3e-06	3e-06	9e-06	9e-06	grouper.py:672(_convert_grouper)
1	2e-06	2e-06	9e-06	9e-06	fromnumeric.py:55(_wrapfunc)
1	2e-06	2e-06	9e-06	9e-06	__init__.py:313(__init__)
1	1e-06	1e-06	9e-06	9e-06	offsets.py:1639(_WeekOfMonthMixin)
2	1e-06	5e-07	9e-06	4.5e-06	generic.py:227(_validate_dtype)
1	1e-06	1e-06	9e-06	9e-06	pyparsing.py:2813(__init__)
1	1e-06	1e-06	9e-06	9e-06	pyparsing.py:5176(__init__)
1	8e-06	8e-06	8e-06	8e-06	~:0(<method 'groups' of '_sre.SRE_Match' objects>)
2	8e-06	4e-06	8e-06	4e-06	textwrap.py:115(__init__)
62	8e-06	1.29e-07	8e-06	1.29e-07	multiarray.py:635(result_type)
1	8e-06	8e-06	8e-06	8e-06	datetime.py:337(timedelta)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(SplitResult)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(ParseResult)
1	8e-06	8e-06	8e-06	8e-06	pickle.py:345(_Pickler)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(ArgSpec)
1	8e-06	8e-06	8e-06	8e-06	subprocess.py:542(Popen)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(interface)
2	8e-06	4e-06	8e-06	4e-06	~:0(<built-in method pandas._libs.lib.is_datetime_array
1	8e-06	8e-06	8e-06	8e-06	<string>:5(Arguments)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(ArgInfo)

1	8e-06	8e-06	8e-06	8e-06	offsets.py:2781(<dictcomp>)
3	8e-06	2.667e-06	8e-06	2.667e-06	sparse.py:223(construct_from_string)
1	8e-06	8e-06	8e-06	8e-06	ipaddress.py:1049(_BaseV4)
1	8e-06	8e-06	8e-06	8e-06	_core.py:504(PlotAccessor)
32	8e-06	2.5e-07	8e-06	2.5e-07	rcsetup.py:217(validate_int)
1	8e-06	8e-06	8e-06	8e-06	dates.py:1161(AutoDateLocator)
6	8e-06	1.333e-06	8e-06	1.333e-06	patches.py:1825(<listcomp>)
1	8e-06	8e-06	8e-06	8e-06	text.py:1241(TextWithDash)
1	8e-06	8e-06	8e-06	8e-06	dviread.py:197(<listcomp>)
1	8e-06	8e-06	8e-06	8e-06	pytables.py:1996(DataCol)
1	7e-06	7e-06	8e-06	8e-06	hermite.py:1627(Hermite)
6	7e-06	1.167e-06	8e-06	1.333e-06	inspect.py:73(isclass)
10	7e-06	7e-07	8e-06	8e-07	_policybase.py:104(<genexpr>)
1	7e-06	7e-06	8e-06	8e-06	pytables.py:2647(GenericFixed)
1	6e-06	6e-06	8e-06	8e-06	_inspect.py:7(<module>)
1	6e-06	6e-06	8e-06	8e-06	case.py:388(__init__)
1	6e-06	6e-06	8e-06	8e-06	indexers.py:3(<module>)
1	6e-06	6e-06	8e-06	8e-06	_backports.py:1(<module>)
1	6e-06	6e-06	8e-06	8e-06	_base.py:344(_BaseExcelReader)
1	5e-06	5e-06	8e-06	8e-06	legendre.py:1613(Legendre)
7	5e-06	7.143e-07	8e-06	1.143e-06	managers.py:935(_consolidate_inplace)
1	5e-06	5e-06	8e-06	8e-06	base64mime.py:25(<module>)
3	4e-06	1.333e-06	8e-06	2.667e-06	config.py:609(_warn_if_deprecated)
10	4e-06	4e-07	8e-06	8e-07	timedeltas.py:42(_make_wrapped_arith_op)
1	4e-06	4e-06	8e-06	8e-06	api.py:2(<module>)
2	4e-06	2e-06	8e-06	4e-06	expr.py:167(_compose)
1	3e-06	3e-06	8e-06	8e-06	arrayprint.py:69(_make_options_dict)
7	3e-06	4.286e-07	8e-06	1.143e-06	__init__.py:228(_releaseLock)
11	3e-06	2.727e-07	8e-06	7.273e-07	managers.py:342(<genexpr>)
2	1e-06	5e-07	8e-06	4e-06	concat.py:100(<genexpr>)
3	1e-06	3.333e-07	8e-06	2.667e-06	generic.py:430(_get_block_manager_axis)
1	1e-06	1e-06	8e-06	8e-06	pyparsing.py:3730(__init__)
39	7e-06	1.795e-07	7e-06	1.795e-07	~:0(<method 'upper' of 'str' objects>)
45	7e-06	1.556e-07	7e-06	1.556e-07	~:0(<built-in method builtins.divmod>)
52	7e-06	1.346e-07	7e-06	1.346e-07	~:0(<method 'end' of '_sre.SRE_Match' objects>)
21	7e-06	3.333e-07	7e-06	3.333e-07	~:0(<method 'groupdict' of '_sre.SRE_Match' objects>)
4	7e-06	1.75e-06	7e-06	1.75e-06	warnings.py:428(__init__)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(usage)
1	7e-06	7e-06	7e-06	7e-06	datetime.py:1024(time)
1	7e-06	7e-06	7e-06	7e-06	pathlib.py:984(Path)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(SelectorKey)
1	7e-06	7e-06	7e-06	7e-06	threading.py:215(__init__)

1	7e-06	7e-06	7e-06	7e-06	<string>:5(TokenInfo)
6	7e-06	1.167e-06	7e-06	1.167e-06	config.py:568(_get_deprecated_option)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(DeprecatedOption)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(RegisteredOption)
92	7e-06	7.609e-08	7e-06	7.609e-08	__init__.py:784(<lambda>)
16	7e-06	4.375e-07	7e-06	4.375e-07	accessor.py:112(delegate_names)
1	7e-06	7e-06	7e-06	7e-06	integer.py:233(IntegerArray)
1	7e-06	7e-06	7e-06	7e-06	datetimes.py:67(DatetimeDelegateMixin)
20	7e-06	3.5e-07	7e-06	3.5e-07	managers.py:236(items)
3	7e-06	2.333e-06	7e-06	2.333e-06	~:0(<pandas._libs.internals.get_blkno_placements>)
72	7e-06	9.722e-08	7e-06	9.722e-08	ipaddress.py:417(_check_int_address)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(_ASN1Object)
4	7e-06	1.75e-06	7e-06	1.75e-06	__init__.py:1157(__init__)
40	7e-06	1.75e-07	7e-06	1.75e-07	pyparsing.py:634(__bool__)
10	7e-06	7e-07	7e-06	7e-07	pyparsing.py:4648(stopOn)
1	7e-06	7e-06	7e-06	7e-06	transforms.py:2386(CompositeGenericTransform)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(_XYPair)
2	7e-06	3.5e-06	7e-06	3.5e-06	converter.py:46(get_pairs)
33	7e-06	2.121e-07	7e-06	2.121e-07	cm.py:28(_reverser)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(Text)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(Font)
14	6e-06	4.286e-07	7e-06	5e-07	mixins.py:30(_reflected_binary_method)
1	6e-06	6e-06	7e-06	7e-06	relativedelta.py:18(relativedelta)
1	6e-06	6e-06	7e-06	7e-06	socket.py:133(socket)
1	6e-06	6e-06	7e-06	7e-06	ssl.py:383(SSLContext)
1	6e-06	6e-06	7e-06	7e-06	_cm.py:60(cubehelix)
1	5e-06	5e-06	7e-06	7e-06	laguerre.py:1578(Laguerre)
7	5e-06	7.143e-07	7e-06	1e-06	__init__.py:190(_checkLevel)
8	5e-06	6.25e-07	7e-06	8.75e-07	relativedelta.py:13(<genexpr>)
4	5e-06	1.25e-06	7e-06	1.75e-06	generic.py:185(_init_mgr)
2	5e-06	2.5e-06	7e-06	3.5e-06	indexing.py:2352(convert_to_index_sliceable)
1	5e-06	5e-06	7e-06	7e-06	date_converters.py:1(<module>)
5	4e-06	8e-07	7e-06	1.4e-06	six.py:583(intervalues)
5	4e-06	8e-07	7e-06	1.4e-06	inference.py:353(<genexpr>)
3	4e-06	1.333e-06	7e-06	2.333e-06	indexing.py:1412(<genexpr>)
2	4e-06	2e-06	7e-06	3.5e-06	pyparsing.py:849(<listcomp>)
1	4e-06	4e-06	7e-06	7e-06	util.py:1(<module>)
2	3e-06	1.5e-06	7e-06	3.5e-06	functools.py:196(<listcomp>)
1	3e-06	3e-06	7e-06	7e-06	tz.py:1539(__init__)
1	3e-06	3e-06	7e-06	7e-06	generic.py:333(_construct_axes_dict)
7	3e-06	4.286e-07	7e-06	1e-06	generic.py:10887(<genexpr>)
2	3e-06	1.5e-06	7e-06	3.5e-06	indexing.py:2488(is_label_like)

1	2e-06	2e-06	7e-06	7e-06	concat.py:353(<listcomp>)
7	6e-06	8.571e-07	6e-06	8.571e-07	~:0(<method 'remove' of 'list' objects>)
2	6e-06	3e-06	6e-06	3e-06	~:0(<method 'cast' of 'memoryview' objects>)
49	6e-06	1.224e-07	6e-06	1.224e-07	~:0(<method '__subclasshook__' of 'object' objects>)
25	6e-06	2.4e-07	6e-06	2.4e-07	~:0(<method 'start' of '_sre.SRE_Match' objects>)
1	6e-06	6e-06	6e-06	6e-06	~:0(<built-in method time.localtime>)
33	6e-06	1.818e-07	6e-06	1.818e-07	enum.py:868(<lambda>)
4	6e-06	1.5e-06	6e-06	1.5e-06	warnings.py:468(__exit__)
2	6e-06	3e-06	6e-06	3e-06	textwrap.py:179(<listcomp>)
1	6e-06	6e-06	6e-06	6e-06	<string>:5(DecimalTuple)
23	6e-06	2.609e-07	6e-06	2.609e-07	overrides.py:196(array_function_from_dispatcher)
1	6e-06	6e-06	6e-06	6e-06	~:0(<method 'repeat' of 'numpy.ndarray' objects>)
1	6e-06	6e-06	6e-06	6e-06	~:0(<method 'view' of 'numpy.generic' objects>)
1	6e-06	6e-06	6e-06	6e-06	<string>:5(DefragResult)
6	6e-06	1e-06	6e-06	1e-06	_exceptions.py:17(_display_as_base)
1	6e-06	6e-06	6e-06	6e-06	arrayprint.py:360(_get_formatdict)
1	6e-06	6e-06	6e-06	6e-06	_internal.py:290(_ctypes)
1	6e-06	6e-06	6e-06	6e-06	bz2.py:32(BZ2File)
1	6e-06	6e-06	6e-06	6e-06	<string>:5(Mismatch)
7	6e-06	8.571e-07	6e-06	8.571e-07	__init__.py:685(__init__)
1	6e-06	6e-06	6e-06	6e-06	main.py:49(TestProgram)
1	6e-06	6e-06	6e-06	6e-06	tempfile.py:631(SpooledTemporaryFile)
1	6e-06	6e-06	6e-06	6e-06	tz.py:380(tzfile)
14	6e-06	4.286e-07	6e-06	4.286e-07	_common.py:9(__init__)
4	6e-06	1.5e-06	6e-06	1.5e-06	fractions.py:294(_operator_fallbacks)
15	6e-06	4e-07	6e-06	4e-07	~:0(<pandas._libs.lib.is_float>)
6	6e-06	1e-06	6e-06	1e-06	~:0(<pandas._libs.algos.ensure_object>)
1	6e-06	6e-06	6e-06	6e-06	inspect.py:2418(Parameter)
1	6e-06	6e-06	6e-06	6e-06	inspect.py:2700(Signature)
1	6e-06	6e-06	6e-06	6e-06	_optional.py:1(<module>)
1	6e-06	6e-06	6e-06	6e-06	frozen.py:24(FrozenList)
1	6e-06	6e-06	6e-06	6e-06	numpy_.py:23(PandasDtype)
2	6e-06	3e-06	6e-06	3e-06	blocks.py:315(_slice)
11	6e-06	5.455e-07	6e-06	5.455e-07	managers.py:646(is_consolidated)
1	6e-06	6e-06	6e-06	6e-06	gzip.py:110(GzipFile)
1	6e-06	6e-06	6e-06	6e-06	_policybase.py:112(Policy)
1	6e-06	6e-06	6e-06	6e-06	message.py:945(MIMEPart)
1	6e-06	6e-06	6e-06	6e-06	ipaddress.py:1576(_BaseV6)
4	6e-06	1.5e-06	6e-06	1.5e-06	__init__.py:395(_wrap)
8	6e-06	7.5e-07	6e-06	7.5e-07	rcsetup.py:315(<listcomp>)
1	6e-06	6e-06	6e-06	6e-06	pyparsing.py:494(ParseResults)

22	6e-06	2.727e-07	6e-06	2.727e-07	cycler.py:227(<genexpr>)
1	6e-06	6e-06	6e-06	6e-06	transforms.py:1238(Transform)
1	6e-06	6e-06	6e-06	6e-06	transforms.py:1760(AffineBase)
1	6e-06	6e-06	6e-06	6e-06	cm.py:171(ScalarMappable)
1	6e-06	6e-06	6e-06	6e-06	mathtext.py:92(MathtextBackend)
1	6e-06	6e-06	6e-06	6e-06	<string>:5(Box)
1	6e-06	6e-06	6e-06	6e-06	_xlwt.py:7(_XlwtWriter)
1	6e-06	6e-06	6e-06	6e-06	<string>:5(ExtType)
1	5e-06	5e-06	6e-06	6e-06	shape_base.py:82(atleast_2d)
1	5e-06	5e-06	6e-06	6e-06	hermite_e.py:1621(HermiteE)
1	5e-06	5e-06	6e-06	6e-06	common.py:230(dict_keys_to_ordered_list)
27	4e-06	1.481e-07	6e-06	2.222e-07	pathlib.py:120(<genexpr>)
9	4e-06	4.444e-07	6e-06	6.667e-07	typing.py:256(__hash__)
1	4e-06	4e-06	6e-06	6e-06	calendar.py:69(_localized_day)
6	4e-06	6.667e-07	6e-06	1e-06	opcode.py:51(jabs_op)
1	4e-06	4e-06	6e-06	6e-06	console.py:3(<module>)
3	4e-06	1.333e-06	6e-06	2e-06	sparse.py:1736(_create_unary_method)
1	4e-06	4e-06	6e-06	6e-06	generic.py:3384(_set_is_copy)
3	4e-06	1.333e-06	6e-06	2e-06	interval.py:1266(_setop)
1	4e-06	4e-06	6e-06	6e-06	quopri.py:3(<module>)
1	4e-06	4e-06	6e-06	6e-06	transforms.py:1109(LockableBbox)
1	3e-06	3e-06	6e-06	6e-06	info.py:83(<module>)
1	3e-06	3e-06	6e-06	6e-06	info.py:34(<module>)
1	3e-06	3e-06	6e-06	6e-06	__init__.py:1582(__init__)
8	3e-06	3.75e-07	6e-06	7.5e-07	config.py:796(inner)
1	3e-06	3e-06	6e-06	6e-06	common.py:215(count_not_none)
1	3e-06	3e-06	6e-06	6e-06	api.py:110(_get_combined_index)
1	3e-06	3e-06	6e-06	6e-06	indexing.py:2041(_is_scalar_access)
4	3e-06	7.5e-07	6e-06	1.5e-06	fontconfig_pattern.py:146(_name)
1	3e-06	3e-06	6e-06	6e-06	mathtext.py:3245(__init__)
2	2e-06	1e-06	6e-06	3e-06	locale.py:462(_parse_localename)
1	2e-06	2e-06	6e-06	6e-06	locale.py:631(getpreferredencoding)
1	2e-06	2e-06	6e-06	6e-06	frame.py:977(__len__)
16	1e-06	6.25e-08	6e-06	3.75e-07	_string_helpers.py:44(english_upper)
1	1e-06	1e-06	6e-06	6e-06	__init__.py:752(_addHandlerRef)
1	1e-06	1e-06	6e-06	6e-06	pyparsing.py:3763(__init__)
1	0	0	6e-06	6e-06	base.py:2837(_convert_can_do_setop)
26	5e-06	1.923e-07	5e-06	1.923e-07	~:0(<method 'reverse' of 'list' objects>)
11	5e-06	4.545e-07	5e-06	4.545e-07	~:0(<method 'expandtabs' of 'str' objects>)
19	5e-06	2.632e-07	5e-06	2.632e-07	~:0(<built-in method builtins.vars>)
8	5e-06	6.25e-07	5e-06	6.25e-07	~:0(<method 'acquire' of '_thread.RLock' objects>)
8	5e-06	6.25e-07	5e-06	6.25e-07	~:0(<method 'release' of '_thread.RLock' objects>)

1	5e-06	5e-06	5e-06	5e-06	~:0(<built-in method posix.urandom>)
1	5e-06	5e-06	5e-06	5e-06	~:0(<built-in method _operator.inv>)
2	5e-06	2.5e-06	5e-06	2.5e-06	~:0(<built-in method _locale.nl_langinfo>)
1	5e-06	5e-06	5e-06	5e-06	weakref.py:354(__init__)
4	5e-06	1.25e-06	5e-06	1.25e-06	<string>:12(__new__)
8	5e-06	6.25e-07	5e-06	6.25e-07	getlimits.py:92(_register_type)
38	5e-06	1.316e-07	5e-06	1.316e-07	~:0(<built-in method _ctypes.sizeof>)
1	5e-06	5e-06	5e-06	5e-06	<string>:5(Match)
1	5e-06	5e-06	5e-06	5e-06	__init__.py:1253(Logger)
1	5e-06	5e-06	5e-06	5e-06	<string>:5(_LoggingWatcher)
3	5e-06	1.667e-06	5e-06	1.667e-06	__init__.py:71(_import_lzma)
1	5e-06	5e-06	5e-06	5e-06	_parser.py:400(_ymd)
1	5e-06	5e-06	5e-06	5e-06	easter.py:5(<module>)
8	5e-06	6.25e-07	5e-06	6.25e-07	base.py:526(<genexpr>)
20	5e-06	2.5e-07	5e-06	2.5e-07	base.py:3923(_values)
20	5e-06	2.5e-07	5e-06	2.5e-07	base.py:5509(_make_evaluate_unary)
2	5e-06	2.5e-06	5e-06	2.5e-06	~:0(<built-in method _socket.inet_aton>)
1	5e-06	5e-06	5e-06	5e-06	ssl.py:567(SSLObject)
1	5e-06	5e-06	5e-06	5e-06	__init__.py:1171(Stack)
5	5e-06	1e-06	5e-06	1e-06	fontconfig_pattern.py:153(<listcomp>)
16	5e-06	3.125e-07	5e-06	3.125e-07	pyparsing.py:487(__getitem__)
1	5e-06	5e-06	5e-06	5e-06	cycler.py:77(Cycler)
1	5e-06	5e-06	5e-06	5e-06	rrule.py:1417(_rrulestr)
1	5e-06	5e-06	5e-06	5e-06	core.py:1018(LinePlot)
1	5e-06	5e-06	5e-06	5e-06	mathtext.py:754(UnicodeFonts)
1	5e-06	5e-06	5e-06	5e-06	mathtext.py:941(StixFonts)
1	5e-06	5e-06	5e-06	5e-06	<string>:5(Boxplot)
1	5e-06	5e-06	5e-06	5e-06	window.py:832(_GroupByMixin)
3	5e-06	1.667e-06	5e-06	1.667e-06	groupby.py:557(__getattr__)
1	5e-06	5e-06	5e-06	5e-06	<string>:5(NamedAgg)
1	5e-06	5e-06	5e-06	5e-06	ops.py:707(BinGrouper)
2	5e-06	2.5e-06	5e-06	2.5e-06	parsers.py:538(_make_parser_function)
1	5e-06	5e-06	5e-06	5e-06	parsers.py:1365(ParserBase)
22	5e-06	2.273e-07	5e-06	2.273e-07	expr.py:326(_op_maker)
2	4e-06	2e-06	5e-06	2.5e-06	sre_parse.py:885(addgroup)
1	4e-06	4e-06	5e-06	5e-06	threading.py:334(notify)
1	4e-06	4e-06	5e-06	5e-06	__init__.py:9(<module>)
1	4e-06	4e-06	5e-06	5e-06	_common.py:267(tzrangebase)
1	4e-06	4e-06	5e-06	5e-06	table.py:153(CustomCell)
1	3e-06	3e-06	5e-06	5e-06	copyreg.py:12(pickle)
1	3e-06	3e-06	5e-06	5e-06	iterators.py:5(<module>)
2	3e-06	1.5e-06	5e-06	2.5e-06	rcsetup.py:327(__call__)

4	3e-06	7.5e-07	5e-06	1.25e-06	pyparsing.py:3575(parseImpl)
1	3e-06	3e-06	5e-06	5e-06	pyparsing.py:6684(unicode_set)
4	2e-06	5e-07	5e-06	1.25e-06	cast.py:1264(construct_1d_ndarray_preserving_na)
1	2e-06	2e-06	5e-06	5e-06	__init__.py:81(get_op_result_name)
1	2e-06	2e-06	5e-06	5e-06	base.py:1826(is_object)
5	2e-06	4e-07	5e-06	1e-06	generic.py:486(_info_axis)
4	1e-06	2.5e-07	5e-06	1.25e-06	typing.py:1350(<genexpr>)
3	1e-06	3.333e-07	5e-06	1.667e-06	series.py:123(_coerce_method)
1	1e-06	1e-06	5e-06	5e-06	cycler.py:112(__init__)
8	4e-06	5e-07	4e-06	5e-07	~:0(<method 'insert' of 'list' objects>)
22	4e-06	1.818e-07	4e-06	1.818e-07	~:0(<method 'keys' of 'dict' objects>)
2	4e-06	2e-06	4e-06	2e-06	~:0(<method 'tolist' of 'memoryview' objects>)
2	4e-06	2e-06	4e-06	2e-06	~:0(<method 'count' of 'str' objects>)
5	4e-06	8e-07	4e-06	8e-07	~:0(<method 'find' of 'str' objects>)
21	4e-06	1.905e-07	4e-06	1.905e-07	~:0(<built-in method builtins.id>)
7	4e-06	5.714e-07	4e-06	5.714e-07	~:0(<built-in method _stat.S_ISDIR>)
2	4e-06	2e-06	4e-06	2e-06	locale.py:379(normalize)
1	4e-06	4e-06	4e-06	4e-06	lzma.py:38(LZMAFile)
1	4e-06	4e-06	4e-06	4e-06	_iotools.py:276(NameValidator)
1	4e-06	4e-06	4e-06	4e-06	~:0(<method 'nonzero' of 'numpy.ndarray' objects>)
1	4e-06	4e-06	4e-06	4e-06	parse.py:142(_NetlocResultMixinBase)
1	4e-06	4e-06	4e-06	4e-06	_type_aliases.py:63(<setcomp>)
1	4e-06	4e-06	4e-06	4e-06	_internal.py:218(_getintp_ctype)
1	4e-06	4e-06	4e-06	4e-06	subprocess.py:97(TimeoutExpired)
3	4e-06	1.333e-06	4e-06	1.333e-06	index_tricks.py:312(__init__)
1	4e-06	4e-06	4e-06	4e-06	~:0(<built-in method _hashlib.openssl_sha224>)
1	4e-06	4e-06	4e-06	4e-06	core.py:6307(MaskedConstant)
1	4e-06	4e-06	4e-06	4e-06	__init__.py:426(Formatter)
1	4e-06	4e-06	4e-06	4e-06	__init__.py:762(Handler)
1	4e-06	4e-06	4e-06	4e-06	argparse.py:1585(ArgumentParser)
7	4e-06	5.714e-07	4e-06	5.714e-07	config.py:809(inner)
1	4e-06	4e-06	4e-06	4e-06	typing.py:1375(_ClassVar)
2	4e-06	2e-06	4e-06	2e-06	~:0(<pandas._libs.lib.array_equivalent_object>)
1	4e-06	4e-06	4e-06	4e-06	roperator.py:4(<module>)
1	4e-06	4e-06	4e-06	4e-06	categorical.py:2549(CategoricalAccessor)
1	4e-06	4e-06	4e-06	4e-06	accessor.py:13(DirNamesMixin)
8	4e-06	5e-07	4e-06	5e-07	accessor.py:167(__init__)
1	4e-06	4e-06	4e-06	4e-06	offsets.py:1457(SemiMonthBegin)
1	4e-06	4e-06	4e-06	4e-06	offsets.py:1664(WeekOfMonth)
1	4e-06	4e-06	4e-06	4e-06	integer.py:32(_IntegerDtype)
14	4e-06	2.857e-07	4e-06	2.857e-07	base.py:747(dtype)
1	4e-06	4e-06	4e-06	4e-06	sparse.py:2124(SparseFrameAccessor)

1	4e-06	4e-06	4e-06	4e-06	decoder.py:253(JSONDecoder)
1	4e-06	4e-06	4e-06	4e-06	period.py:60(PeriodDelegateMixin)
6	4e-06	6.667e-07	4e-06	6.667e-07	blocks.py:339(shape)
1	4e-06	4e-06	4e-06	4e-06	blocks.py:2198(DatetimeBlock)
1	4e-06	4e-06	4e-06	4e-06	blocks.py:2369(DatetimeTZBlock)
1	4e-06	4e-06	4e-06	4e-06	blocks.py:2602(TimeDeltaBlock)
1	4e-06	4e-06	4e-06	4e-06	concat.py:116(JoinUnit)
1	4e-06	4e-06	4e-06	4e-06	common.py:453(MMapWrapper)
1	4e-06	4e-06	4e-06	4e-06	feedparser.py:136(FeedParser)
1	4e-06	4e-06	4e-06	4e-06	header.py:413(_ValueFormatter)
1	4e-06	4e-06	4e-06	4e-06	socket.py:543(SocketIO)
1	4e-06	4e-06	4e-06	4e-06	_parseaddr.py:203(AddrlistClass)
1	4e-06	4e-06	4e-06	4e-06	ipaddress.py:385(_IPAddressBase)
1	4e-06	4e-06	4e-06	4e-06	ipaddress.py:2040(IPv6Interface)
1	4e-06	4e-06	4e-06	4e-06	error.py:35(HTTPErrors)
1	4e-06	4e-06	4e-06	4e-06	request.py:1664(URLopener)
1	4e-06	4e-06	4e-06	4e-06	request.py:2110(FancyURLopener)
11	4e-06	3.636e-07	4e-06	3.636e-07	_color_data.py:34(<genexpr>)
1	4e-06	4e-06	4e-06	4e-06	_version.py:7(<module>)
1	4e-06	4e-06	4e-06	4e-06	transforms.py:1639(TransformWrapper)
1	4e-06	4e-06	4e-06	4e-06	transforms.py:1819(Affine2DBase)
1	4e-06	4e-06	4e-06	4e-06	transforms.py:2173(BlendedGenericTransform)
1	4e-06	4e-06	4e-06	4e-06	dates.py:976(DateLocator)
1	4e-06	4e-06	4e-06	4e-06	ticker.py:1792(MaxNLocator)
1	4e-06	4e-06	4e-06	4e-06	core.py:1205(AreaPlot)
1	4e-06	4e-06	4e-06	4e-06	patches.py:1888(_Style)
1	4e-06	4e-06	4e-06	4e-06	patches.py:2431(Roundtooth)
1	4e-06	4e-06	4e-06	4e-06	patches.py:2866(Angle3)
1	4e-06	4e-06	4e-06	4e-06	patches.py:3763(Simple)
1	4e-06	4e-06	4e-06	4e-06	text.py:1709(_AnnotationBase)
1	4e-06	4e-06	4e-06	4e-06	mathtext.py:323(MathtextBackendPath)
1	4e-06	4e-06	4e-06	4e-06	mathtext.py:1433(Char)
1	4e-06	4e-06	4e-06	4e-06	mathtext.py:1856(GlueSpec)
1	4e-06	4e-06	4e-06	4e-06	mathtext.py:2531(State)
24	4e-06	1.667e-07	4e-06	1.667e-07	dviread.py:165(<listcomp>)
1	4e-06	4e-06	4e-06	4e-06	grouper.py:217(Grouping)
1	4e-06	4e-06	4e-06	4e-06	grouper.py:590(is_in_axis)
1	4e-06	4e-06	4e-06	4e-06	ops.py:509(UnaryOp)
1	4e-06	4e-06	4e-06	4e-06	parsers.py:2230(PythonParser)
1	4e-06	4e-06	4e-06	4e-06	html.py:624(_LxmlFrameParser)
1	4e-06	4e-06	4e-06	4e-06	_json.py:777(Parser)

1	4e-06	4e-06	4e-06	4e-06	pytables.py:32(Term)
1	4e-06	4e-06	4e-06	4e-06	sql.py:583(SQLTable)
2	3e-06	1.5e-06	4e-06	2e-06	~:0(<built-in method _functools.reduce>)
1	3e-06	3e-06	4e-06	4e-06	subprocess.py:60(CalledProcessError)
1	3e-06	3e-06	4e-06	4e-06	selectors.py:79(BaseSelector)
1	3e-06	3e-06	4e-06	4e-06	threading.py:893(_set_tstate_lock)
1	3e-06	3e-06	4e-06	4e-06	info.py:184(<module>)
1	3e-06	3e-06	4e-06	4e-06	six.py:475(Module_six_moves_urllib)
1	3e-06	3e-06	4e-06	4e-06	display.py:14(detect_console_encoding)
1	3e-06	3e-06	4e-06	4e-06	_validators.py:241(validate_axis_style_args)
2	3e-06	1.5e-06	4e-06	2e-06	base.py:655(_is_cython_func)
3	3e-06	1e-06	4e-06	1.333e-06	base.py:4118(_coerce_to_ndarray)
4	3e-06	7.5e-07	4e-06	1e-06	timedeltas.py:60(_field_accessor)
2	3e-06	1.5e-06	4e-06	2e-06	generic.py:385(<dictcomp>)
2	3e-06	1.5e-06	4e-06	2e-06	generic.py:3358(_clear_item_cache)
1	3e-06	3e-06	4e-06	4e-06	multi.py:1187(_get_names)
5	3e-06	6e-07	4e-06	8e-07	pyparsing.py:3781(parseImpl)
1	3e-06	3e-06	4e-06	4e-06	ops.py:131(__init__)
1	3e-06	3e-06	4e-06	4e-06	ops.py:262(names)
1	3e-06	3e-06	4e-06	4e-06	ops.py:312(<listcomp>)
3	3e-06	1e-06	4e-06	1.333e-06	_util.py:10(register_writer)
3	3e-06	1e-06	4e-06	1.333e-06	pytables.py:1700(set_name)
1	2e-06	2e-06	4e-06	4e-06	_ufunc_config.py:452(_setdef)
1	2e-06	2e-06	4e-06	4e-06	arrayprint.py:367(<lambda>)
1	2e-06	2e-06	4e-06	4e-06	info.py:156(<module>)
2	2e-06	1e-06	4e-06	2e-06	typing.py:280(__init__)
16	2e-06	1.25e-07	4e-06	2.5e-07	typing.py:1110(<genexpr>)
1	2e-06	2e-06	4e-06	4e-06	frame.py:508(shape)
3	2e-06	6.667e-07	4e-06	1.333e-06	blocks.py:232(to_dense)
1	2e-06	2e-06	4e-06	4e-06	arrays.py:3(<module>)
1	2e-06	2e-06	4e-06	4e-06	gbq.py:1(<module>)
2	1e-06	5e-07	4e-06	2e-06	six.py:114(_resolve)
1	1e-06	1e-06	4e-06	4e-06	config.py:483(deprecate_option)
2	1e-06	5e-07	4e-06	2e-06	pyparsing.py:833(__getattr__)
1	1e-06	1e-06	4e-06	4e-06	expr.py:778(PandasExprVisitor)
1	0	0	4e-06	4e-06	api.py:91(<listcomp>)
1	3e-06	3e-06	3e-06	3e-06	~:0(<method 'startswith' of 'bytes' objects>)
17	3e-06	1.765e-07	3e-06	1.765e-07	~:0(<method 'discard' of 'set' objects>)
2	3e-06	1.5e-06	3e-06	1.5e-06	~:0(<built-in method builtins.locals>)
2	3e-06	1.5e-06	3e-06	1.5e-06	~:0(<built-in method _locale.setlocale>)
5	3e-06	6e-07	3e-06	6e-07	<frozen importlib._bootstrap>:753(is_package)
3	3e-06	1e-06	3e-06	1e-06	codecs.py:259(__init__)

9	3e-06	3.333e-07	3e-06	3.333e-07	__future__.py:79(__init__)
1	3e-06	3e-06	3e-06	3e-06	arrayiterator.py:20(Arrayiterator)
1	3e-06	3e-06	3e-06	3e-06	datetime.py:954(tzinfo)
1	3e-06	3e-06	3e-06	3e-06	~:0(<built-in method numpy.core._multiarray_umath.nc
3	3e-06	1e-06	3e-06	1e-06	datetime.py:1984(_create)
16	3e-06	1.875e-07	3e-06	1.875e-07	_inspect.py:145(<lambda>)
1	3e-06	3e-06	3e-06	3e-06	~:0(<built-in method math.exp>)
1	3e-06	3e-06	3e-06	3e-06	pathlib.py:126(<setcomp>)
1	3e-06	3e-06	3e-06	3e-06	parse.py:205(_NetlocResultMixinBytes)
1	3e-06	3e-06	3e-06	3e-06	_type_aliases.py:36(TypeNADict)
18	3e-06	1.667e-07	3e-06	1.667e-07	_dtype.py:36(_kind_name)
1	3e-06	3e-06	3e-06	3e-06	_exceptions.py:39(_UFuncBinaryResolutionError)
1	3e-06	3e-06	3e-06	3e-06	arrayprint.py:1212(_TimelikeFormat)
3	3e-06	1e-06	3e-06	1e-06	__init__.py:99(CFunctionType)
1	3e-06	3e-06	3e-06	3e-06	_internal.py:561(_Stream)
68	3e-06	4.412e-08	3e-06	4.412e-08	signal.py:17(<lambda>)
3	3e-06	1e-06	3e-06	1e-06	threading.py:74(RLock)
1	3e-06	3e-06	3e-06	3e-06	threading.py:566(Barrier)
1	3e-06	3e-06	3e-06	3e-06	traceback.py:227(FrameSummary)
2	3e-06	1.5e-06	3e-06	1.5e-06	index_tricks.py:728(__init__)
1	3e-06	3e-06	3e-06	3e-06	npzio.py:122(NpzFile)
1	3e-06	3e-06	3e-06	3e-06	~:0(<built-in method _hashlib.openssl_sha1>)
1	3e-06	3e-06	3e-06	3e-06	~:0(<built-in method _hashlib.openssl_sha256>)
2	3e-06	1.5e-06	3e-06	1.5e-06	core.py:6399(__setattr__)
1	3e-06	3e-06	3e-06	3e-06	difflib.py:1707(HtmlDiff)
1	3e-06	3e-06	3e-06	3e-06	loader.py:66(TestLoader)
1	3e-06	3e-06	3e-06	3e-06	runner.py:29(TextTestResult)
1	3e-06	3e-06	3e-06	3e-06	__init__.py:206(UTC)
1	3e-06	3e-06	3e-06	3e-06	tzinfo.py:66(BaseTzInfo)
3	3e-06	1e-06	3e-06	1e-06	config.py:535(_select_options)
23	3e-06	1.304e-07	3e-06	1.304e-07	config.py:769(inner)
1	3e-06	3e-06	3e-06	3e-06	calendar.py:129(Calendar)
1	3e-06	3e-06	3e-06	3e-06	calendar.py:377(HTMLCalendar)
1	3e-06	3e-06	3e-06	3e-06	_parser.py:247(parserinfo)
5	3e-06	6e-07	3e-06	6e-07	~:0(<pandas._libs.lib.item_from_zerodim>)
1	3e-06	3e-06	3e-06	3e-06	base.py:1025(ExtensionOpsMixin)
12	3e-06	2.5e-07	3e-06	2.5e-07	algorithms.py:1320(_view_wrapper)
6	3e-06	5e-07	3e-06	5e-07	categorical.py:76(_cat_compare_op)
1	3e-06	3e-06	3e-06	3e-06	nanops.py:53(disallow)
6	3e-06	5e-07	3e-06	5e-07	nanops.py:84(__init__)
1	3e-06	3e-06	3e-06	3e-06	offsets.py:1396(SemiMonthEnd)
1	3e-06	3e-06	3e-06	3e-06	offsets.py:1739(LastWeekOfMonth)

3	3e-06	1e-06	3e-06	1e-06	base.py:1355(_get_names)
16	3e-06	1.875e-07	3e-06	1.875e-07	strings.py:1896(do_copy)
3	3e-06	1e-06	3e-06	1e-06	frame.py:380(_constructor)
7	3e-06	4.286e-07	3e-06	4.286e-07	multi.py:610(levels)
1	3e-06	3e-06	3e-06	3e-06	timedeltas.py:54(TimedeltaDelegateMixin)
1	3e-06	3e-06	3e-06	3e-06	encoder.py:104(__init__)
2	3e-06	1.5e-06	3e-06	1.5e-06	range.py:236(start)
1	3e-06	3e-06	3e-06	3e-06	indexing.py:1853(_iLocIndexer)
4	3e-06	7.5e-07	3e-06	7.5e-07	blocks.py:369(iget)
1	3e-06	3e-06	3e-06	3e-06	blocks.py:3092(CategoricalBlock)
5	3e-06	6e-07	3e-06	6e-07	managers.py:1549(index)
1	3e-06	3e-06	3e-06	3e-06	format.py:1132(FloatArrayFormatter)
1	3e-06	3e-06	3e-06	3e-06	format.py:1625(EngFormatter)
1	3e-06	3e-06	3e-06	3e-06	csv.py:131(DictWriter)
1	3e-06	3e-06	3e-06	3e-06	client.py:1355(HTTPSConnection)
1	3e-06	3e-06	3e-06	3e-06	feedparser.py:45(BufferedSubFile)
1	3e-06	3e-06	3e-06	3e-06	request.py:612(BaseHandler)
1	3e-06	3e-06	3e-06	3e-06	zipfile.py:534(_ZipDecrypter)
1	3e-06	3e-06	3e-06	3e-06	zipfile.py:760(ZipExtFile)
1	3e-06	3e-06	3e-06	3e-06	zipfile.py:989(_ZipWriteFile)
7	3e-06	4.286e-07	3e-06	4.286e-07	series.py:399(_constructor)
2	3e-06	1.5e-06	3e-06	1.5e-06	rcsetup.py:351(validate_color_or_auto)
11	3e-06	2.727e-07	3e-06	2.727e-07	rcsetup.py:642(__init__)
1	3e-06	3e-06	3e-06	3e-06	fontconfig_pattern.py:38(FontconfigPatternParser)
7	3e-06	4.286e-07	3e-06	4.286e-07	pyparsing.py:638(__iter__)
1	3e-06	3e-06	3e-06	3e-06	pyparsing.py:1757(_FifoCache)
1	3e-06	3e-06	3e-06	3e-06	pyparsing.py:2882(Keyword)
1	3e-06	3e-06	3e-06	3e-06	pyparsing.py:3835(ParseExpression)
1	3e-06	3e-06	3e-06	3e-06	pyparsing.py:4064(Or)
33	3e-06	9.091e-08	3e-06	9.091e-08	pyparsing.py:4214(<genexpr>)
1	3e-06	3e-06	3e-06	3e-06	colors.py:1263(BoundaryNorm)
1	3e-06	3e-06	3e-06	3e-06	cycler.py:55(_process_keys)
10	3e-06	3e-07	3e-06	3e-07	cycler.py:138(keys)
4	3e-06	7.5e-07	3e-06	7.5e-07	cycler.py:371(<genexpr>)
1	3e-06	3e-06	3e-06	3e-06	docstring.py:11(Substitution)
1	3e-06	3e-06	3e-06	3e-06	transforms.py:60(TransformNode)
1	3e-06	3e-06	3e-06	3e-06	transforms.py:1907(Affine2D)
1	3e-06	3e-06	3e-06	3e-06	converter.py:355(MilliSecondLocator)
1	3e-06	3e-06	3e-06	3e-06	dates.py:1781(DateConverter)
1	3e-06	3e-06	3e-06	3e-06	ticker.py:2568(OldAutoLocator)
1	3e-06	3e-06	3e-06	3e-06	core.py:1275(BarPlot)
6	3e-06	5e-07	3e-06	5e-07	patches.py:1816(<listcomp>)

1	3e-06	3e-06	3e-06	3e-06	patches.py:1980(_Base)
1	3e-06	3e-06	3e-06	3e-06	patches.py:2322(Sawtooth)
1	3e-06	3e-06	3e-06	3e-06	text.py:1625(OffsetFrom)
1	3e-06	3e-06	3e-06	3e-06	textpath.py:417(TextPath)
1	3e-06	3e-06	3e-06	3e-06	mathtext.py:379(Fonts)
8	3e-06	3.75e-07	3e-06	3.75e-07	mathtext.py:1860(__init__)
1	3e-06	3e-06	3e-06	3e-06	mathtext.py:3222(MathTextParser)
1	3e-06	3e-06	3e-06	3e-06	hist.py:17(HistPlot)
1	3e-06	3e-06	3e-06	3e-06	grouper.py:35(Grouper)
1	3e-06	3e-06	3e-06	3e-06	grouper.py:600(is_in_obj)
1	3e-06	3e-06	3e-06	3e-06	scope.py:87(Scope)
1	3e-06	3e-06	3e-06	3e-06	merge.py:546(_MergeOperation)
1	3e-06	3e-06	3e-06	3e-06	parsers.py:794(TextFileReader)
1	3e-06	3e-06	3e-06	3e-06	_xlrd.py:10(_XlrdReader)
1	3e-06	3e-06	3e-06	3e-06	_xlsxwriter.py:7(_XlsxStyler)
1	3e-06	3e-06	3e-06	3e-06	html.py:138(_HtmlFrameParser)
1	3e-06	3e-06	3e-06	3e-06	pytables.py:68(BinOp)
1	3e-06	3e-06	3e-06	3e-06	expr.py:804(Expr)
2	2e-06	1e-06	3e-06	1.5e-06	sre_parse.py:452(<listcomp>)
2	2e-06	1e-06	3e-06	1.5e-06	arrayprint.py:1585(set_string_function)
1	2e-06	2e-06	3e-06	3e-06	core.py:1310(_replace_dtype_fields)
1	2e-06	2e-06	3e-06	3e-06	<string>:2(AsyncContextManager)
1	2e-06	2e-06	3e-06	3e-06	common.py:1203(is_datetime64_ns_dtype)
1	2e-06	2e-06	3e-06	3e-06	_decorators.py:296(Appender)
2	2e-06	1e-06	3e-06	1.5e-06	base.py:5774(_ensure_has_len)
1	2e-06	2e-06	3e-06	3e-06	numpy_.py:165(__array__)
2	2e-06	1e-06	3e-06	1.5e-06	generic.py:932(<genexpr>)
2	2e-06	1e-06	3e-06	1.5e-06	multi.py:1944(nlevels)
1	2e-06	2e-06	3e-06	3e-06	api.py:96(_get_distinct_objs)
3	2e-06	6.667e-07	3e-06	1e-06	managers.py:761(nblocks)
1	2e-06	2e-06	3e-06	3e-06	csv.py:81(DictReader)
1	2e-06	2e-06	3e-06	3e-06	ticker.py:1304(PercentFormatter)
2	2e-06	1e-06	3e-06	1.5e-06	groupby.py:748(_iterate_slices)
1	2e-06	2e-06	3e-06	3e-06	engines.py:38(AbstractEngine)
1	2e-06	2e-06	3e-06	3e-06	sasreader.py:3(<module>)
1	1e-06	1e-06	3e-06	3e-06	enum.py:43(_make_class_unpicklable)
1	1e-06	1e-06	3e-06	3e-06	extras.py:1507(__init__)
1	1e-06	1e-06	3e-06	3e-06	common.py:1253(is_timedelta64_ns_dtype)
1	1e-06	1e-06	3e-06	3e-06	common.py:1553(is_string_like_dtype)
1	1e-06	1e-06	3e-06	3e-06	frame.py:3517(_ensure_valid_index)
3	1e-06	3.333e-07	3e-06	1e-06	managers.py:1841(<lambda>)

1	0	0	3e-06	3e-06	core.py:1324(make_mask_descr)
3	0	0	3e-06	1e-06	config.py:596(_translate_key)
1	0	0	3e-06	3e-06	base.py:905(_assert_take_fillable)
2	0	0	3e-06	1.5e-06	concat.py:105(<genexpr>)
1	0	0	3e-06	3e-06	generic.py:335(<dictcomp>)
3	2e-06	6.667e-07	2e-06	6.667e-07	~:0(<method 'copy' of 'mappingproxy' objects>)
2	2e-06	1e-06	2e-06	1e-06	~:0(<method 'deleter' of 'property' objects>)
8	2e-06	2.5e-07	2e-06	2.5e-07	~:0(<function FrozenList.__getitem__ at 0x1181cad08>)
23	2e-06	8.696e-08	2e-06	8.696e-08	~:0(<method 'values' of 'dict' objects>)
16	2e-06	1.25e-07	2e-06	1.25e-07	~:0(<method 'clear' of 'dict' objects>)
2	2e-06	1e-06	2e-06	1e-06	~:0(<method 'copy' of 'collections.OrderedDict' objects>)
1	2e-06	2e-06	2e-06	2e-06	~:0(<method 'union' of 'set' objects>)
1	2e-06	2e-06	2e-06	2e-06	~:0(<built-in method _codecs.lookup>)
1	2e-06	2e-06	2e-06	2e-06	~:0(<method 'seek' of '_io.BufferedReader' objects>)
2	2e-06	1e-06	2e-06	1e-06	sre_parse.py:98(checkgroup)
2	2e-06	1e-06	2e-06	1e-06	sre_parse.py:101(checklookbehindgroup)
9	2e-06	2.222e-07	2e-06	2.222e-07	_globals.py:77(__repr__)
3	2e-06	6.667e-07	2e-06	6.667e-07	multitarray.py:1043(copyto)
3	2e-06	6.667e-07	2e-06	6.667e-07	datetime.py:41(_days_before_year)
5	2e-06	4e-07	2e-06	4e-07	datetime.py:46(_days_in_month)
4	2e-06	5e-07	2e-06	5e-07	~:0(<method 'newbyteorder' of 'numpy.dtype' objects>)
9	2e-06	2.222e-07	2e-06	2.222e-07	~:0(<method 'ravel' of 'numpy.ndarray' objects>)
15	2e-06	1.333e-07	2e-06	1.333e-07	_inspect.py:144(<lambda>)
2	2e-06	1e-06	2e-06	1e-06	~:0(<built-in method math.log>)
1	2e-06	2e-06	2e-06	2e-06	~:0(<built-in method math.sqrt>)
2	2e-06	1e-06	2e-06	1e-06	pathlib.py:48(__init__)
1	2e-06	2e-06	2e-06	2e-06	pathlib.py:127(<setcomp>)
1	2e-06	2e-06	2e-06	2e-06	pathlib.py:274(_PosixFlavour)
1	2e-06	2e-06	2e-06	2e-06	parse.py:348(_fix_result_transcoding)
1	2e-06	2e-06	2e-06	2e-06	pickle.py:184(_Framer)
43	2e-06	4.651e-08	2e-06	4.651e-08	_compat_pickle.py:165(<genexpr>)
1	2e-06	2e-06	2e-06	2e-06	_exceptions.py:82(_UFuncInputCastingError)
1	2e-06	2e-06	2e-06	2e-06	arrayprint.py:1159(__init__)
1	2e-06	2e-06	2e-06	2e-06	machar.py:18(MachAr)
1	2e-06	2e-06	2e-06	2e-06	getlimits.py:444(iinfo)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:311(CDLL)
1	2e-06	2e-06	2e-06	2e-06	_internal.py:206(dummy_ctype)
1	2e-06	2e-06	2e-06	2e-06	_internal.py:250(_unsafe_first_element_pointer)
1	2e-06	2e-06	2e-06	2e-06	threading.py:87(_RLock)
1	2e-06	2e-06	2e-06	2e-06	threading.py:242(__exit__)
1	2e-06	2e-06	2e-06	2e-06	threading.py:203(Condition)
1	2e-06	2e-06	2e-06	2e-06	threading.py:369(Semaphore)

1	2e-06	2e-06	2e-06	2e-06	traceback.py:316(StackSummary)
1	2e-06	2e-06	2e-06	2e-06	traceback.py:438(TracebackException)
1	2e-06	2e-06	2e-06	2e-06	tokenize.py:99(TokenInfo)
2	2e-06	1e-06	2e-06	1e-06	index_tricks.py:145(__init__)
1	2e-06	2e-06	2e-06	2e-06	index_tricks.py:302(AxisConcatenator)
2	2e-06	1e-06	2e-06	1e-06	utils.py:70(__init__)
1	2e-06	2e-06	2e-06	2e-06	utils.py:1021(SafeEval)
1	2e-06	2e-06	2e-06	2e-06	_datasource.py:169(__init__)
1	2e-06	2e-06	2e-06	2e-06	_datasource.py:272(DataSource)
1	2e-06	2e-06	2e-06	2e-06	_datasource.py:626(Repository)
1	2e-06	2e-06	2e-06	2e-06	_compression.py:33(DecompressReader)
1	2e-06	2e-06	2e-06	2e-06	_version.py:18(NumpyVersion)
1	2e-06	2e-06	2e-06	2e-06	hmac.py:19(HMAC)
1	2e-06	2e-06	2e-06	2e-06	~:0(<built-in method _hashlib.openssl_sha384>)
3	2e-06	6.667e-07	2e-06	6.667e-07	core.py:801(__init__)
1	2e-06	2e-06	2e-06	2e-06	core.py:888(_MaskedUFunc)
4	2e-06	5e-07	2e-06	5e-07	core.py:3347(dtype)
1	2e-06	2e-06	2e-06	2e-06	core.py:6113(mvoid)
1	2e-06	2e-06	2e-06	2e-06	core.py:6491(_extrema_operation)
1	2e-06	2e-06	2e-06	2e-06	extras.py:1459(MAxisConcatenator)
6	2e-06	3.333e-07	2e-06	3.333e-07	case.py:420(addTypeEqualityFunc)
10	2e-06	2e-07	2e-06	2e-07	case.py:1316(_deprecate)
1	2e-06	2e-06	2e-06	2e-06	difflib.py:43(SequenceMatcher)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:471(__init__)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:1150(__init__)
1	2e-06	2e-06	2e-06	2e-06	string.py:77(Template)
1	2e-06	2e-06	2e-06	2e-06	string.py:173(Formatter)
1	2e-06	2e-06	2e-06	2e-06	suite.py:16(BaseTestSuite)
1	2e-06	2e-06	2e-06	2e-06	suite.py:92(TestSuite)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:200(_Section)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:713(ArgumentError)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:742(Action)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:1204(Namespace)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:1224(_ActionsContainer)
1	2e-06	2e-06	2e-06	2e-06	utils.py:1916(clear_and_catch_warnings)
1	2e-06	2e-06	2e-06	2e-06	utils.py:1982(suppress_warnings)
1	2e-06	2e-06	2e-06	2e-06	tempfile.py:418(_TemporaryFileCloser)
1	2e-06	2e-06	2e-06	2e-06	nosetester.py:115(NoseTester)
1	2e-06	2e-06	2e-06	2e-06	tzinfo.py:76(StaticTzInfo)
1	2e-06	2e-06	2e-06	2e-06	tzinfo.py:156(DstTzInfo)
1	2e-06	2e-06	2e-06	2e-06	version.py:31(Version)
1	2e-06	2e-06	2e-06	2e-06	tz.py:195(tzlocal)

1	2e-06	2e-06	2e-06	2e-06	tz.py:1161(_tzicalvtz)
1	2e-06	2e-06	2e-06	2e-06	tz.py:1247(tzical)
1	2e-06	2e-06	2e-06	2e-06	tz.py:1469(GettzFunc)
1	2e-06	2e-06	2e-06	2e-06	six.py:86(_LazyDescr)
8	2e-06	2.5e-07	2e-06	2.5e-07	six.py:189(__get_module)
1	2e-06	2e-06	2e-06	2e-06	six.py:580(iterkeys)
1	2e-06	2e-06	2e-06	2e-06	_factories.py:11(__call__)
1	2e-06	2e-06	2e-06	2e-06	config.py:184(__init__)
4	2e-06	5e-07	2e-06	5e-07	config.py:228(__init__)
1	2e-06	2e-06	2e-06	2e-06	typing.py:160(_TypingBase)
1	2e-06	2e-06	2e-06	2e-06	typing.py:216(_ForwardRef)
6	2e-06	3.333e-07	2e-06	3.333e-07	typing.py:769(_get_type_vars)
2	2e-06	1e-06	2e-06	1e-06	typing.py:1272(__subclasscheck__)
1	2e-06	2e-06	2e-06	2e-06	typing.py:1753(SupportsInt)
1	2e-06	2e-06	2e-06	2e-06	typing.py:1761(SupportsFloat)
1	2e-06	2e-06	2e-06	2e-06	typing.py:1777(SupportsBytes)
2	2e-06	1e-06	2e-06	1e-06	calendar.py:55(__init__)
1	2e-06	2e-06	2e-06	2e-06	calendar.py:72(<listcomp>)
1	2e-06	2e-06	2e-06	2e-06	_common.py:6(weekday)
1	2e-06	2e-06	2e-06	2e-06	config_init.py:304(is_terminal)
4	2e-06	5e-07	2e-06	5e-07	~:0(<built-in method pandas._libs.missing.checkNotNull>)
1	2e-06	2e-06	2e-06	2e-06	base.py:1065(ExtensionScalarOpsMixin)
3	2e-06	6.667e-07	2e-06	6.667e-07	_decorators.py:215(rewrite_axis_style_signature)
1	2e-06	2e-06	2e-06	2e-06	inspect.py:2570(BoundArguments)
1	2e-06	2e-06	2e-06	2e-06	dis.py:416(Bytecode)
2	2e-06	1e-06	2e-06	1e-06	_validators.py:231(validate_bool_kwarg)
1	2e-06	2e-06	2e-06	2e-06	algorithms.py:1113(SelectN)
1	2e-06	2e-06	2e-06	2e-06	accessor.py:48(PandasDelegate)
1	2e-06	2e-06	2e-06	2e-06	base.py:71(PandasObject)
1	2e-06	2e-06	2e-06	2e-06	base.py:661(_is_builtin_func)
3	2e-06	6.667e-07	2e-06	6.667e-07	base.py:717(ndim)
1	2e-06	2e-06	2e-06	2e-06	base.py:794(size)
1	2e-06	2e-06	2e-06	2e-06	offsets.py:979(BusinessHour)
1	2e-06	2e-06	2e-06	2e-06	offsets.py:1075(CustomBusinessHour)
1	2e-06	2e-06	2e-06	2e-06	base.py:1817(is_integer)
2	2e-06	1e-06	2e-06	1e-06	frozen.py:146(_shallow_copy)
1	2e-06	2e-06	2e-06	2e-06	sparse.py:1963(SparseAccessor)
3	2e-06	6.667e-07	2e-06	6.667e-07	generic.py:746(_selection_name)
2	2e-06	1e-06	2e-06	1e-06	frame.py:491(axes)
1	2e-06	2e-06	2e-06	2e-06	datetimelike.py:773(DatetimelikeDelegateMixin)
1	2e-06	2e-06	2e-06	2e-06	encoder.py:73(JSONEncoder)
1	2e-06	2e-06	2e-06	2e-06	api.py:151(_union_indexes)

2	2e-06	1e-06	2e-06	1e-06	range.py:259(stop)
1	2e-06	2e-06	2e-06	2e-06	indexing.py:34(get_indexers_list)
3	2e-06	6.667e-07	2e-06	6.667e-07	indexing.py:243(<genexpr>)
3	2e-06	6.667e-07	2e-06	6.667e-07	blocks.py:203(external_values)
1	2e-06	2e-06	2e-06	2e-06	blocks.py:1624(NonConsolidatableMixIn)
1	2e-06	2e-06	2e-06	2e-06	blocks.py:2766(ObjectBlock)
2	2e-06	1e-06	2e-06	1e-06	managers.py:1600(is_consolidated)
2	2e-06	1e-06	2e-06	1e-06	concat.py:438(combine_concat_plans)
1	2e-06	2e-06	2e-06	2e-06	format.py:132(CategoricalFormatter)
1	2e-06	2e-06	2e-06	2e-06	format.py:188(SeriesFormatter)
1	2e-06	2e-06	2e-06	2e-06	format.py:357(EastAsianTextAdjustment)
1	2e-06	2e-06	2e-06	2e-06	format.py:402(TableFormatter)
1	2e-06	2e-06	2e-06	2e-06	format.py:1036(GenericArrayFormatter)
1	2e-06	2e-06	2e-06	2e-06	format.py:1500(Timedelta64Formatter)
1	2e-06	2e-06	2e-06	2e-06	common.py:68(BaseIterator)
1	2e-06	2e-06	2e-06	2e-06	common.py:430(BytesZipFile)
1	2e-06	2e-06	2e-06	2e-06	common.py:490(UTF8Recoder)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:5(<module>)
1	2e-06	2e-06	2e-06	2e-06	parser.py:17(Parser)
1	2e-06	2e-06	2e-06	2e-06	_policybase.py:18(_PolicyBase)
1	2e-06	2e-06	2e-06	2e-06	_policybase.py:271(Compat32)
1	2e-06	2e-06	2e-06	2e-06	header.py:541(_Accumulator)
1	2e-06	2e-06	2e-06	2e-06	charset.py:167(Charset)
1	2e-06	2e-06	2e-06	2e-06	ssl.py:355(_ASN1Object)
1	2e-06	2e-06	2e-06	2e-06	ipaddress.py:1362(IPv4Interface)
1	2e-06	2e-06	2e-06	2e-06	request.py:1051(AbstractDigestAuthHandler)
1	2e-06	2e-06	2e-06	2e-06	zipfile.py:318(ZipInfo)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:147(_BoundMethodProxy)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:503(__init__)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:822(Null)
2	2e-06	1e-06	2e-06	1e-06	rcsetup.py:339(<listcomp>)
2	2e-06	1e-06	2e-06	1e-06	rcsetup.py:625(validate_sketch)
4	2e-06	5e-07	2e-06	5e-07	pyparsing.py:485(__init__)
2	2e-06	1e-06	2e-06	1e-06	pyparsing.py:847(<lambda>)
3	2e-06	6.667e-07	2e-06	6.667e-07	pyparsing.py:3642(<genexpr>)
3	2e-06	6.667e-07	2e-06	6.667e-07	pyparsing.py:3644(<genexpr>)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:3605(White)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:3708(LineStart)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4187(MatchFirst)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4273(Each)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4406(ParseElementEnhance)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4520(PrecededBy)

1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4956(Forward)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:5070(Combine)
6	2e-06	3.333e-07	2e-06	3.333e-07	pyparsing.py:5134(postParse)
4	2e-06	5e-07	2e-06	5e-07	pyparsing.py:6667(__init__)
1	2e-06	2e-06	2e-06	2e-06	colors.py:63(_ColorMapping)
1	2e-06	2e-06	2e-06	2e-06	colors.py:85(<dictcomp>)
1	2e-06	2e-06	2e-06	2e-06	colors.py:298(ColorConverter)
1	2e-06	2e-06	2e-06	2e-06	colors.py:419(Colormap)
1	2e-06	2e-06	2e-06	2e-06	colors.py:625(LinearSegmentedColormap)
1	2e-06	2e-06	2e-06	2e-06	colors.py:1533(LightSource)
2	2e-06	1e-06	2e-06	1e-06	cycler.py:145(change_key)
2	2e-06	1e-06	2e-06	1e-06	cycler.py:225(__iter__)
1	2e-06	2e-06	2e-06	2e-06	docstring.py:39(__init__)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:1033(TransformedBbox)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:2515(CompositeAffine2D)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:2756(ScaledTranslation)
1	2e-06	2e-06	2e-06	2e-06	units.py:88(ConversionInterface)
1	2e-06	2e-06	2e-06	2e-06	units.py:133(Registry)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:239(TickHelper)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:812(LogFormatter)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1153(LogitFormatter)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1178(EngFormatter)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1420(Locator)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:2027(LogLocator)
1	2e-06	2e-06	2e-06	2e-06	core.py:854(PlanePlot)
1	2e-06	2e-06	2e-06	2e-06	core.py:922(ScatterPlot)
1	2e-06	2e-06	2e-06	2e-06	core.py:1419(BarhPlot)
1	2e-06	2e-06	2e-06	2e-06	patches.py:2153(DArrow)
1	2e-06	2e-06	2e-06	2e-06	patches.py:2204(Round)
1	2e-06	2e-06	2e-06	2e-06	patches.py:2267(Round4)
1	2e-06	2e-06	2e-06	2e-06	patches.py:2905(Angle)
1	2e-06	2e-06	2e-06	2e-06	patches.py:3196(_Base)
1	2e-06	2e-06	2e-06	2e-06	patches.py:3286(_Curve)
1	2e-06	2e-06	2e-06	2e-06	patches.py:3953(Wedge)
1	2e-06	2e-06	2e-06	2e-06	lines.py:1426(VertexSelector)
1	2e-06	2e-06	2e-06	2e-06	font_manager.py:368(FontEntry)
1	2e-06	2e-06	2e-06	2e-06	font_manager.py:1000(TempCache)
1	2e-06	2e-06	2e-06	2e-06	textpath.py:27(TextToPath)
1	2e-06	2e-06	2e-06	2e-06	mathtext.py:146(MathtextBackendAgg)
1	2e-06	2e-06	2e-06	2e-06	mathtext.py:537(TruetypeFonts)
1	2e-06	2e-06	2e-06	2e-06	mathtext.py:1511(Accent)

1	2e-06	2e-06	2e-06	2e-06	mathtext.py:1937(Kern)
24	2e-06	8.333e-08	2e-06	8.333e-08	dviread.py:133(_dispatch)
1	2e-06	2e-06	2e-06	2e-06	dviread.py:602(Vf)
1	2e-06	2e-06	2e-06	2e-06	hist.py:107(KdePlot)
1	2e-06	2e-06	2e-06	2e-06	_misc.py:470(__init__)
2	2e-06	1e-06	2e-06	1e-06	grouper.py:555(<genexpr>)
1	2e-06	2e-06	2e-06	2e-06	ops.py:880(DataSplitter)
1	2e-06	2e-06	2e-06	2e-06	reshape.py:38(_Unstacker)
1	2e-06	2e-06	2e-06	2e-06	ops.py:194(Op)
1	2e-06	2e-06	2e-06	2e-06	chainmap.py:4(DeepChainMap)
1	2e-06	2e-06	2e-06	2e-06	merge.py:1510(_AsOfMerge)
1	2e-06	2e-06	2e-06	2e-06	parsers.py:1891(CParserWrapper)
1	2e-06	2e-06	2e-06	2e-06	html.py:517(_BeautifulSoupHtml5LibFrameParser)
1	2e-06	2e-06	2e-06	2e-06	_json.py:601(JsonReader)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:1958(GenericIndexCol)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:4413(AppendableFrameTable)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:4483(AppendableSeriesTable)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:4542(GenericTable)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:353(UnaryOp)
1	2e-06	2e-06	2e-06	2e-06	testing.py:2840(SubclassedSeries)
1	2e-06	2e-06	2e-06	2e-06	testing.py:2864(SubclassedSparseSeries)
1	1e-06	1e-06	2e-06	2e-06	posixpath.py:52(normcase)
1	1e-06	1e-06	2e-06	2e-06	_collections_abc.py:672(keys)
1	1e-06	1e-06	2e-06	2e-06	numbers.py:267(Rational)
1	1e-06	1e-06	2e-06	2e-06	tokenize.py:113(any)
2	1e-06	5e-07	2e-06	1e-06	tokenize.py:114(maybe)
1	1e-06	1e-06	2e-06	2e-06	tokenize.py:344(_get_normal_name)
1	1e-06	1e-06	2e-06	2e-06	index_tricks.py:252(__init__)
1	1e-06	1e-06	2e-06	2e-06	index_tricks.py:517(__init__)
1	1e-06	1e-06	2e-06	2e-06	__init__.py:800(createLock)
1	1e-06	1e-06	2e-06	2e-06	common.py:306(is_null_slice)
1	1e-06	1e-06	2e-06	2e-06	common.py:335(get_callable_name)
2	1e-06	5e-07	2e-06	1e-06	base.py:4419(<genexpr>)
1	1e-06	1e-06	2e-06	2e-06	_encoded_words.py:73(_QByteMap)
2	1e-06	5e-07	2e-06	1e-06	rcsetup.py:588(validate_hinting)
2	1e-06	5e-07	2e-06	1e-06	rcsetup.py:612(validate_bbox)
2	1e-06	5e-07	2e-06	1e-06	rcsetup.py:870(validate_hist_bins)
1	1e-06	1e-06	2e-06	2e-06	pyparsing.py:4723(__str__)
2	1e-06	5e-07	2e-06	1e-06	grouper.py:558(<genexpr>)
1	1e-06	1e-06	2e-06	2e-06	ops.py:410(get_func)
1	1e-06	1e-06	2e-06	2e-06	concat.py:483(_get_result_dim)
1	0	0	2e-06	2e-06	base.py:710(shape)

1	0	0	2e-06	2e-06	__init__.py:1012(is_url)
2	0	0	2e-06	1e-06	rcsetup.py:492(update_savefig_format)
2	0	0	2e-06	1e-06	ops.py:149(nkeys)
2	1e-06	5e-07	1e-06	5e-07	~:0(<built-in method maketrans>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method 'title' of 'str' objects>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method 'index' of 'str' objects>)
15	1e-06	6.667e-08	1e-06	6.667e-08	~:0(<built-in method _warnings._filters_mutated>)
5	1e-06	2e-07	1e-06	2e-07	~:0(<built-in method _imp.exec_builtin>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method _thread._set_sentinel>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method atexit.register>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method time.time>)
1	1e-06	1e-06	1e-06	1e-06	<frozen importlib._bootstrap>:917(_sanity_check)
1	1e-06	1e-06	1e-06	1e-06	os.py:1067(__subclasshook__)
1	1e-06	1e-06	1e-06	1e-06	_collections_abc.py:698(__init__)
10	1e-06	1e-07	1e-06	1e-07	enum.py:599(value)
1	1e-06	1e-06	1e-06	1e-06	copyreg.py:22(constructor)
1	1e-06	1e-06	1e-06	1e-06	sre_parse.py:287(seek)
1	1e-06	1e-06	1e-06	1e-06	contextlib.py:36(_recreate_cm)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:219(Panel)
1	1e-06	1e-06	1e-06	1e-06	_globals.py:32(ModuleDeprecationWarning)
1	1e-06	1e-06	1e-06	1e-06	__future__.py:78(_Feature)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method 'disable' of '_Isprof.Profiler' objects>)
1	1e-06	1e-06	1e-06	1e-06	_globals.py:59(_NoValueType)
1	1e-06	1e-06	1e-06	1e-06	version.py:5(<module>)
1	1e-06	1e-06	1e-06	1e-06	_iotools.py:176(LineSplitter)
1	1e-06	1e-06	1e-06	1e-06	_iotools.py:478(ConverterLockError)
1	1e-06	1e-06	1e-06	1e-06	multiarray.py:145(concatenate)
5	1e-06	2e-07	1e-06	2e-07	datetime.py:309(_check_tzinfo_arg)
2	1e-06	5e-07	1e-06	5e-07	~:0(<built-in method numpy.core._multiarray_umath.se
3	1e-06	3.333e-07	1e-06	3.333e-07	~:0(<method 'toordinal' of 'datetime.date' objects>)
1	1e-06	1e-06	1e-06	1e-06	py3k.py:110(contextlib_nullcontext)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:44(_Flavour)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:498(_PreciseSelector)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:537(_RecursiveWildcardSelector)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:961(PurePosixPath)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:971(PureWindowsPath)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:1453(WindowsPath)
1	1e-06	1e-06	1e-06	1e-06	parse.py:134(_ResultMixinBytes)
1	1e-06	1e-06	1e-06	1e-06	parse.py:175(_NetlocResultMixinStr)
1	1e-06	1e-06	1e-06	1e-06	parse.py:310(DefragResult)
1	1e-06	1e-06	1e-06	1e-06	parse.py:318(SplitResult)
1	1e-06	1e-06	1e-06	1e-06	parse.py:323(ParseResult)

1	1e-06	1e-06	1e-06	1e-06	parse.py:725(Quoter)
1	1e-06	1e-06	1e-06	1e-06	pickle.py:68(PicklingError)
1	1e-06	1e-06	1e-06	1e-06	pickle.py:88(_Stop)
1	1e-06	1e-06	1e-06	1e-06	pickle.py:220(_Unframer)
1	1e-06	1e-06	1e-06	1e-06	numeric.py:81(ComplexWarning)
2	1e-06	5e-07	1e-06	5e-07	numeric.py:2099(_allclose_dispatcher)
2	1e-06	5e-07	1e-06	5e-07	numeric.py:2175(_isclose_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:33(UFuncTypeError)
1	1e-06	1e-06	1e-06	1e-06	_ufunc_config.py:36(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	_ufunc_config.py:368(_unspecified)
1	1e-06	1e-06	1e-06	1e-06	_ufunc_config.py:375(errstate)
6	1e-06	1.667e-07	1e-06	1.667e-07	fromnumeric.py:2273(_all_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:74(<dictcomp>)
2	1e-06	5e-07	1e-06	5e-07	arrayprint.py:452(_recursive_guard)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:703(_extendLine)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:842(FloatingFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:992(LongFloatFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1145(IntegerFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1158(BoolFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1238(DatetimeFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1270(TimedeltaFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1285(StructuredVoidFormat)
1	1e-06	1e-06	1e-06	1e-06	records.py:100(format_parser)
1	1e-06	1e-06	1e-06	1e-06	records.py:234(record)
1	1e-06	1e-06	1e-06	1e-06	records.py:319(recarray)
1	1e-06	1e-06	1e-06	1e-06	memmap.py:24(memmap)
1	1e-06	1e-06	1e-06	1e-06	getlimits.py:34(MachArLike)
1	1e-06	1e-06	1e-06	1e-06	getlimits.py:293(finfo)
1	1e-06	1e-06	1e-06	1e-06	shape_base.py:78(_atleast_2d_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:151(py_object)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:225(c_byte)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:230(c_char)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:251(c_wchar_p)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:342(_FuncPtr)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:371(PyDLL)
2	1e-06	5e-07	1e-06	5e-07	__init__.py:412(__init__)
3	1e-06	3.333e-07	1e-06	3.333e-07	__init__.py:477(CFunctionType)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method _ctypes.dlopen>)
1	1e-06	1e-06	1e-06	1e-06	_endian.py:23(_swapped_meta)
1	1e-06	1e-06	1e-06	1e-06	_endian.py:46(BigEndianStructure)
1	1e-06	1e-06	1e-06	1e-06	_internal.py:245(c_void_p)

1	1e-06	1e-06	1e-06	1e-06	_internal.py:883(recursive)
1	1e-06	1e-06	1e-06	1e-06	subprocess.py:339(CompletedProcess)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:59(_SelectorMapping)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:205(_BaseSelectorImpl)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:290(SelectSelector)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:343(PollSelector)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:525(KqueueSelector)
1	1e-06	1e-06	1e-06	1e-06	threading.py:239(__enter__)
1	1e-06	1e-06	1e-06	1e-06	threading.py:254(_is_owned)
1	1e-06	1e-06	1e-06	1e-06	threading.py:487(Event)
1	1e-06	1e-06	1e-06	1e-06	threading.py:1158(Timer)
1	1e-06	1e-06	1e-06	1e-06	threading.py:1188(_MainThread)
1	1e-06	1e-06	1e-06	1e-06	threading.py:1207(_DummyThread)
1	1e-06	1e-06	1e-06	1e-06	tokenize.py:217(TokenError)
1	1e-06	1e-06	1e-06	1e-06	tokenize.py:222(Tokenizer)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:110(nd_grid)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:210(MGridClass)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:257(OGridClass)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:522(CClass)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:554(ndenumerate)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:605(ndindex)
1	1e-06	1e-06	1e-06	1e-06	ast.py:229(NodeVisitor)
1	1e-06	1e-06	1e-06	1e-06	function_base.py:1878(vectorize)
1	1e-06	1e-06	1e-06	1e-06	shape_base.py:1151(_tile_dispatcher)
2	1e-06	5e-07	1e-06	5e-07	shape_base.py:1227(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	polynomial.py:30(RankWarning)
2	1e-06	5e-07	1e-06	5e-07	utils.py:53(_set_function_name)
1	1e-06	1e-06	1e-06	1e-06	utils.py:58(Deprecate)
1	1e-06	1e-06	1e-06	1e-06	npvio.py:58(BagObj)
1	1e-06	1e-06	1e-06	1e-06	_datasource.py:144(_FileOpeners)
1	1e-06	1e-06	1e-06	1e-06	shutil.py:55(Error)
1	1e-06	1e-06	1e-06	1e-06	shutil.py:68(ReadError)
1	1e-06	1e-06	1e-06	1e-06	_compression.py:9(BaseStream)
1	1e-06	1e-06	1e-06	1e-06	polyutils.py:61(RankWarning)
1	1e-06	1e-06	1e-06	1e-06	polyutils.py:82(PolyBase)
1	1e-06	1e-06	1e-06	1e-06	random.py:668(SystemRandom)
1	1e-06	1e-06	1e-06	1e-06	ctypeslib.py:179(_ndptr)
1	1e-06	1e-06	1e-06	1e-06	ctypeslib.py:200(_concrete_ndptr)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method _hashlib.openssl_sha512>)
1	1e-06	1e-06	1e-06	1e-06	core.py:202(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	core.py:204(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	core.py:856(_DomainGreater)

2	1e-06	5e-07	1e-06	5e-07	core.py:878(__init__)
1	1e-06	1e-06	1e-06	1e-06	core.py:898(_MaskedUnaryOperation)
1	1e-06	1e-06	1e-06	1e-06	core.py:972(_MaskedBinaryOperation)
1	1e-06	1e-06	1e-06	1e-06	core.py:1278(_replace_dtype_fields_recursive)
1	1e-06	1e-06	1e-06	1e-06	core.py:2378(_MaskedPrintOption)
1	1e-06	1e-06	1e-06	1e-06	core.py:2596(MaskedIterator)
4	1e-06	2.5e-07	1e-06	2.5e-07	core.py:6311(__has_singleton)
1	1e-06	1e-06	1e-06	1e-06	core.py:6608(_frommethod)
1	1e-06	1e-06	1e-06	1e-06	core.py:8046(_convert2ma)
1	1e-06	1e-06	1e-06	1e-06	extras.py:328(_fromnxfuction_allargs)
1	1e-06	1e-06	1e-06	1e-06	extras.py:1489(mr_class)
1	1e-06	1e-06	1e-06	1e-06	case.py:137(_AssertRaisesBaseContext)
1	1e-06	1e-06	1e-06	1e-06	case.py:278(_CapturingHandler)
1	1e-06	1e-06	1e-06	1e-06	case.py:1338(FunctionTestCase)
1	1e-06	1e-06	1e-06	1e-06	case.py:1396(_SubTest)
1	1e-06	1e-06	1e-06	1e-06	difflib.py:751(Differ)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:239(LogRecord)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:601(BufferingFormatter)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:643(Filter)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:680(Filterer)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1010(FileHandler)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1079(_StderrHandler)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1145(Manager)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1966(NullHandler)
1	1e-06	1e-06	1e-06	1e-06	string.py:55(_TemplateMetaclass)
1	1e-06	1e-06	1e-06	1e-06	pprint.py:72(_safe_key)
1	1e-06	1e-06	1e-06	1e-06	suite.py:270(_ErrorHandler)
1	1e-06	1e-06	1e-06	1e-06	loader.py:23(_FailedTest)
1	1e-06	1e-06	1e-06	1e-06	loader.py:76(__init__)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:109(_AttributeHolder)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:652(RawTextHelpFormatter)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:680(MetavarTypeHelpFormatter)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:833(_StoreAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:868(_StoreConstAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:908(_StoreFalseAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1009(_HelpAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1028(_VersionAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1531(_ArgumentGroup)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1565(_MutuallyExclusiveGroup)
1	1e-06	1e-06	1e-06	1e-06	runner.py:13(_WriteInDecorator)
1	1e-06	1e-06	1e-06	1e-06	runner.py:120(TextTestRunner)
1	1e-06	1e-06	1e-06	1e-06	utils.py:47(KnownFailureException)

1	1e-06	1e-06	1e-06	1e-06	utils.py:1270(_Dummy)
1	1e-06	1e-06	1e-06	1e-06	tempfile.py:136(_RandomNameSequence)
1	1e-06	1e-06	1e-06	1e-06	tempfile.py:461(_TemporaryFileWrapper)
1	1e-06	1e-06	1e-06	1e-06	tempfile.py:779(TemporaryDirectory)
1	1e-06	1e-06	1e-06	1e-06	decorators.py:99(skipif)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:306(_CountryTimezoneDict)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:391(_FixedOffset)
1	1e-06	1e-06	1e-06	1e-06	lazy.py:16(LazyDict)
2	1e-06	5e-07	1e-06	5e-07	lazy.py:91(LazyList)
1	1e-06	1e-06	1e-06	1e-06	lazy.py:71(LazyList)
2	1e-06	5e-07	1e-06	5e-07	lazy.py:144(LazySet)
1	1e-06	1e-06	1e-06	1e-06	lazy.py:121(LazySet)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:16(DeprecatedTzFormatWarning)
1	1e-06	1e-06	1e-06	1e-06	tz.py:322(_tinfo)
1	1e-06	1e-06	1e-06	1e-06	tz.py:367(_tzfile)
1	1e-06	1e-06	1e-06	1e-06	tz.py:868(tzrange)
1	1e-06	1e-06	1e-06	1e-06	tz.py:1030(tzstr)
1	1e-06	1e-06	1e-06	1e-06	tz.py:1150(_tzicalvtzcomp)
1	1e-06	1e-06	1e-06	1e-06	tz.py:1822(_nullcontext)
8	1e-06	1.25e-07	1e-06	1.25e-07	six.py:75(_add_doc)
1	1e-06	1e-06	1e-06	1e-06	six.py:103(MovedModule)
1	1e-06	1e-06	1e-06	1e-06	six.py:173(__init__)
5	1e-06	2e-07	1e-06	2e-07	six.py:181(_get_module)
1	1e-06	1e-06	1e-06	1e-06	six.py:164(_SixMetaPathImporter)
1	1e-06	1e-06	1e-06	1e-06	six.py:364(Module_six_moves_urllib_error)
6	1e-06	1.667e-07	1e-06	1.667e-07	_common.py:13(tzname_in_python2)
1	1e-06	1e-06	1e-06	1e-06	_factories.py:7(__init__)
1	1e-06	1e-06	1e-06	1e-06	_factories.py:6(_TzSingleton)
1	1e-06	1e-06	1e-06	1e-06	config.py:181(DictWrapper)
1	1e-06	1e-06	1e-06	1e-06	config.py:227(CallableDynamicDoc)
1	1e-06	1e-06	1e-06	1e-06	typing.py:118(TypingMeta)
16	1e-06	6.25e-08	1e-06	6.25e-08	typing.py:185(_get_type_vars)
1	1e-06	1e-06	1e-06	1e-06	typing.py:197(_FinalTypingBase)
1	1e-06	1e-06	1e-06	1e-06	typing.py:269(_TypeAlias)
1	1e-06	1e-06	1e-06	1e-06	typing.py:404(_Any)
1	1e-06	1e-06	1e-06	1e-06	typing.py:428(_NoReturn)
1	1e-06	1e-06	1e-06	1e-06	typing.py:453(TypeVar)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1204(Generic)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1241(_TypingEllipsis)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1355(Callable)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1630(_ProtocolMeta)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1734(AsyncIterable)

1	1e-06	1e-06	1e-06	1e-06	typing.py:1737(AsyncIterator)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1769(SupportsComplex)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1785(SupportsAbs)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1793(SupportsRound)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1816(Container)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1846(Mapping)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1855(MutableMapping)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1893(Deque)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1914(FrozenSet)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1928(KeysView)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1933(ItemsView)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1940(ValuesView)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2004(Dict)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2015(DefaultDict)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2060(Generator)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2084(Type)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2135(NamedTupleMeta)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2169(NamedTuple)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2384(io)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:24(IllegalMonthError)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:31(IllegalWeekdayError)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:141(setfirstweekday)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:260(TextCalendar)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:489(different_locale)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:501(LocaleTextCalendar)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:532(LocaleHTMLCalendar)
1	1e-06	1e-06	1e-06	1e-06	_parser.py:225(_resultbase)
1	1e-06	1e-06	1e-06	1e-06	_parser.py:664(_result)
1	1e-06	1e-06	1e-06	1e-06	_parser.py:1368(_attr)
3	1e-06	3.333e-07	1e-06	3.333e-07	__init__.py:42(private_class)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1(<module>)
1	1e-06	1e-06	1e-06	1e-06	common.py:1281(<lambda>)
1	1e-06	1e-06	1e-06	1e-06	dtypes.py:69(__init__)
1	1e-06	1e-06	1e-06	1e-06	generic.py:81(_ABCGeneric)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:10(PerformanceWarning)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:47(DtypeWarning)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:172(AbstractMethodError)
1	1e-06	1e-06	1e-06	1e-06	function.py:35(CompatValidator)
1	1e-06	1e-06	1e-06	1e-06	_decorators.py:247(Substitution)
1	1e-06	1e-06	1e-06	1e-06	inspect.py:880(BlockFinder)
1	1e-06	1e-06	1e-06	1e-06	dis.py:178(Instruction)
2	1e-06	5e-07	1e-06	5e-07	cast.py:101(trans)

16	1e-06	6.25e-08	1e-06	6.25e-08	__init__.py:883(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	common.py:31(SettingWithCopyError)
1	1e-06	1e-06	1e-06	1e-06	sorting.py:274(_KeyMapper)
1	1e-06	1e-06	1e-06	1e-06	algorithms.py:1139(SelectNSeries)
1	1e-06	1e-06	1e-06	1e-06	algorithms.py:1209(SelectNFrame)
1	1e-06	1e-06	1e-06	1e-06	accessor.py:153(CachedAccessor)
1	1e-06	1e-06	1e-06	1e-06	base.py:47(StringMixin)
1	1e-06	1e-06	1e-06	1e-06	base.py:114(NoNewAttributesMixin)
1	1e-06	1e-06	1e-06	1e-06	nanops.py:43(set_use_bottleneck)
8	1e-06	1.25e-07	1e-06	1.25e-07	missing.py:75(clean_fill_method)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1(<module>)
1	1e-06	1e-06	1e-06	1e-06	frequencies.py:491(_TimedeltaFrequencyInferer)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:473(SingleConstructorOffset)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:482(_CustomMixin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:501(BusinessMixin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1143(MonthEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1152(MonthBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1161(BusinessMonthEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1170(BusinessMonthBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1281(CustomBusinessMonthBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1882(BQuarterEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1908(QuarterEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1923(QuarterBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:2016(YearEnd)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1(<module>)
1	1e-06	1e-06	1e-06	1e-06	base.py:606(_constructor)
4	1e-06	2.5e-07	1e-06	2.5e-07	base.py:717(<lambda>)
1	1e-06	1e-06	1e-06	1e-06	base.py:2454(_validate_sort_keyword)
1	1e-06	1e-06	1e-06	1e-06	base.py:3347(_can_reindex)
1	1e-06	1e-06	1e-06	1e-06	base.py:4179(_has_complex_internals)
16	1e-06	6.25e-08	1e-06	6.25e-08	strings.py:1893(copy)
1	1e-06	1e-06	1e-06	1e-06	sparse.py:1952(BaseAccessor)
2	1e-06	5e-07	1e-06	5e-07	generic.py:902(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	generic.py:1758(_manage_lambda_list)
2	1e-06	5e-07	1e-06	5e-07	generic.py:295(<dictcomp>)
2	1e-06	5e-07	1e-06	5e-07	generic.py:298(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	generic.py:1701(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	generic.py:3413(_check_setitem_copy)
1	1e-06	1e-06	1e-06	1e-06	multi.py:55(MultiIndexUIntEngine)
1	1e-06	1e-06	1e-06	1e-06	multi.py:94(MultiIndexPyIntEngine)
5	1e-06	2e-07	1e-06	2e-07	multi.py:777(codes)

5	1e-06	2e-07	1e-06	2e-07	datetimelike.py:44(ea_passthrough)
4	1e-06	2.5e-07	1e-06	2.5e-07	interval.py:135(__init__)
4	1e-06	2.5e-07	1e-06	2.5e-07	interval.py:138(__call__)
1	1e-06	1e-06	1e-06	1e-06	interval.py:129(SetopCheck)
1	1e-06	1e-06	1e-06	1e-06	decoder.py:20(JSONDecodeError)
1	1e-06	1e-06	1e-06	1e-06	api.py:292(_all_indexes_same)
1	1e-06	1e-06	1e-06	1e-06	range.py:170(_validate_dtype)
2	1e-06	5e-07	1e-06	5e-07	range.py:282(step)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:98(IndexingError)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:873(_convert_for_reindex)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:1407(_LocationIndexer)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:2184(_ScalarAccessIndexer)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:2218(_AtIndexer)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:2293(_iAtIndexer)
2	1e-06	5e-07	1e-06	5e-07	blocks.py:235(fill_value)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:2049(ObjectValuesExtensionBlock)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:2061(NumericBlock)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:2077(FloatBlock)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:2157(IntBlock)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:2176(DatetimeLikeBlockMixin)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:2733(BoolBlock)
1	1e-06	1e-06	1e-06	1e-06	managers.py:1060(value_getitem)
1	1e-06	1e-06	1e-06	1e-06	concat.py:117(__init__)
1	1e-06	1e-06	1e-06	1e-06	format.py:343(TextAdjustment)
1	1e-06	1e-06	1e-06	1e-06	format.py:1292(IntArrayFormatter)
1	1e-06	1e-06	1e-06	1e-06	format.py:1299(Datetime64Formatter)
1	1e-06	1e-06	1e-06	1e-06	format.py:1324(ExtensionArrayFormatter)
1	1e-06	1e-06	1e-06	1e-06	format.py:1486(Datetime64TZFormatter)
1	1e-06	1e-06	1e-06	1e-06	csv.py:24(Dialect)
1	1e-06	1e-06	1e-06	1e-06	csv.py:55(excel)
1	1e-06	1e-06	1e-06	1e-06	csv.py:70(unix_dialect)
1	1e-06	1e-06	1e-06	1e-06	csv.py:166(Sniffer)
1	1e-06	1e-06	1e-06	1e-06	gzip.py:69(_PaddedFile)
1	1e-06	1e-06	1e-06	1e-06	gzip.py:377(_GzipReader)
1	1e-06	1e-06	1e-06	1e-06	client.py:1411(HTTPException)
1	1e-06	1e-06	1e-06	1e-06	client.py:1419(InvalidURL)
1	1e-06	1e-06	1e-06	1e-06	client.py:1430(UnimplementedFileMode)
1	1e-06	1e-06	1e-06	1e-06	client.py:1433(IncompleteRead)
1	1e-06	1e-06	1e-06	1e-06	client.py:1448(ImproperConnectionState)
1	1e-06	1e-06	1e-06	1e-06	client.py:1451(CannotSendRequest)
1	1e-06	1e-06	1e-06	1e-06	client.py:1454(CannotSendHeader)
1	1e-06	1e-06	1e-06	1e-06	client.py:1457(ResponseNotReady)

1	1e-06	1e-06	1e-06	1e-06	client.py:1460(BadStatusLine)
1	1e-06	1e-06	1e-06	1e-06	parser.py:80(BytesParser)
1	1e-06	1e-06	1e-06	1e-06	parser.py:127(BytesHeaderParser)
1	1e-06	1e-06	1e-06	1e-06	errors.py:16(HeaderParseError)
1	1e-06	1e-06	1e-06	1e-06	errors.py:20(BoundaryError)
1	1e-06	1e-06	1e-06	1e-06	errors.py:33(MessageDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:41(NoBoundaryInMultipartDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:53(MisplacedEnvelopeHeaderDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:76(InvalidBase64LengthDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:81(HeaderDefect)
1	1e-06	1e-06	1e-06	1e-06	_policybase.py:41(__init__)
1	1e-06	1e-06	1e-06	1e-06	header.py:179(Header)
1	1e-06	1e-06	1e-06	1e-06	_parseaddr.py:495(AddressList)
1	1e-06	1e-06	1e-06	1e-06	uu.py:39(Error)
1	1e-06	1e-06	1e-06	1e-06	message.py:1159(EmailMessage)
1	1e-06	1e-06	1e-06	1e-06	ssl.py:154(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	ssl.py:221(CertificateError)
1	1e-06	1e-06	1e-06	1e-06	ipaddress.py:23(NetmaskValueError)
1	1e-06	1e-06	1e-06	1e-06	ipaddress.py:2127(IPv6Network)
1	1e-06	1e-06	1e-06	1e-06	response.py:14(addbase)
1	1e-06	1e-06	1e-06	1e-06	response.py:57(addinfo)
1	1e-06	1e-06	1e-06	1e-06	request.py:434(OpenerDirector)
1	1e-06	1e-06	1e-06	1e-06	request.py:631(HTTPErrorProcessor)
1	1e-06	1e-06	1e-06	1e-06	request.py:652(HTTPRedirectHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:794(ProxyHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:836(HTTPPasswordMgr)
1	1e-06	1e-06	1e-06	1e-06	request.py:910(HTTPPasswordMgrWithPriorAuth)
1	1e-06	1e-06	1e-06	1e-06	request.py:1225(AbstractHTTPHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1343(HTTPHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1367(HTTPCookieProcessor)
1	1e-06	1e-06	1e-06	1e-06	request.py:1443(FileHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1500(FTPHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:2363(ftpwrapper)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:43(BadZipFile)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:618(LZMADecompressor)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:740(_Tellable)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:1819(PyZipFile)
1	1e-06	1e-06	1e-06	1e-06	accessors.py:26(Properties)
1	1e-06	1e-06	1e-06	1e-06	accessors.py:126(DatetimeProperties)
1	1e-06	1e-06	1e-06	1e-06	accessors.py:197(TimedeltaProperties)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:270(_parse_commandline)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:297(<dictcomp>)

1	1e-06	1e-06	1e-06	1e-06	__init__.py:318(set_level)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:523(checkdep_ps_distiller)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:722(_decode_filesystem_path)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1296(rc_context)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:66(converter)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:85(tostr)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:122(tofloat)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:135(toint)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:256(CallbackRegistry)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:490(Bunch)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:712(Sorter)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:760(Xlator)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:874(GetRealpathAndStat)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1151(maxdict)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1449(Grouper)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1954(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:2164(_NestedClassGetter)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:53(ValidateInStrings)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:151(deprecate_axes_hold)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:169(validate_float_or_None)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:184(validate_string_or_None)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:206(validate_dpi)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:225(validate_int_or_None)
7	1e-06	1.429e-07	1e-06	1.429e-07	rcsetup.py:299(__init__)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:298(validate_nseq_float)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:324(__init__)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:428(validate_aspect)
3	1e-06	3.333e-07	1e-06	3.333e-07	rcsetup.py:509(validate_ps_distiller)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:577(validate_svg_fonttype)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:638(ValidateInterval)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:292(ParseBaseException)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:355(ParseException)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:448(ParseFatalException)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:484(_ParseResultsWithOffset)
2	1e-06	5e-07	1e-06	5e-07	pyparsing.py:631(__len__)
6	1e-06	1.667e-07	1e-06	1.667e-07	pyparsing.py:2221(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2769(_PendingSkip)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2960(CaselessLiteral)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2983(CaselessKeyword)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2996(CloseMatch)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3065(Word)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3379(QuotedString)

1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3530(CharsNotIn)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3739(LineEnd)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3791(WordStart)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3812(WordEnd)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4485(FollowedBy)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4595(NotAny)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4697(OneOrMore)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4732(ZeroOrMore)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4763(_NullToken)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4770(Optional)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4838(SkipTo)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5062(TokenConverter)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5115(Group)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5234(OnlyOnce)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6666(_lazyclassproperty)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6737(Latin1)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6769(Kanji)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6789(Thai)
1	1e-06	1e-06	1e-06	1e-06	colors.py:778(ListedColormap)
1	1e-06	1e-06	1e-06	1e-06	colors.py:868(Normalize)
1	1e-06	1e-06	1e-06	1e-06	colors.py:1000(LogNorm)
1	1e-06	1e-06	1e-06	1e-06	colors.py:1071(SymLogNorm)
1	1e-06	1e-06	1e-06	1e-06	colors.py:1188(PowerNorm)
1	1e-06	1e-06	1e-06	1e-06	colors.py:1349(NoNorm)
11	1e-06	9.091e-08	1e-06	9.091e-08	cycler.py:212(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	docstring.py:65(Appender)
1	1e-06	1e-06	1e-06	1e-06	transforms.py:2295(BlendedAffine2D)
1	1e-06	1e-06	1e-06	1e-06	transforms.py:2604(BboxTransform)
1	1e-06	1e-06	1e-06	1e-06	transforms.py:2652(BboxTransformTo)
1	1e-06	1e-06	1e-06	1e-06	transforms.py:2788(TransformedPath)
1	1e-06	1e-06	1e-06	1e-06	converter.py:123(TimeConverter)
1	1e-06	1e-06	1e-06	1e-06	converter.py:193(PeriodConverter)
1	1e-06	1e-06	1e-06	1e-06	converter.py:252(DatetimeConverter)
1	1e-06	1e-06	1e-06	1e-06	converter.py:325(PandasAutoDateFormatter)
1	1e-06	1e-06	1e-06	1e-06	converter.py:330(PandasAutoDateLocator)
1	1e-06	1e-06	1e-06	1e-06	converter.py:936(TimeSeries_DateLocator)
1	1e-06	1e-06	1e-06	1e-06	converter.py:1030(TimeSeries_DateFormatter)
1	1e-06	1e-06	1e-06	1e-06	dates.py:188(_UTC)
1	1e-06	1e-06	1e-06	1e-06	dates.py:347(strptime2num)
1	1e-06	1e-06	1e-06	1e-06	dates.py:363(bytesptime2num)
1	1e-06	1e-06	1e-06	1e-06	dates.py:745(IndexDateFormatter)
1	1e-06	1e-06	1e-06	1e-06	dates.py:772(AutoDateFormatter)

1	1e-06	1e-06	1e-06	1e-06	dates.py:871(rrulewrapper)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1056(RRuleLocator)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1474(WeekdayLocator)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1529(HourLocator)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1569(SecondLocator)
1	1e-06	1e-06	1e-06	1e-06	rrule.py:66(weekday)
4	1e-06	2.5e-07	1e-06	2.5e-07	rrule.py:80(_invalidates_cache)
1	1e-06	1e-06	1e-06	1e-06	rrule.py:304(rrule)
1	1e-06	1e-06	1e-06	1e-06	rrule.py:1111(_iterinfo)
1	1e-06	1e-06	1e-06	1e-06	rrule.py:1314(_genitem)
1	1e-06	1e-06	1e-06	1e-06	units.py:53(AxisInfo)
1	1e-06	1e-06	1e-06	1e-06	units.py:137(__init__)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:213(_DummyAxis)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:260(Formatter)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:346(FixedFormatter)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:418(StrMethodFormatter)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1047(LogFormatterExponent)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1063(LogFormatterMathtext)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1519(IndexLocator)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1548(FixedLocator)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1614(LinearLocator)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1694(Base)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1735(MultipleLocator)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:2222(SymmetricalLogLocator)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:2395(LogitLocator)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:2507(AutoMinorLocator)
1	1e-06	1e-06	1e-06	1e-06	core.py:988(HexBinPlot)
1	1e-06	1e-06	1e-06	1e-06	core.py:1441(PiePlot)
2	1e-06	5e-07	1e-06	5e-07	cm.py:63(<listcomp>)
3	1e-06	3.333e-07	1e-06	3.333e-07	_cm.py:99(get_color_function)
1	1e-06	1e-06	1e-06	1e-06	patches.py:2043(Square)
1	1e-06	1e-06	1e-06	1e-06	patches.py:2073(Circle)
1	1e-06	1e-06	1e-06	1e-06	patches.py:2096(LArrow)
1	1e-06	1e-06	1e-06	1e-06	patches.py:2134(RArrow)
1	1e-06	1e-06	1e-06	1e-06	patches.py:2742(SimpleEvent)
1	1e-06	1e-06	1e-06	1e-06	patches.py:2829(Arc3)
1	1e-06	1e-06	1e-06	1e-06	patches.py:2968(Arc)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3063(Bar)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3454(CurveB)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3476(CurveAB)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3498(CurveFilledA)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3521(CurveFilledB)

1	1e-06	1e-06	1e-06	1e-06	patches.py:3544(CurveFilledAB)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3567(_Bracket)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3644(BracketAB)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3681(BracketA)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3707(BracketB)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3733(BarAB)
1	1e-06	1e-06	1e-06	1e-06	patches.py:3850(Fancy)
1	1e-06	1e-06	1e-06	1e-06	font_manager.py:948(JSONEncoder)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:220(MathtextBackendBitmap)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:226(MathtextBackendPs)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:266(MathtextBackendPdf)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:294(MathtextBackendSvg)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:351(MathtextBackendCairo)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:868(DejaVuFonts)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:911(DejaVuSerifFonts)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:926(DejaVuSansFonts)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1249(FontConstantsBase)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1296(STIXFontConstants)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1305(STIXSansFontConstants)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1312(DejaVuSerifFontConstants)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1360(Node)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1393(Box)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1426(Hbox)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1540(List)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1601(Hlist)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1712(Vlist)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1814(Vrule)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1823(Glue)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:1892(Fil)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:2017(AutoWidthChar)
1	1e-06	1e-06	1e-06	1e-06	mathtext.py:2044(Ship)
1	1e-06	1e-06	1e-06	1e-06	dviread.py:512(DviFont)
1	1e-06	1e-06	1e-06	1e-06	dviread.py:788(PsfontsMap)
1	1e-06	1e-06	1e-06	1e-06	dviread.py:953(Encoding)
1	1e-06	1e-06	1e-06	1e-06	window.py:870(_Rolling)
1	1e-06	1e-06	1e-06	1e-06	window.py:1953(RollingGroupby)
1	1e-06	1e-06	1e-06	1e-06	window.py:2230(ExpandingGroupby)
1	1e-06	1e-06	1e-06	1e-06	base.py:9(GroupByMixin)
1	1e-06	1e-06	1e-06	1e-06	groupby.py:304(GroupByPlot)
1	1e-06	1e-06	1e-06	1e-06	groupby.py:533(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	groupby.py:2429(_reindex_output)

2	1e-06	5e-07	1e-06	5e-07	grouper.py:394(labels)
2	1e-06	5e-07	1e-06	5e-07	grouper.py:556(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	ops.py:264(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	ops.py:399(_is_builtin_func)
1	1e-06	1e-06	1e-06	1e-06	ops.py:927(SeriesSplitter)
1	1e-06	1e-06	1e-06	1e-06	ops.py:932(FrameSplitter)
1	1e-06	1e-06	1e-06	1e-06	engines.py:129(PythonEngine)
1	1e-06	1e-06	1e-06	1e-06	ops.py:54(UndefinedVariableError)
1	1e-06	1e-06	1e-06	1e-06	ops.py:174(Constant)
1	1e-06	1e-06	1e-06	1e-06	ops.py:330(BinOp)
1	1e-06	1e-06	1e-06	1e-06	ops.py:477(Div)
1	1e-06	1e-06	1e-06	1e-06	ops.py:557(MathCall)
1	1e-06	1e-06	1e-06	1e-06	ops.py:572(FuncNode)
1	1e-06	1e-06	1e-06	1e-06	concat.py:568(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	concat.py:585(_maybe_check_integrity)
1	1e-06	1e-06	1e-06	1e-06	concat.py:261(_Concatenator)
1	1e-06	1e-06	1e-06	1e-06	merge.py:1412(_OrderedMerge)
1	1e-06	1e-06	1e-06	1e-06	parsers.py:3593(FixedWidthReader)
1	1e-06	1e-06	1e-06	1e-06	parsers.py:3699(FixedWidthFieldParser)
1	1e-06	1e-06	1e-06	1e-06	_xlsxwriter.py:160(_XlsxWriter)
1	1e-06	1e-06	1e-06	1e-06	_json.py:96(Writer)
1	1e-06	1e-06	1e-06	1e-06	_json.py:159(SeriesWriter)
1	1e-06	1e-06	1e-06	1e-06	_json.py:192(FrameWriter)
1	1e-06	1e-06	1e-06	1e-06	_json.py:238(JSONTableWriter)
1	1e-06	1e-06	1e-06	1e-06	_json.py:990(SeriesParser)
1	1e-06	1e-06	1e-06	1e-06	_json.py:1044(FrameParser)
1	1e-06	1e-06	1e-06	1e-06	packers.py:820(Unpacker)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:9(ExtType)
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:30(PackValueError)
1	1e-06	1e-06	1e-06	1e-06	parquet.py:47(BaseImpl)
1	1e-06	1e-06	1e-06	1e-06	parquet.py:75(PyArrowImpl)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:140(AttributeConflictWarning)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:1536(TableIterator)
3	1e-06	3.333e-07	1e-06	3.333e-07	pytables.py:1715(set_pos)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2448(DataIndexableCol)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2471(GenericDataIndexableCol)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2652(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:3051(SeriesFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:3088(SparseSeriesFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:3152(BlockManagerFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:3237(FrameFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:4168(AppendableTable)

1	1e-06	1e-06	1e-06	1e-06	pytables.py:60(Constant)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:233(FilterBinOp)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:299(ConditionBinOp)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:376(ExprVisitor)
5	1e-06	2e-07	1e-06	2e-07	expr.py:162(_compose2)
2	1e-06	5e-07	1e-06	5e-07	expr.py:209(_is_type)
1	1e-06	1e-06	1e-06	1e-06	expr.py:798(PythonExprVisitor)
1	1e-06	1e-06	1e-06	1e-06	sql.py:26(SQLAlchemyRequired)
1	1e-06	1e-06	1e-06	1e-06	sql.py:1030(PandasSQL)
1	1e-06	1e-06	1e-06	1e-06	sql.py:1426(SQLiteTable)
1	1e-06	1e-06	1e-06	1e-06	stata.py:645(StataValueLabel)
1	1e-06	1e-06	1e-06	1e-06	stata.py:896(StataParser)
1	1e-06	1e-06	1e-06	1e-06	stata.py:2653(StataStrLWriter)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2714(RNGContext)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2852(SubclassedDataFrame)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2876(SubclassedSparseDataFrame)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2888(SubclassedCategorical)
1	0	0	1e-06	1e-06	index_tricks.py:296(__init__)
1	0	0	1e-06	1e-06	index_tricks.py:547(__init__)
4	0	0	1e-06	2.5e-07	mixins.py:55(_unary_method)
3	0	0	1e-06	3.333e-07	core.py:1357(getmask)
1	0	0	1e-06	1e-06	tzfile.py:13(_byte_string)
1	0	0	1e-06	1e-06	calendar.py:135(__init__)
1	0	0	1e-06	1e-06	__init__.py:104(_maybe_match_name)
1	0	0	1e-06	1e-06	range.py:467(equals)
1	0	0	1e-06	1e-06	indexing.py:2475(is_nested_tuple)
1	0	0	1e-06	1e-06	__init__.py:1445(is_interactive)
1	0	0	0	0	~:0(<method 'values' of 'collections.OrderedDict' object>)
2	0	0	0	0	~:0(<method 'update' of 'set' objects>)
1	0	0	0	0	~:0(<built-in method sys.getdefaultencoding>)
2	0	0	0	0	~:0(<method 'acquire' of '_thread.lock' objects>)
1	0	0	0	0	~:0(<method '__enter__' of '_thread.lock' objects>)
1	0	0	0	0	~:0(<method '__exit__' of '_thread.lock' objects>)
1	0	0	0	0	~:0(<built-in method _stat.S_ISREG>)
1	0	0	0	0	_globals.py:46(VisibleDeprecationWarning)
1	0	0	0	0	_distributor_init.py:10(<module>)
1	0	0	0	0	_iotools.py:470(ConverterError)
1	0	0	0	0	_iotools.py:486(ConversionWarning)
1	0	0	0	0	~:0(<method 'tolist' of 'numpy.ndarray' objects>)
1	0	0	0	0	~:0(<built-in method numpy.core._multiarray_umath.se
1	0	0	0	0	pathlib.py:377(_Accessor)
1	0	0	0	0	pathlib.py:467(_Selector)

1	0	0	0	0	pathlib.py:492(_TerminatingSelector)
1	0	0	0	0	pathlib.py:514(_WildcardSelector)
1	0	0	0	0	pathlib.py:574(_PathParents)
1	0	0	0	0	pathlib.py:1446(PosixPath)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	parse.py:126(_ResultMixinStr)
1	0	0	0	0	parse.py:329(DefragResultBytes)
1	0	0	0	0	parse.py:337(SplitResultBytes)
1	0	0	0	0	parse.py:342(ParseResultBytes)
1	0	0	0	0	pickle.py:64(PickleError)
1	0	0	0	0	pickle.py:75(UnpicklingError)
1	0	0	0	0	numerictypes.py:429(_typedict)
1	0	0	0	0	numbers.py:12(Number)
6	0	0	0	0	_type_aliases.py:113(<genexpr>)
1	0	0	0	0	_exceptions.py:55(_UFuncNoLoopError)
1	0	0	0	0	_exceptions.py:73(_UFuncCastingError)
1	0	0	0	0	_exceptions.py:100(_UFuncOutputCastingError)
1	0	0	0	0	_exceptions.py:119(TooHardError)
1	0	0	0	0	_exceptions.py:124(AxisError)
1	0	0	0	0	_exceptions.py:142(_ArrayMemoryError)
1	0	0	0	0	fromnumeric.py:435(_repeat_dispatcher)
1	0	0	0	0	arrayprint.py:985(FloatFormat)
1	0	0	0	0	arrayprint.py:1164(__call__)
1	0	0	0	0	arrayprint.py:1168(ComplexFloatingFormat)
1	0	0	0	0	arrayprint.py:1197(ComplexFormat)
1	0	0	0	0	arrayprint.py:1204(LongComplexFormat)
1	0	0	0	0	arrayprint.py:1275(SubArrayFormat)
1	0	0	0	0	arrayprint.py:1322(StructureFormat)
1	0	0	0	0	records.py:81(_OrderedCounter)
1	0	0	0	0	__init__.py:160(c_short)
1	0	0	0	0	__init__.py:164(c_ushort)
1	0	0	0	0	__init__.py:168(c_long)
1	0	0	0	0	__init__.py:172(c_ulong)
1	0	0	0	0	__init__.py:181(c_int)
1	0	0	0	0	__init__.py:185(c_uint)
1	0	0	0	0	__init__.py:189(c_float)
1	0	0	0	0	__init__.py:193(c_double)
1	0	0	0	0	__init__.py:197(c_longdouble)
1	0	0	0	0	__init__.py:218(c_ubyte)
1	0	0	0	0	__init__.py:235(c_char_p)
1	0	0	0	0	__init__.py:241(c_void_p)
1	0	0	0	0	__init__.py:246(c_bool)

1	0	0	0	0	__init__.py:256(c_wchar)
1	0	0	0	0	__init__.py:411(LibraryLoader)
1	0	0	0	0	subprocess.py:57(SubprocessError)
1	0	0	0	0	threading.py:449(BoundedSemaphore)
1	0	0	0	0	threading.py:720(BrokenBarrierError)
1	0	0	0	0	threading.py:890(_set_ident)
1	0	0	0	0	tokenize.py:219(StopTokenizing)
1	0	0	0	0	_pytesttester.py:47(PytestTester)
1	0	0	0	0	index_tricks.py:422(RClass)
1	0	0	0	0	index_tricks.py:684(IndexExpression)
1	0	0	0	0	ast.py:266(NodeTransformer)
1	0	0	0	0	linalg.py:52(LinAlgError)
1	0	0	0	0	function_base.py:4221(_delete_dispatcher)
1	0	0	0	0	stride_tricks.py:16(DummyArray)
1	0	0	0	0	arraysetops.py:479(_in1d_dispatcher)
1	0	0	0	0	arraysetops.py:740(_setdiff1d_dispatcher)
1	0	0	0	0	shutil.py:58(SameFileError)
1	0	0	0	0	shutil.py:61(SpecialFileError)
1	0	0	0	0	shutil.py:65(ExecError)
1	0	0	0	0	shutil.py:71(RegistryError)
1	0	0	0	0	polyutils.py:65(PolyError)
1	0	0	0	0	polyutils.py:69(PolyDomainError)
1	0	0	0	0	random.py:690(seed)
1	0	0	0	0	core.py:91(MaskedArrayFutureWarning)
1	0	0	0	0	core.py:162(MAError)
1	0	0	0	0	core.py:170(MaskError)
1	0	0	0	0	core.py:792(_DomainCheckInterval)
1	0	0	0	0	core.py:825(__init__)
1	0	0	0	0	core.py:817(_DomainTan)
6	0	0	0	0	core.py:841(__init__)
1	0	0	0	0	core.py:835(_DomainSafeDivide)
3	0	0	0	0	core.py:862(__init__)
1	0	0	0	0	core.py:872(_DomainGreaterEqual)
1	0	0	0	0	core.py:1120(_DomainedBinaryOperation)
1	0	0	0	0	core.py:2384(__init__)
2	0	0	0	0	core.py:3363(shape)
1	0	0	0	0	extras.py:217(_frommnxfuction)
1	0	0	0	0	extras.py:272(_frommnxfuction_single)
1	0	0	0	0	extras.py:290(_frommnxfuction_seq)
1	0	0	0	0	extras.py:303(_frommnxfuction_args)
1	0	0	0	0	case.py:25(SkipTest)
1	0	0	0	0	case.py:33(_ShouldStop)

1	0	0	0	0	case.py:38(_UnexpectedSuccess)
1	0	0	0	0	case.py:128(_BaseTestCaseContext)
1	0	0	0	0	case.py:184(_AssertRaisesContext)
1	0	0	0	0	case.py:221(_AssertWarnsContext)
1	0	0	0	0	case.py:297(_AssertLogsContext)
1	0	0	0	0	__init__.py:384(__init__)
1	0	0	0	0	__init__.py:378(PercentStyle)
1	0	0	0	0	__init__.py:393(StrFormatStyle)
1	0	0	0	0	__init__.py:402(StringTemplateStyle)
1	0	0	0	0	__init__.py:951(StreamHandler)
1	0	0	0	0	__init__.py:1103(Placeholder)
1	0	0	0	0	__init__.py:1576(RootLogger)
1	0	0	0	0	suite.py:317(_DebugResult)
1	0	0	0	0	argparse.py:641(RawDescriptionHelpFormatter)
1	0	0	0	0	argparse.py:663(ArgumentDefaultsHelpFormatter)
1	0	0	0	0	argparse.py:733(ArgumentTypeError)
1	0	0	0	0	argparse.py:891(_StoreTrueAction)
1	0	0	0	0	argparse.py:925(_AppendAction)
1	0	0	0	0	argparse.py:962(_AppendConstAction)
1	0	0	0	0	argparse.py:988(_CountAction)
1	0	0	0	0	argparse.py:1056(_ChoicesPseudoAction)
1	0	0	0	0	argparse.py:1150(FileType)
1	0	0	0	0	signals.py:9(_InterruptHandler)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	utils.py:1874(IgnoreException)
1	0	0	0	0	__init__.py:365(_CountryNameDict)
1	0	0	0	0	exceptions.py:11(UnknownTimeZoneError)
1	0	0	0	0	exceptions.py:27(InvalidTimeError)
1	0	0	0	0	exceptions.py:31(AmbiguousTimeError)
1	0	0	0	0	exceptions.py:42(NonExistentTimeError)
1	0	0	0	0	_version.py:4(<module>)
1	0	0	0	0	version.py:323(__str__)
1	0	0	0	0	six.py:124(_LazyModule)
1	0	0	0	0	six.py:139(MovedAttribute)
1	0	0	0	0	six.py:229(_MovedItems)
1	0	0	0	0	six.py:322(Module_six_moves_urllib_parse)
1	0	0	0	0	six.py:384(Module_six_moves_urllib_request)
1	0	0	0	0	six.py:436(Module_six_moves_urllib_response)
1	0	0	0	0	six.py:457(Module_six_moves_urllib_robotparser)
3	0	0	0	0	six.py:835(add_metaclass)
1	0	0	0	0	_factories.py:17(_TzFactory)

1	0	0	0	0	_factories.py:23(_TzOffsetFactory)
1	0	0	0	0	_factories.py:50(_TzStrFactory)
1	0	0	0	0	config.py:73(OptionError)
1	0	0	0	0	config.py:382(option_context)
4	0	0	0	0	config.py:755(is_type_factory)
1	0	0	0	0	typing.py:1234(_TypingEmpty)
1	0	0	0	0	typing.py:1279(Tuple)
1	0	0	0	0	typing.py:1394(__init__)
1	0	0	0	0	typing.py:1698(_Protocol)
1	0	0	0	0	typing.py:1718(Awaitable)
1	0	0	0	0	typing.py:1725(Coroutine)
1	0	0	0	0	typing.py:1745(Iterable)
1	0	0	0	0	typing.py:1749(Iterator)
1	0	0	0	0	typing.py:1802(Reversible)
1	0	0	0	0	typing.py:1821(Collection)
1	0	0	0	0	typing.py:1831(AbstractSet)
1	0	0	0	0	typing.py:1840(MutableSet)
1	0	0	0	0	typing.py:1861(Sequence)
1	0	0	0	0	typing.py:1874(MutableSequence)
1	0	0	0	0	typing.py:1878(ByteString)
1	0	0	0	0	typing.py:1882(List)
1	0	0	0	0	typing.py:1903(Set)
1	0	0	0	0	typing.py:1924(MappingView)
1	0	0	0	0	typing.py:1945(ContextManager)
1	0	0	0	0	typing.py:2026(Counter)
1	0	0	0	0	typing.py:2040(ChainMap)
1	0	0	0	0	typing.py:2072(AsyncGenerator)
1	0	0	0	0	typing.py:2403(re)
2	0	0	0	0	calendar.py:53(<lambda>)
2	0	0	0	0	calendar.py:74(__init__)
1	0	0	0	0	_parser.py:1578(UnknownTimezoneWarning)
1	0	0	0	0	isoparser.py:43(__init__)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	common.py:1582(<lambda>)
1	0	0	0	0	dtypes.py:164(CategoricalDtypeType)
1	0	0	0	0	__init__.py:16(UnsupportedFunctionCall)
1	0	0	0	0	__init__.py:24(UnsortedIndexError)
1	0	0	0	0	__init__.py:33(ParserError)
1	0	0	0	0	__init__.py:105(EmptyDataError)
1	0	0	0	0	__init__.py:112(ParserWarning)
1	0	0	0	0	__init__.py:153(MergeError)
1	0	0	0	0	__init__.py:160(NullFrequencyError)

1	0	0	0	0	__init__.py:168(AccessorRegistrationWarning)
1	0	0	0	0	inspect.py:878(EndOfBlock)
1	0	0	0	0	inspect.py:2382(_void)
1	0	0	0	0	inspect.py:2386(_empty)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	common.py:35(SettingWithCopyWarning)
1	0	0	0	0	common.py:185(_all_none)
3	0	0	0	0	common.py:219(<genexpr>)
1	0	0	0	0	base.py:147(GroupByError)
1	0	0	0	0	base.py:151(DataError)
1	0	0	0	0	base.py:155(SpecificationError)
1	0	0	0	0	nanops.py:83(bottleneck_switch)
6	0	0	0	0	nanops.py:1318(make_nancomp)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	offsets.py:1275(CustomBusinessMonthEnd)
1	0	0	0	0	offsets.py:1899(BQuarterBegin)
1	0	0	0	0	offsets.py:1994(BYearEnd)
1	0	0	0	0	offsets.py:2005(BYearBegin)
1	0	0	0	0	offsets.py:2026(YearBegin)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	base.py:164(InvalidIndexError)
4	0	0	0	0	base.py:1524(nlevels)
1	0	0	0	0	base.py:2326(_get_unique_index)
1	0	0	0	0	base.py:3305(_convert_list_indexer)
1	0	0	0	0	multi.py:1188(<genexpr>)
9	0	0	0	0	numeric.py:134(is_all_dates)
1	0	0	0	0	numeric.py:202(IntegerIndex)
1	0	0	0	0	indexing.py:50(_IndexSlice)
1	0	0	0	0	blocks.py:2067(FloatOrComplexBlock)
1	0	0	0	0	blocks.py:2141(ComplexBlock)
2	0	0	0	0	managers.py:418(<dictcomp>)
2	0	0	0	0	managers.py:1606(_consolidate_inplace)
1	0	0	0	0	csv.py:65(excel_tab)
1	0	0	0	0	client.py:164(HTTPMessage)
1	0	0	0	0	client.py:1416(NotConnected)
1	0	0	0	0	client.py:1422(UnknownProtocol)
1	0	0	0	0	client.py:1427(UnknownTransferEncoding)
1	0	0	0	0	client.py:1467(LineTooLong)
1	0	0	0	0	client.py:1472(RemoteDisconnected)
1	0	0	0	0	parser.py:72(HeaderParser)

1	0	0	0	0	feedparser.py:532(BytesFeedParser)
1	0	0	0	0	errors.py:8(MessageError)
1	0	0	0	0	errors.py:12(MessageParseError)
1	0	0	0	0	errors.py:24(MultipartConversionError)
1	0	0	0	0	errors.py:28(CharsetError)
1	0	0	0	0	errors.py:44(StartBoundaryNotFoundDefect)
1	0	0	0	0	errors.py:47(CloseBoundaryNotFoundDefect)
1	0	0	0	0	errors.py:50(FirstHeaderLineIsContinuationDefect)
1	0	0	0	0	errors.py:56(MissingHeaderBodySeparatorDefect)
1	0	0	0	0	errors.py:61(MultipartInvariantViolationDefect)
1	0	0	0	0	errors.py:64(InvalidMultipartContentTransferEncoding)
1	0	0	0	0	errors.py:67(UndecodableBytesDefect)
1	0	0	0	0	errors.py:70(InvalidBase64PaddingDefect)
1	0	0	0	0	errors.py:73(InvalidBase64CharactersDefect)
1	0	0	0	0	errors.py:87(InvalidHeaderDefect)
1	0	0	0	0	errors.py:90(HeaderMissingRequiredValue)
1	0	0	0	0	errors.py:93(NonPrintableDefect)
1	0	0	0	0	errors.py:104(ObsoleteHeaderDefect)
1	0	0	0	0	errors.py:107(NonASCIIHeaderPartDefect)
1	0	0	0	0	socket.py:130(_GiveupOnSendfile)
1	0	0	0	0	ipaddress.py:19(AddressValueError)
1	0	0	0	0	error.py:19(URLError)
1	0	0	0	0	error.py:73(ContentTooShortError)
1	0	0	0	0	response.py:37(addclosehook)
1	0	0	0	0	response.py:68(addinfurl)
1	0	0	0	0	request.py:648(HTTPDefaultErrorHandler)
1	0	0	0	0	request.py:900(HTTPPasswordMgrWithDefaultRealm)
1	0	0	0	0	request.py:1021(HTTPBasicAuthHandler)
1	0	0	0	0	request.py:1032(ProxyBasicAuthHandler)
1	0	0	0	0	request.py:1195(HTTPDigestAuthHandler)
1	0	0	0	0	request.py:1213(ProxyDigestAuthHandler)
1	0	0	0	0	request.py:1352(HTTPSHandler)
1	0	0	0	0	request.py:1385(UnknownHandler)
1	0	0	0	0	request.py:1611(DataHandler)
1	0	0	0	0	zipfile.py:47(LargeZipFile)
1	0	0	0	0	zipfile.py:595(LZMACCompressor)
1	0	0	0	0	zipfile.py:714(_SharedFile)
1	0	0	0	0	accessors.py:288(PeriodProperties)
1	0	0	0	0	accessors.py:309(CombinedDatetimelikeProperties)
1	0	0	0	0	__init__.py:557(checkdep_usetex)
1	0	0	0	0	__init__.py:92(todatetime)
1	0	0	0	0	__init__.py:107(todate)

1	0	0	0	0	__init__.py:399(silent_list)
1	0	0	0	0	__init__.py:425(IgnoredKeywordWarning)
1	0	0	0	0	__init__.py:875(__init__)
1	0	0	0	0	__init__.py:912(__Full)
1	0	0	0	0	__init__.py:2184(_InstanceMethodPickler)
1	0	0	0	0	__init__.py:2507(TimeoutError)
1	0	0	0	0	deprecation.py:6(MatplotlibDeprecationWarning)
1	0	0	0	0	__init__.py:1(<module>)
2	0	0	0	0	rcsetup.py:110(validate_any)
2	0	0	0	0	rcsetup.py:271(validate_qt4)
2	0	0	0	0	rcsetup.py:277(validate_qt5)
1	0	0	0	0	rcsetup.py:323(validate_nseq_int)
1	0	0	0	0	pyparsing.py:260(<genexpr>)
1	0	0	0	0	pyparsing.py:453(ParseSyntaxException)
1	0	0	0	0	pyparsing.py:474(RecursiveGrammarException)
1	0	0	0	0	pyparsing.py:1734(_UnboundedCache)
1	0	0	0	0	pyparsing.py:2802(Token)
1	0	0	0	0	pyparsing.py:2810(Empty)
1	0	0	0	0	pyparsing.py:2820(NoMatch)
1	0	0	0	0	pyparsing.py:2834(Literal)
1	0	0	0	0	pyparsing.py:2873(_SingleCharLiteral)
1	0	0	0	0	pyparsing.py:3224(_WordRegex)
1	0	0	0	0	pyparsing.py:3234(Char)
1	0	0	0	0	pyparsing.py:3675(_PositionToken)
1	0	0	0	0	pyparsing.py:3682(GoToColumn)
1	0	0	0	0	pyparsing.py:3759(StringStart)
1	0	0	0	0	pyparsing.py:3774(StringEnd)
1	0	0	0	0	pyparsing.py:3974(_ErrorStop)
1	0	0	0	0	pyparsing.py:4639(_MultipleMatch)
1	0	0	0	0	pyparsing.py:5137(Dict)
4	0	0	0	0	pyparsing.py:5227(postParse)
1	0	0	0	0	pyparsing.py:5205(Suppress)
1	0	0	0	0	pyparsing.py:6741(LatinA)
1	0	0	0	0	pyparsing.py:6745(LatinB)
1	0	0	0	0	pyparsing.py:6749(Greek)
1	0	0	0	0	pyparsing.py:6757(Cyrillic)
1	0	0	0	0	pyparsing.py:6761(Chinese)
1	0	0	0	0	pyparsing.py:6773(Hiragana)
1	0	0	0	0	pyparsing.py:6777(Katakana)
1	0	0	0	0	pyparsing.py:6781(Korean)
1	0	0	0	0	pyparsing.py:6785(CJK)
1	0	0	0	0	pyparsing.py:6793(Arabic)

1	0	0	0	0	pyparsing.py:6797(Hebrew)
1	0	0	0	0	pyparsing.py:6801(Devanagari)
1	0	0	0	0	transforms.py:2695(BboxTransformToMaxOnly)
1	0	0	0	0	transforms.py:2716(BboxTransformFrom)
1	0	0	0	0	transforms.py:2862(TransformedPatchPath)
1	0	0	0	0	converter.py:150(TimeFormatter)
1	0	0	0	0	converter.py:1098(TimeSeries_TimedeltaFormatter)
1	0	0	0	0	dates.py:1385(YearLocator)
1	0	0	0	0	dates.py:1449(MonthLocator)
1	0	0	0	0	dates.py:1502(DayLocator)
1	0	0	0	0	dates.py:1549(MinuteLocator)
1	0	0	0	0	ticker.py:313(IndexFormatter)
1	0	0	0	0	ticker.py:335(NullFormatter)
1	0	0	0	0	ticker.py:379(FuncFormatter)
1	0	0	0	0	ticker.py:399(FormatStrFormatter)
1	0	0	0	0	ticker.py:439(OldScalarFormatter)
1	0	0	0	0	ticker.py:1133(LogFormatterSciNotation)
1	0	0	0	0	ticker.py:1594(NullLocator)
1	0	0	0	0	ticker.py:2487(AutoLocator)
3	0	0	0	0	compat.py:6(_mpl_version)
1	0	0	0	0	patches.py:3421(Curve)
1	0	0	0	0	patches.py:3432(CurveA)
1	0	0	0	0	bezier.py:17(NonIntersectingPathException)
1	0	0	0	0	mathtext.py:1060(StixSansFonts)
1	0	0	0	0	mathtext.py:1285(ComputerModernFontConstants)
1	0	0	0	0	mathtext.py:1316(DejaVuSansFontConstants)
1	0	0	0	0	mathtext.py:1357(MathTextWarning)
1	0	0	0	0	mathtext.py:1419(Vbox)
1	0	0	0	0	mathtext.py:1786(Rule)
1	0	0	0	0	mathtext.py:1803(Hrule)
1	0	0	0	0	mathtext.py:1896(Fill)
1	0	0	0	0	mathtext.py:1900(Filll)
1	0	0	0	0	mathtext.py:1904(NegFil)
1	0	0	0	0	mathtext.py:1908(NegFill)
1	0	0	0	0	mathtext.py:1912(NegFilll)
1	0	0	0	0	mathtext.py:1916(SsGlue)
1	0	0	0	0	mathtext.py:1920(HCentered)
1	0	0	0	0	mathtext.py:1929(VCentered)
1	0	0	0	0	mathtext.py:1966(SubSuperCluster)
1	0	0	0	0	mathtext.py:1980(AutoHeightChar)
1	0	0	0	0	dviread.py:733(Tfm)

3	0	0	0	0	base.py:14(dispatch)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	grouper.py:668(_is_label_like)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	engines.py:15(NumExprClobberingError)
1	0	0	0	0	engines.py:96(NumExprEngine)
1	0	0	0	0	common.py:37(NameResolutionError)
1	0	0	0	0	packers.py:800(Packer)
1	0	0	0	0	packers.py:848(Iterator)
1	0	0	0	0	exceptions.py:1(UnpackException)
1	0	0	0	0	exceptions.py:5(BufferFull)
1	0	0	0	0	exceptions.py:9(OutOfData)
1	0	0	0	0	exceptions.py:13(UnpackValueError)
1	0	0	0	0	exceptions.py:17(ExtraData)
1	0	0	0	0	exceptions.py:26(PackException)
1	0	0	0	0	_version.py:1(<module>)
1	0	0	0	0	parquet.py:136(FastParquetImpl)
1	0	0	0	0	pickle_compat.py:150(Unpickler)
1	0	0	0	0	pytables.py:121(PossibleDataLossError)
1	0	0	0	0	pytables.py:125(ClosedFileError)
1	0	0	0	0	pytables.py:129(IncompatibilityWarning)
1	0	0	0	0	pytables.py:150(DuplicateWarning)
1	0	0	0	0	pytables.py:2075(set_data)
1	0	0	0	0	pytables.py:2090(set_metadata)
1	0	0	0	0	pytables.py:3024(LegacyFixed)
1	0	0	0	0	pytables.py:3034(LegacySeriesFixed)
1	0	0	0	0	pytables.py:3042(LegacyFrameFixed)
1	0	0	0	0	pytables.py:3075(SparseFixed)
1	0	0	0	0	pytables.py:3116(SparseFrameFixed)
1	0	0	0	0	pytables.py:4117(WORMTable)
1	0	0	0	0	pytables.py:4526(AppendableMultiSeriesTable)
1	0	0	0	0	pytables.py:4952(Selection)
1	0	0	0	0	pytables.py:24(Scope)
1	0	0	0	0	pytables.py:291(JointFilterBinOp)
1	0	0	0	0	pytables.py:345(JointConditionBinOp)
1	0	0	0	0	pytables.py:484(Expr)
1	0	0	0	0	pytables.py:579(TermValue)
3	0	0	0	0	expr.py:305(disallow)
1	0	0	0	0	expr.py:350(add_ops)
1	0	0	0	0	sql.py:30(DatabaseError)
1	0	0	0	0	stata.py:516(PossiblePrecisionLoss)

1	0	0	0	0	stata.py:526(ValueLabelTypeMismatch)
1	0	0	0	0	stata.py:537(InvalidColumnName)
1	0	0	0	0	testing.py:2210(TestSubDict)

Showing 1 to 3,858 of 3,858 entries