

Reset Root


Reset Zoom

~:0(<built-in method builtins.exec>)
2.04 s

Style:

Depth:

Cutoff:



Search:

ncalls	tottime	percall	cumtime	percall	filename:
1	0.02581	0.02581	2.039	2.039	pandas_test.py:2(<module>)
760/1	0.01469	0.01469	2.039	2.039	~:0(<built-in method builtins.exec>)
803/1	0.005359	0.005359	1.028	1.028	<frozen importlib._bootstrap>:966(_find_and_load)
803/1	0.003634	0.003634	1.028	1.028	<frozen importlib._bootstrap>:936(_find_and_load_unlocked)
468/1	0.003095	0.003095	1.028	1.028	<frozen importlib._bootstrap>:651(_load_unlocked)
379/1	0.002057	0.002057	1.028	1.028	<frozen importlib._bootstrap_external>:672(exec_module)
818/1	0.000716	0.000716	1.028	1.028	<frozen importlib._bootstrap>:211(_call_with_frames_removed)
1	0.000104	0.000104	1.028	1.028	__init__.py:5(<module>)
552/73	0.000835	1.144e-05	0.6847	0.009379	~:0(<built-in method builtins._import__>)
1	1.3e-05	1.3e-05	0.6436	0.6436	groupby.py:1245(f)
1	1e-05	1e-05	0.6416	0.6416	generic.py:67(_cython_agg_general)
1	7e-05	7e-05	0.6412	0.6412	generic.py:96(_cython_agg_blocks)
1	0.006911	0.006911	0.494	0.494	ops.py:546(aggregate)

1	0.01927	0.01927	0.4871	0.4871	ops.py:413(<cython_operation>)
2574/1443	0.00247	1.712e-06	0.4816	0.0003337	<frozen importlib._bootstrap>:997(<handle_fromlist>)
1	5.5e-05	5.5e-05	0.398	0.398	api.py:5(<module>)
1	1.2e-05	1.2e-05	0.3018	0.3018	ops.py:288(result_index)
1	5e-06	5e-06	0.3018	0.3018	ops.py:277(ngroups)
1	1.6e-05	1.6e-05	0.3017	0.3017	grouper.py:384(<make_labels>)
1	3e-06	3e-06	0.3017	0.3017	grouper.py:370(result_index)
2	3e-06	1.5e-06	0.3017	0.1509	grouper.py:378(group_index)
1	0.000109	0.000109	0.3016	0.3016	_decorators.py:146(wrapper)
1	0.00834	0.00834	0.3015	0.3015	algorithms.py:559(factorize)
1	0.000188	0.000188	0.2756	0.2756	__init__.py:106(<module>)
379	0.004574	1.207e-05	0.2706	0.0007139	<frozen importlib._bootstrap_external>:743(get_code)
1	1.1e-05	1.1e-05	0.2519	0.2519	__init__.py:1(<module>)
1	8.3e-05	8.3e-05	0.235	0.235	groupby.py:8(<module>)
81/54	0.000393	7.278e-06	0.2283	0.004227	<frozen importlib._bootstrap_external>:927(exec_module)
81/54	0.09469	0.001753	0.2279	0.00422	~:0(<built-in method _imp.exec_dynamic>)
465/462	0.001344	2.909e-06	0.2255	0.0004881	<frozen importlib._bootstrap>:564(module_from_spec)
1	0.000105	0.000105	0.2229	0.2229	frame.py:12(<module>)
4	0.00012	3e-05	0.2119	0.05297	algorithms.py:1544(take_nd)
81/79	0.000466	5.899e-06	0.2104	0.002663	<frozen importlib._bootstrap_external>:919(create_module)
81/79	0.2066	0.002615	0.2097	0.002654	~:0(<built-in method _imp.create_dynamic>)
1	0.000403	0.000403	0.2039	0.2039	algorithms.py:434(<factorize_array>)
1	0.2035	0.2035	0.2035	0.2035	~:0(<method 'factorize' of 'pandas._libs.hashtable.Int64Has
2	0.1893	0.09464	0.1905	0.09527	~:0(<method 'randint' of 'numpy.random.mtrand.RandomSt
379	0.02695	7.111e-05	0.1691	0.0004461	<frozen importlib._bootstrap_external>:830(get_data)
1	0.1479	0.1479	0.1483	0.1483	ops.py:553(<aggregate>)
379	0.1421	0.000375	0.1421	0.000375	~:0(<method 'read' of 'io.FileIO' objects>)
1	1.4e-05	1.4e-05	0.1402	0.1402	generic.py:1359(<get_data_to_aggregate>)
1	1.7e-05	1.7e-05	0.1401	0.1401	generic.py:3787(<drop_axis>)
1	1.5e-05	1.5e-05	0.1401	0.1401	generic.py:3759(drop)
1	6e-06	6e-06	0.1401	0.1401	base.py:244(<obj_with_exclusions>)
1	5e-06	5e-06	0.1401	0.1401	frame.py:3819(drop)
1	2.3e-05	2.3e-05	0.1395	0.1395	generic.py:4113(reindex)
1	1e-05	1e-05	0.1395	0.1395	frame.py:3794(reindex)
1	4e-06	4e-06	0.1395	0.1395	_decorators.py:195(wrapper)
1	5.8e-05	5.8e-05	0.1393	0.1393	__init__.py:1(<module>)
1	1.4e-05	1.4e-05	0.1393	0.1393	frame.py:3729(<reindex_axes>)
1	1e-05	1e-05	0.1393	0.1393	frame.py:3754(<reindex_columns>)
1	2.8e-05	2.8e-05	0.1392	0.1392	generic.py:4469(<reindex_with_indexers>)
1	2.1e-05	2.1e-05	0.1391	0.1391	managers.py:1198(reindex_indexer)
1	0.000373	0.000373	0.1389	0.1389	managers.py:1241(<slice_take_blocks_ax0>)
5	0.137	0.02741	0.137	0.02741	~:0(<method 'take' of 'numpy.ndarray' objects>)

1	2.1e-05	2.1e-05	0.1358	0.1358	blocks.py:1217(take_nd)
1	1.2e-05	1.2e-05	0.1356	0.1356	algorithms.py:1293(_take_nd_object)
1	4e-06	4e-06	0.1356	0.1356	algorithms.py:1442(func)
1	5e-06	5e-06	0.122	0.122	__init__.py:4(<module>)
1	2.4e-05	2.4e-05	0.1214	0.1214	__init__.py:4(<module>)
1	0.000105	0.000105	0.1157	0.1157	series.py:3(<module>)
1	0.000155	0.000155	0.1012	0.1012	__init__.py:1(<module>)
12	0.1004	0.008363	0.1004	0.008367	~:0(<method 'astype' of 'numpy.ndarray' objects>)
1267/1238	0.02727	2.203e-05	0.09298	7.51e-05	~:0(<built-in method builtins.__build_class__>)
1	0.000115	0.000115	0.09126	0.09126	generic.py:2(<module>)
1	1.6e-05	1.6e-05	0.08897	0.08897	__init__.py:3(<module>)
1	0.000109	0.000109	0.08401	0.08401	__init__.py:25(<module>)
1	0.000141	0.000141	0.0838	0.0838	_core.py:3(<module>)
631	0.006204	9.832e-06	0.08185	0.0001297	<frozen importlib._bootstrap>:870(_find_spec)
1	7.7e-05	7.7e-05	0.07896	0.07896	_converter.py:1(<module>)
379	0.001632	4.306e-06	0.07831	0.0002066	<frozen importlib._bootstrap_external>:485(_compile_byte
3	0.07556	0.02519	0.07556	0.02519	~:0(<pandas._libs.algos.take_1d_int64_int64>)
379	0.07526	0.0001986	0.07526	0.0001986	~:0(<built-in method marshal.loads>)
626	0.000826	1.319e-06	0.07162	0.0001144	<frozen importlib._bootstrap_external>:1149(find_spec)
626	0.00305	4.872e-06	0.0708	0.0001131	<frozen importlib._bootstrap_external>:1117(_get_spec)
1	4.8e-05	4.8e-05	0.06684	0.06684	api.py:3(<module>)
4	7.6e-05	1.9e-05	0.06355	0.01589	frame.py:378(__init__)
1	2.3e-05	2.3e-05	0.06344	0.06344	construction.py:170(init_dict)
1	1e-05	1e-05	0.06203	0.06203	construction.py:43(arrays_to_mgr)
1	1e-05	1e-05	0.06172	0.06172	managers.py:1663(create_block_manager_from_arrays)
1	5.6e-05	5.6e-05	0.06052	0.06052	managers.py:1696(form_blocks)
1	3.2e-05	3.2e-05	0.06034	0.06034	managers.py:1810(_multi_blockify)
2	0.05911	0.02956	0.05915	0.02958	managers.py:1841(_stack_arrays)
923	0.01025	1.111e-05	0.05709	6.185e-05	<frozen importlib._bootstrap_external>:1233(find_spec)
1	0.000136	0.000136	0.05635	0.05635	__init__.py:1(<module>)
1	0.00017	0.00017	0.05385	0.05385	__init__.py:101(<module>)
1	7e-05	7e-05	0.05015	0.05015	__init__.py:124(<module>)
972	0.005297	5.45e-06	0.04806	4.944e-05	textwrap.py:414(dedent)
1	0.000107	0.000107	0.0396	0.0396	multiarray.py:7(<module>)
551	0.000942	1.71e-06	0.03959	7.185e-05	_decorators.py:310(__call__)
1146	0.001949	1.701e-06	0.03885	3.39e-05	re.py:286(_compile)
2612	0.03812	1.459e-05	0.03812	1.459e-05	~:0(<built-in method posix.stat>)
1	2.2e-05	2.2e-05	0.03704	0.03704	overrides.py:1(<module>)
118	0.000107	9.068e-07	0.03632	0.0003078	re.py:231(compile)
1	4.4e-05	4.4e-05	0.03623	0.03623	client.py:69(<module>)
1	1.1e-05	1.1e-05	0.03614	0.03614	index.py:2(<module>)
117	0.000729	6.231e-06	0.03547	0.0003032	sre_compile.py:557(compile)

1	5.3e-05	5.3e-05	0.03521	0.03521	api.py:1(<module>)
1	0.000189	0.000189	0.03519	0.03519	lazy.py:97(_lazy)
593	0.000327	5.514e-07	0.03496	5.895e-05	__init__.py:1104(<genexpr>)
1	0.000191	0.000191	0.03493	0.03493	rcsetup.py:15(<module>)
592	0.000713	1.204e-06	0.03463	5.85e-05	__init__.py:111(resource_exists)
1	1.3e-05	1.3e-05	0.03305	0.03305	array.py:1(<module>)
1	7.9e-05	7.9e-05	0.03163	0.03163	common.py:1(<module>)
592	0.00232	3.919e-06	0.03138	5.301e-05	__init__.py:78(open_resource)
1984	0.001228	6.19e-07	0.03135	1.58e-05	<frozen importlib._bootstrap_external>:75(_path_stat)
1	5.7e-05	5.7e-05	0.03113	0.03113	interval.py:1(<module>)
317	0.000977	3.082e-06	0.03037	9.581e-05	overrides.py:154(decorator)
1	4.5e-05	4.5e-05	0.02979	0.02979	__init__.py:7(<module>)
1	2.3e-05	2.3e-05	0.02871	0.02871	fontconfig_pattern.py:7(<module>)
1	0.000129	0.000129	0.0269	0.0269	base.py:1(<module>)
1	3.1e-05	3.1e-05	0.02652	0.02652	base.py:7(<module>)
1	7.5e-05	7.5e-05	0.02436	0.02436	format.py:5(<module>)
1	0.000263	0.000263	0.02389	0.02389	pyparsing.py:96(<module>)
1	6.9e-05	6.9e-05	0.02297	0.02297	common.py:1(<module>)
1	0.0001	0.0001	0.0219	0.0219	categorical.py:3(<module>)
1	0.000105	0.000105	0.02184	0.02184	dates.py:137(<module>)
1	4.1e-05	4.1e-05	0.02155	0.02155	__init__.py:45(<module>)
1620	0.02143	1.323e-05	0.02146	1.325e-05	~:0(<method 'sub' of '_sre.SRE_Pattern' objects>)
1	1.6e-05	1.6e-05	0.01971	0.01971	parser.py:5(<module>)
1	3.6e-05	3.6e-05	0.01937	0.01937	_internal.py:6(<module>)
1	9.5e-05	9.5e-05	0.01908	0.01908	excel.py:3(<module>)
1	5.3e-05	5.3e-05	0.01887	0.01887	index_tricks.py:1(<module>)
1	2.3e-05	2.3e-05	0.0187	0.0187	feedparser.py:20(<module>)
1	0.000112	0.000112	0.01859	0.01859	interval.py:1(<module>)
117	0.000615	5.256e-06	0.01837	0.000157	sre_parse.py:844(parse)
1	5.1e-05	5.1e-05	0.01768	0.01768	dtypes.py:1(<module>)
1	3.5e-05	3.5e-05	0.01764	0.01764	platform.py:10(<module>)
2	1.8e-05	9e-06	0.01756	0.008779	generic.py:10131(_add_series_or_dataframe_operations)
1	4.5e-05	4.5e-05	0.01721	0.01721	ticker.py:165(<module>)
1	6e-06	6e-06	0.0162	0.0162	common.py:90(ensure_int64_or_float64)
289/117	0.001051	8.983e-06	0.01603	0.000137	sre_parse.py:407(_parse_sub)
117	0.000271	2.316e-06	0.01589	0.0001358	sre_compile.py:542(_code)
1	1.4e-05	1.4e-05	0.01583	0.01583	_policybase.py:4(<module>)
972	0.01582	1.627e-05	0.01582	1.627e-05	~:0(<method 'findall' of '_sre.SRE_Pattern' objects>)
1	7.9e-05	7.9e-05	0.01552	0.01552	function.py:19(<module>)
317	0.01548	4.883e-05	0.01548	4.883e-05	~:0(<built-in method builtins.compile>)
348/127	0.005734	4.515e-05	0.01539	0.0001211	sre_parse.py:470(_parse)
1	8.2e-05	8.2e-05	0.01522	0.01522	window.py:4(<module>)

631	0.000611	9.683e-07	0.01518	2.406e-05	<frozen importlib._bootstrap_external>:94(_path_isfile)
682	0.000923	1.353e-06	0.01503	2.203e-05	<frozen importlib._bootstrap_external>:85(_path_is_mode
29	0.000867	2.99e-05	0.01493	0.000515	__init__.py:357(namedtuple)
594	0.01463	2.464e-05	0.01464	2.464e-05	~:0(<built-in method io.open>)
1	5.8e-05	5.8e-05	0.0146	0.0146	transforms.py:30(<module>)
1	3.5e-05	3.5e-05	0.01458	0.01458	__init__.py:2(<module>)
1	1.1e-05	1.1e-05	0.01363	0.01363	__init__.py:1(<module>)
2	0.01358	0.006788	0.01358	0.006788	~:0(<method 'argsort' of 'numpy.ndarray' objects>)
1	8.3e-05	8.3e-05	0.01341	0.01341	request.py:68(<module>)
1	5.7e-05	5.7e-05	0.0134	0.0134	base.py:3(<module>)
1	0.000158	0.000158	0.01329	0.01329	parsers.py:3(<module>)
1	2e-05	2e-05	0.01307	0.01307	__init__.py:2(<module>)
465	0.00299	6.43e-06	0.01289	2.772e-05	<frozen importlib._bootstrap>:504(_init_module_attrs)
1	0.000271	0.000271	0.01287	0.01287	secrets.py:7(<module>)
1	1.3e-05	1.3e-05	0.01264	0.01264	__init__.py:1(<module>)
632/117	0.003463	2.96e-05	0.01259	0.0001076	sre_compile.py:64(_compile)
1	2e-05	2e-05	0.01222	0.01222	__init__.py:10(<module>)
1	0.0001	0.0001	0.01185	0.01185	packers.py:39(<module>)
1	4.5e-05	4.5e-05	0.01184	0.01184	_parser.py:30(<module>)
4727	0.004332	9.164e-07	0.01181	2.499e-06	<frozen importlib._bootstrap_external>:57(_path_join)
1	4.6e-05	4.6e-05	0.01148	0.01148	json.py:2(<module>)
1	0.000196	0.000196	0.01126	0.01126	numeric.py:1(<module>)
10	0.000279	2.79e-05	0.01121	0.001121	ops.py:1293(_create_methods)
1	9e-06	9e-06	0.01113	0.01113	__init__.py:3(<module>)
1	2.4e-05	2.4e-05	0.01111	0.01111	py3k.py:4(<module>)
1	0.000136	0.000136	0.01071	0.01071	nanops.py:1(<module>)
1	5.4e-05	5.4e-05	0.01068	0.01068	npvio.py:1(<module>)
643	0.000486	7.558e-07	0.01058	1.645e-05	re.py:184(sub)
1	0.000203	0.000203	0.01055	0.01055	typing.py:1(<module>)
803	0.001127	1.403e-06	0.0105	1.307e-05	<frozen importlib._bootstrap>:147(__enter__)
1	8.6e-05	8.6e-05	0.0105	0.0105	multi.py:2(<module>)
1	2.3e-05	2.3e-05	0.01035	0.01035	defmatrix.py:1(<module>)
1	8e-06	8e-06	0.01035	0.01035	api.py:3(<module>)
1	4.4e-05	4.4e-05	0.01005	0.01005	case.py:1(<module>)
66	0.000236	3.576e-06	0.009718	0.0001472	dtypes.py:68(find)
1	2.6e-05	2.6e-05	0.009712	0.009712	subprocess.py:42(<module>)
54	0.000141	2.611e-06	0.009656	0.0001788	common.py:1981(pandas_dtype)
13	4e-05	3.077e-06	0.009633	0.000741	nanops.py:59(__init__)
33	3.8e-05	1.152e-06	0.009593	0.0002907	nanops.py:61(<genexpr>)
1029	0.001153	1.121e-06	0.009546	9.277e-06	<frozen importlib._bootstrap_external>:1080(_path_import
1	2.9e-05	2.9e-05	0.009543	0.009543	__init__.py:15(<module>)
5	0.009261	0.001852	0.009284	0.001857	base.py:5021(_add_numeric_methods_disabled)

5	3e-05	6e-06	0.00928	0.001856	ops.py:1421(add_flex_arithmetic_methods)
24	7.7e-05	3.208e-06	0.009248	0.0003853	dtypes.py:786(construct_from_string)
1	5.7e-05	5.7e-05	0.00917	0.00917	frame.py:4(<module>)
1	7.6e-05	7.6e-05	0.009048	0.009048	ssl.py:91(<module>)
1	0.000124	0.000124	0.008936	0.008936	config_init.py:11(<module>)
1	1.7e-05	1.7e-05	0.008892	0.008892	__init__.py:45(<module>)
1	3.4e-05	3.4e-05	0.008638	0.008638	__init__.py:3(<module>)
1	0.000117	0.000117	0.008629	0.008629	inspect.py:27(<module>)
1483	0.00578	3.898e-06	0.008621	5.813e-06	<frozen importlib._bootstrap>:157(_get_module_lock)
1	9.4e-05	9.4e-05	0.00851	0.00851	pyparsing.py:6366(pyparsing_common)
1	3.4e-05	3.4e-05	0.008465	0.008465	utils.py:5(<module>)
80	0.001074	1.342e-05	0.008127	0.0001016	typing.py:922(__new__)
1	0.000125	0.000125	0.008085	0.008085	ops.py:5(<module>)
31/15	0.000491	3.273e-05	0.008024	0.0005349	~:0(<built-in method numpy.core._multiarray_umath.imple
379	0.006565	1.732e-05	0.007914	2.088e-05	<frozen importlib._bootstrap_external>:430(_validate_byte
599	0.000404	6.745e-07	0.007905	1.32e-05	genericpath.py:16(exists)
1	7e-05	7e-05	0.007857	0.007857	generic.py:7(<module>)
1	1.7e-05	1.7e-05	0.007759	0.007759	_datasource.py:36(<module>)
125	0.001418	1.134e-05	0.007733	6.186e-05	abc.py:132(__new__)
1	0.000108	0.000108	0.007718	0.007718	blocks.py:2(<module>)
3127	0.001596	5.104e-07	0.007672	2.453e-06	enum.py:267(__call__)
1	3.1e-05	3.1e-05	0.007672	0.007672	hashing.py:3(<module>)
1	7.7e-05	7.7e-05	0.007665	0.007665	__init__.py:41(<module>)
1	8.4e-05	8.4e-05	0.007436	0.007436	datetimes.py:2(<module>)
1	1.8e-05	1.8e-05	0.007319	0.007319	api.py:3(<module>)
1	7.4e-05	7.4e-05	0.007286	0.007286	linalg.py:10(<module>)
758	0.003131	4.131e-06	0.0072	9.499e-06	<frozen importlib._bootstrap_external>:263(cache_from_sc
1	2.7e-05	2.7e-05	0.006979	0.006979	__init__.py:97(<module>)
839	0.000875	1.043e-06	0.006969	8.306e-06	<frozen importlib._bootstrap>:403(cached)
1	3e-06	3e-06	0.006751	0.006751	blocks.py:725(_try_coerce_and_cast_result)
1	1.1e-05	1.1e-05	0.006747	0.006747	blocks.py:676(_try_cast_result)
1	4.6e-05	4.6e-05	0.006733	0.006733	cast.py:65(maybe_downcast_to_dtype)
1	9.2e-05	9.2e-05	0.006731	0.006731	sparse.py:3(<module>)
379	0.000548	1.446e-06	0.006641	1.752e-05	<frozen importlib._bootstrap_external>:840(path_stats)
1	0.0001	0.0001	0.006513	0.006513	offsets.py:2(<module>)
1	7.9e-05	7.9e-05	0.006471	0.006471	hmac.py:4(<module>)
27	0.000141	5.222e-06	0.006429	0.0002381	pyparsing.py:3263(__init__)
1	4.1e-05	4.1e-05	0.006392	0.006392	shutil.py:5(<module>)
1	2.4e-05	2.4e-05	0.006165	0.006165	normalize.py:4(<module>)
4727	0.003615	7.648e-07	0.006119	1.294e-06	<frozen importlib._bootstrap_external>:59(<listcomp>)
68	0.000323	4.75e-06	0.006101	8.972e-05	ops.py:1990(_arith_method_FRAME)

460	0.001237	2.689e-06	0.006094	1.325e-05	<frozen importlib._bootstrap_external>:361(_get_cached)
2	4e-06	2e-06	0.006079	0.003039	<__array_function__ internals>:2(allclose)
2	1.3e-05	6.5e-06	0.00607	0.003035	numeric.py:2103(allclose)
213	0.006036	2.834e-05	0.006036	2.834e-05	~:0(<built-in method posix.getcwd>)
2	4e-06	2e-06	0.006003	0.003001	<__array_function__ internals>:2(isclose)
22681/22572	0.004561	2.021e-07	0.005995	2.656e-07	~:0(<built-in method builtins.isinstance>)
2	0.000623	0.0003115	0.005987	0.002994	numeric.py:2179(isclose)
8122	0.005855	7.209e-07	0.005924	7.294e-07	~:0(<built-in method builtins.hasattr>)
12664	0.00586	4.627e-07	0.005906	4.664e-07	~:0(<built-in method builtins.getattr>)
1397	0.002239	1.603e-06	0.00577	4.13e-06	enum.py:803(__and__)
1	0.000104	0.000104	0.005671	0.005671	pytables.py:5(<module>)
1	4.5e-05	4.5e-05	0.005602	0.005602	pathlib.py:1(<module>)
1	2.4e-05	2.4e-05	0.005562	0.005562	__init__.py:2(<module>)
1	3.6e-05	3.6e-05	0.005547	0.005547	hashlib.py:54(<module>)
1	0.000146	0.000146	0.00554	0.00554	__init__.py:7(<module>)
1	4e-06	4e-06	0.005422	0.005422	__init__.py:992(rc_params)
680	0.00113	1.662e-06	0.00536	7.882e-06	<frozen importlib._bootstrap>:194(_lock_unlock_module)
1	5e-06	5e-06	0.005356	0.005356	testing.py:5(<module>)
1	3.2e-05	3.2e-05	0.005259	0.005259	header.py:5(<module>)
2	0.000646	0.000323	0.005239	0.002619	numeric.py:2256(within_tol)
90	8.7e-05	9.667e-07	0.005155	5.728e-05	typing.py:133(__new__)
25	0.000119	4.76e-06	0.005147	0.0002059	pyparsing.py:1275(_trim_arity)
21	0.000104	4.952e-06	0.005137	0.0002446	pyparsing.py:1504(setParseAction)
1	3.9e-05	3.9e-05	0.005137	0.005137	grouper.py:4(<module>)
1	4e-05	4e-05	0.005092	0.005092	config.py:49(<module>)
1	1.6e-05	1.6e-05	0.005057	0.005057	__init__.py:1119(rc_params_from_file)
24	8.2e-05	3.417e-06	0.005016	0.000209	pyparsing.py:1283(extract_stack)
1	3e-06	3e-06	0.004994	0.004994	api.py:3(<module>)
1	1.9e-05	1.9e-05	0.004979	0.004979	__init__.py:1(<module>)
1	2.7e-05	2.7e-05	0.004968	0.004968	financial.py:12(<module>)
24	8.3e-05	3.458e-06	0.004908	0.0002045	traceback.py:200(extract_stack)
1	8.5e-05	8.5e-05	0.004834	0.004834	__init__.py:9(<module>)
24	0.00025	1.042e-05	0.004806	0.0002002	traceback.py:319(extract)
13	8.8e-05	6.769e-06	0.004735	0.0003642	enum.py:604(_convert)
51	0.000484	9.49e-06	0.00471	9.235e-05	<frozen importlib._bootstrap_external>:1281(_fill_cache)
1	0.000106	0.000106	0.004681	0.004681	fromnumeric.py:3(<module>)
29401	0.004657	1.584e-07	0.004657	1.584e-07	~:0(<method 'startswith' of 'str' objects>)
1	0.00013	0.00013	0.004623	0.004623	numerictypes.py:81(<module>)
1	0.000122	0.000122	0.004595	0.004595	function_base.py:1(<module>)
1	4.7e-05	4.7e-05	0.004595	0.004595	reshape.py:3(<module>)
55/53	7.1e-05	1.34e-06	0.004552	8.589e-05	typing.py:676(inner)
4	0.000229	5.725e-05	0.004535	0.001134	_collections_abc.py:824(update)

3	5e-06	1.667e-06	0.004518	0.001506	__init__.py:893(__init__)
76	0.004512	5.937e-05	0.004512	5.937e-05	~:0(<built-in method builtins.abs>)
1	0.0001	0.0001	0.004391	0.004391	defchararray.py:17(<module>)
1	1.4e-05	1.4e-05	0.004374	0.004374	eval.py:4(<module>)
287	0.001083	3.774e-06	0.004369	1.522e-05	overrides.py:72(verify_matching_signatures)
34	0.000317	9.324e-06	0.004317	0.000127	typing.py:1099(__getitem__)
460	0.001058	2.3e-06	0.004287	9.32e-06	<frozen importlib._bootstrap_external>:1228(_get_spec)
1	2.8e-05	2.8e-05	0.004248	0.004248	threading.py:1(<module>)
1	0.000108	0.000108	0.004234	0.004234	_add_newdocs.py:10(<module>)
1	6.4e-05	6.4e-05	0.004186	0.004186	datetimes.py:2(<module>)
1533	0.004163	2.716e-06	0.004163	2.716e-06	~:0(<built-in method __new__ of type object at 0x1026e9d
1	7.3e-05	7.3e-05	0.004081	0.004081	panel.py:3(<module>)
1	0.000101	0.000101	0.004018	0.004018	tz.py:9(<module>)
1483	0.003715	2.505e-06	0.004008	2.703e-06	<frozen importlib._bootstrap>:78(acquire)
1	3.1e-05	3.1e-05	0.003955	0.003955	decoder.py:2(<module>)
268	0.000638	2.381e-06	0.003935	1.468e-05	sre_compile.py:223(_compile_charset)
96	8.4e-05	8.75e-07	0.003925	4.089e-05	traceback.py:283(line)
5	2.6e-05	5.2e-06	0.003898	0.0007796	config.py:765(is_instance_factory)
273	0.000487	1.784e-06	0.003832	1.404e-05	function_base.py:441(add_newdoc)
10	2.1e-05	2.1e-06	0.003823	0.0003823	pyparsing.py:5088(__init__)
72	5.5e-05	7.639e-07	0.003821	5.307e-05	linecache.py:15(getline)
596	0.000548	9.195e-07	0.003814	6.399e-06	__init__.py:896(__setitem__)
1	1.5e-05	1.5e-05	0.003804	0.003804	main.py:1(<module>)
51	0.003782	7.416e-05	0.003782	7.416e-05	~:0(<built-in method posix.listdir>)
1	0.00016	0.00016	0.003763	0.003763	testing.py:1(<module>)
72	4.2e-05	5.833e-07	0.003753	5.212e-05	linecache.py:37(getlines)
1	5.2e-05	5.2e-05	0.003748	0.003748	ops.py:7(<module>)
1	2e-05	2e-05	0.003735	0.003735	engines.py:3(<module>)
32/9	4.9e-05	5.444e-06	0.003715	0.0004128	pyparsing.py:4434(leaveWhitespace)
1	3.8e-05	3.8e-05	0.003701	0.003701	linecache.py:82(updatecache)
1	2.9e-05	2.9e-05	0.003685	0.003685	polynomial.py:57(<module>)
7026/7022	0.002576	3.668e-07	0.0036	5.127e-07	~:0(<method 'join' of 'str' objects>)
16	0.00134	8.375e-05	0.003532	0.0002207	enum.py:124(__new__)
1	6e-06	6e-06	0.003515	0.003515	_dtype_ctypes.py:24(<module>)
13	0.000136	1.046e-05	0.003499	0.0002692	enum.py:366(_create_)
410	0.000373	9.098e-07	0.003477	8.48e-06	pyparsing.py:1409(copy)
1	9e-05	9e-05	0.003446	0.003446	socket.py:47(<module>)
1	1.4e-05	1.4e-05	0.003444	0.003444	decimal.py:2(<module>)
1	4.6e-05	4.6e-05	0.003427	0.003427	series.py:4(<module>)
1483	0.00309	2.084e-06	0.003422	2.307e-06	<frozen importlib._bootstrap>:103(release)
803	0.000946	1.178e-06	0.003397	4.23e-06	<frozen importlib._bootstrap>:151(__exit__)
498	0.001701	3.416e-06	0.003373	6.773e-06	functools.py:44(update_wrapper)

1	0.000184	0.000184	0.003328	0.003328	frame.py:290(DataFrame)
1	0.000529	0.000529	0.003297	0.003297	series.py:102(Series)
1	7.9e-05	7.9e-05	0.003279	0.003279	__init__.py:24(<module>)
1	9e-06	9e-06	0.003271	0.003271	traceback.py:1(<module>)
3	0.001093	0.0003643	0.003263	0.001088	generic.py:9977(_add_numeric_operations)
7	2.5e-05	3.571e-06	0.003258	0.0004654	pyparsing.py:1887(parseString)
1	3e-05	3e-05	0.003242	0.003242	table_schema.py:5(<module>)
1	5.2e-05	5.2e-05	0.003213	0.003213	pickle.py:24(<module>)
2310	0.003118	1.35e-06	0.003202	1.386e-06	~:0(<method 'format' of 'str' objects>)
1	0.000963	0.000963	0.003178	0.003178	getlimits.py:96(_register_known_types)
1	0.003029	0.003029	0.003166	0.003166	~:0(<method 'readlines' of '_io._IOBase' objects>)
1	2.8e-05	2.8e-05	0.003152	0.003152	_decorators.py:1(<module>)
1	3.2e-05	3.2e-05	0.003149	0.003149	pytables.py:1(<module>)
3928	0.00142	3.615e-07	0.003135	7.981e-07	sre_parse.py:253(get)
411	0.000882	2.146e-06	0.003112	7.572e-06	copy.py:66(copy)
1	0.002145	0.002145	0.003091	0.003091	scimath.py:17(<module>)
1	4.2e-05	4.2e-05	0.003057	0.003057	dis.py:1(<module>)
618	0.000672	1.087e-06	0.003027	4.898e-06	_inspect.py:98(getargspec)
1	3.8e-05	3.8e-05	0.00297	0.00297	pocketfft.py:29(<module>)
117	0.000635	5.427e-06	0.002923	2.498e-05	sre_compile.py:482(_compile_info)
5	5.8e-05	1.16e-05	0.00292	0.000584	ops.py:1368(add_special_arithmetic_methods)
56/9	0.000134	1.489e-05	0.002896	0.0003218	pyparsing.py:3866(leaveWhitespace)
1	1.5e-05	1.5e-05	0.002896	0.002896	generic.py:7514(groupby)
1	5.2e-05	5.2e-05	0.002888	0.002888	datetime.py:5(<module>)
465	0.001449	3.116e-06	0.002871	6.174e-06	<frozen importlib._bootstrap>:318(__exit__)
1	1.4e-05	1.4e-05	0.002868	0.002868	groupby.py:2099(groupby)
1	3.3e-05	3.3e-05	0.002849	0.002849	groupby.py:327(__init__)
460	0.001859	4.041e-06	0.002824	6.139e-06	<frozen importlib._bootstrap_external>:524(spec_from_file)
268	0.00184	6.866e-06	0.002822	1.053e-05	sre_compile.py:250(_optimize_charset)
1	8e-05	8e-05	0.002785	0.002785	grouper.py:403(_get_grouper)
1	0.000274	0.000274	0.002782	0.002782	generic.py:98(NDFrame)
1	0.000177	0.000177	0.002762	0.002762	random.py:38(<module>)
1	6e-06	6e-06	0.002743	0.002743	linecache.py:6(<module>)
114/56	0.000134	2.393e-06	0.002679	4.784e-05	pyparsing.py:3937(copy)
1	2.5e-05	2.5e-05	0.002657	0.002657	message.py:5(<module>)
1	0.000299	0.000299	0.002646	0.002646	core.py:21(<module>)
188/7	0.000565	8.071e-05	0.002645	0.0003779	pyparsing.py:1633(_parseNoCache)
10811	0.002644	2.446e-07	0.002644	2.446e-07	~:0(<method 'rstrip' of 'str' objects>)
3430/3258	0.000834	2.56e-07	0.002644	8.115e-07	~:0(<built-in method builtins.issubclass>)
39/7	0.000125	1.786e-05	0.002609	0.0003727	pyparsing.py:4017(parseImpl)
14	2.1e-05	1.5e-06	0.002607	0.0001862	hashlib.py:116(__get_openssl_constructor)
3114	0.001877	6.028e-07	0.002577	8.276e-07	enum.py:517(__new__)

598	0.001631	2.727e-06	0.002572	4.301e-06	posixpath.py:75(join)
1	2.4e-05	2.4e-05	0.002557	0.002557	fractions.py:4(<module>)
8	1.8e-05	2.25e-06	0.002546	0.0003183	hashlib.py:73(__get_builtin_constructor)
592	0.002535	4.282e-06	0.002535	4.282e-06	~:0(<method 'close' of '_io.BufferedReader' objects>)
1	0.000552	0.000552	0.002534	0.002534	__init__.py:195(_sanity_check)
1	1.8e-05	1.8e-05	0.002408	0.002408	scanner.py:2(<module>)
1	5e-06	5e-06	0.002389	0.002389	__init__.py:1(<module>)
51	0.001019	1.998e-05	0.002387	4.68e-05	<frozen importlib._bootstrap_external>:1067(_path_hooks)
5068	0.002355	4.647e-07	0.002355	4.647e-07	<frozen importlib._bootstrap>:222(_verbose_message)
1	3.4e-05	3.4e-05	0.002351	0.002351	indexing.py:2(<module>)
2	2.5e-05	1.25e-05	0.002286	0.001143	pyparsing.py:5647(srangle)
10	0.000147	1.47e-05	0.002279	0.0002279	pyparsing.py:3118(__init__)
1006/497	0.001824	3.67e-06	0.002247	4.521e-06	sre_parse.py:173(getwidth)
19	0.002236	0.0001177	0.002236	0.0001177	~:0(<method 'reduce' of 'numpy.ufunc' objects>)
4807	0.002208	4.593e-07	0.002208	4.593e-07	sre_parse.py:232(__next)
6	0.000771	0.0001285	0.002155	0.0003592	getlimits.py:37(__init__)
1	5.9e-05	5.9e-05	0.002124	0.002124	colors.py:45(<module>)
154	0.002108	1.369e-05	0.002122	1.378e-05	~:0(<built-in method numpy.array>)
114/56	0.0001	1.786e-06	0.002107	3.762e-05	pyparsing.py:3939(<listcomp>)
44	8.5e-05	1.932e-06	0.002107	4.789e-05	ops.py:1860(_flex_method_SERIES)
799	0.00129	1.615e-06	0.002079	2.602e-06	<frozen importlib._bootstrap>:58(__init__)
1	3.6e-05	3.6e-05	0.002077	0.002077	_misc.py:3(<module>)
1	5.5e-05	5.5e-05	0.00207	0.00207	strings.py:2(<module>)
6/4	0.000195	4.875e-05	0.002064	0.000516	base.py:253(__new__)
56	4.6e-05	8.214e-07	0.002064	3.686e-05	pyparsing.py:3870(<listcomp>)
10415/10096	0.001918	1.9e-07	0.002037	2.018e-07	~:0(<built-in method builtins.len>)
1	0.000107	0.000107	0.002029	0.002029	tokenize.py:21(<module>)
596	0.000572	9.597e-07	0.001966	3.299e-06	_collections_abc.py:657(get)
1	2.8e-05	2.8e-05	0.001952	0.001952	groupby.py:483(_set_group_selection)
1	0.001948	0.001948	0.001948	0.001948	~:0(<method 'dot' of 'numpy.ndarray' objects>)
1	5.3e-05	5.3e-05	0.001944	0.001944	datetimelike.py:2(<module>)
1	4.9e-05	4.9e-05	0.001944	0.001944	type_check.py:3(<module>)
1	0.000247	0.000247	0.001924	0.001924	strings.py:1783(StringMethods)
142/30	0.000721	2.403e-05	0.001921	6.403e-05	abc.py:196(__subclasscheck__)
1	9.7e-05	9.7e-05	0.001907	0.001907	utils.py:4(<module>)
4026	0.001619	4.021e-07	0.001901	4.722e-07	~:0(<built-in method builtins setattr>)
23	2.9e-05	1.261e-06	0.001898	8.252e-05	overrides.py:200(decorator)
12	2.9e-05	2.417e-06	0.001889	0.0001574	pyparsing.py:4654(parseImpl)
596	0.001026	1.721e-06	0.001845	3.096e-06	posixpath.py:154(dirname)
156	9.2e-05	5.897e-07	0.001841	1.18e-05	~:0(<built-in method builtins.all>)
799	0.001173	1.468e-06	0.001825	2.284e-06	<frozen importlib._bootstrap>:176(cb)
1	4.1e-05	4.1e-05	0.001821	0.001821	parse.py:28(<module>)

1	0.000155	0.000155	0.00176	0.00176	interval.py:101(IntervalIndex)
1	0.000205	0.000205	0.001752	0.001752	expr.py:2(<module>)
2406	0.001175	4.884e-07	0.001737	7.219e-07	sre_parse.py:163(__getitem__)
1031/983	0.001191	1.212e-06	0.001732	1.762e-06	typing.py:1164(__setattr__)
1	1.7e-05	1.7e-05	0.001732	0.001732	printing.py:3(<module>)
614	0.001487	2.422e-06	0.001718	2.798e-06	_inspect.py:67(getargs)
22/10	0.000863	8.63e-05	0.001709	0.0001709	pyparsing.py:4217(parseImpl)
1	1.2e-05	1.2e-05	0.001704	0.001704	string.py:15(<module>)
18/4	2.2e-05	5.5e-06	0.001673	0.0004183	pyparsing.py:4428(parseImpl)
1	5.1e-05	5.1e-05	0.001665	0.001665	numeric.py:1(<module>)
1	2.5e-05	2.5e-05	0.001655	0.001655	charset.py:6(<module>)
12	3.6e-05	3e-06	0.001647	0.0001373	ops.py:2043(_flex_comp_method_FRAME)
2	8e-06	4e-06	0.001601	0.0008005	grouper.py:524(<genexpr>)
3	0.000359	0.0001197	0.001599	0.000533	base.py:3918(__contains__)
4	3.8e-05	9.5e-06	0.001581	0.0003952	managers.py:97(__init__)
3	5.4e-05	1.8e-05	0.001573	0.0005243	base.py:2715(get_indexer)
711	0.000786	1.105e-06	0.001572	2.211e-06	~:0(<built-in method builtins.any>)
1	1.7e-05	1.7e-05	0.00156	0.00156	result.py:1(<module>)
1	5.7e-05	5.7e-05	0.001554	0.001554	datetimelike.py:4(<module>)
1	8e-06	8e-06	0.001554	0.001554	_parseaddr.py:7(<module>)
1	4e-05	4e-05	0.001546	0.001546	fontconfig_pattern.py:73(__init__)
1	6.6e-05	6.6e-05	0.001504	0.001504	base.py:2445(difference)
1	1.3e-05	1.3e-05	0.001502	0.001502	bz2.py:5(<module>)
4318	0.001496	3.465e-07	0.001496	3.465e-07	~:0(<method 'rpartition' of 'str' objects>)
1	0.000207	0.000207	0.001495	0.001495	integer.py:1(<module>)
1	4.9e-05	4.9e-05	0.001487	0.001487	polynomial.py:4(<module>)
1	1e-06	1e-06	0.001474	0.001474	pyparsing.py:5811(makeHTMLTags)
1	4.2e-05	4.2e-05	0.001473	0.001473	pyparsing.py:5774(_makeTags)
1	1.3e-05	1.3e-05	0.001453	0.001453	string.py:65(__init__)
633	0.001233	1.948e-06	0.001444	2.281e-06	re.py:249(escape)
1	8.4e-05	8.4e-05	0.001442	0.001442	__init__.py:1(<module>)
605	0.000732	1.21e-06	0.001436	2.374e-06	os.py:664(__getitem__)
1	6.4e-05	6.4e-05	0.001429	0.001429	_type_aliases.py:24(<module>)
222	0.000202	9.099e-07	0.001416	6.378e-06	abc.py:180(__instancecheck__)
381	0.000209	5.486e-07	0.001404	3.685e-06	re.py:169(match)
1	4.5e-05	4.5e-05	0.001397	0.001397	nanfunctions.py:22(<module>)
1	3.2e-05	3.2e-05	0.00139	0.00139	csv.py:4(<module>)
1	1.8e-05	1.8e-05	0.001378	0.001378	base.py:1(<module>)
1	4.2e-05	4.2e-05	0.001376	0.001376	shape_base.py:1(<module>)
1	6.4e-05	6.4e-05	0.001369	0.001369	managers.py:2(<module>)
51	0.000191	3.745e-06	0.001368	2.682e-05	<frozen importlib._bootstrap_external>:1322(path_hook_fc
1	0.00095	0.00095	0.001349	0.001349	__init__.py:1041(_rc_params_in_file)

1	2.5e-05	2.5e-05	0.001344	0.001344	ipaddress.py:9(<module>)
42	0.000237	5.643e-06	0.00134	3.19e-05	deprecation.py:163(deprecate)
1	3.3e-05	3.3e-05	0.001332	0.001332	generic.py:688(SeriesGroupBy)
9	6.1e-05	6.778e-06	0.00133	0.0001478	fromnumeric.py:73(_wrapreduction)
6	3.3e-05	5.5e-06	0.00131	0.0002183	blocks.py:3080(make_block)
911	0.001009	1.108e-06	0.001298	1.425e-06	<frozen importlib._bootstrap>:416(parent)
410	0.000464	1.132e-06	0.001296	3.161e-06	copy.py:268(_reconstruct)
1	8e-06	8e-06	0.001293	0.001293	polynomial.py:1442(Polynomial)
147	0.000282	1.918e-06	0.001286	8.748e-06	enum.py:797(__or__)
1	8.3e-05	8.3e-05	0.001272	0.001272	cast.py:1(<module>)
3	1.6e-05	5.333e-06	0.001266	0.000422	<__array_function__ internals>:2(prod)
2043	0.000841	4.116e-07	0.001257	6.153e-07	<frozen importlib._bootstrap>:847(__exit__)
4	0.001048	0.000262	0.001239	0.0003097	managers.py:186(_rebuild_blknos_and_blklocs)
3	1.7e-05	5.667e-06	0.001237	0.0004123	fromnumeric.py:2792(prod)
758	0.000825	1.088e-06	0.00123	1.623e-06	<frozen importlib._bootstrap_external>:63(_path_split)
1	6e-05	6e-05	0.00121	0.00121	ops.py:2(<module>)
1	6e-06	6e-06	0.001208	0.001208	version.py:27(<module>)
1	0.001204	0.001204	0.001207	0.001207	base.py:643(engine)
1	5.4e-05	5.4e-05	0.0012	0.0012	opcode.py:5(<module>)
1	0.000165	0.000165	0.001193	0.001193	base.py:165(Index)
66	7.3e-05	1.106e-06	0.001192	1.806e-05	pyparsing.py:2116(__add__)
4	2.8e-05	7e-06	0.001183	0.0002958	base.py:5157(_add_logical_methods)
1	0.000313	0.000313	0.001179	0.001179	six.py:21(<module>)
758	0.000605	7.982e-07	0.001172	1.546e-06	<frozen importlib._bootstrap_external>:52(_r_long)
125	0.000327	2.616e-06	0.001172	9.376e-06	abc.py:135(<setcomp>)
1	1.6e-05	1.6e-05	0.001172	0.001172	lzma.py:9(<module>)
1	3.8e-05	3.8e-05	0.001166	0.001166	signal.py:1(<module>)
10476	0.001148	1.096e-07	0.001148	1.096e-07	~:0(<method 'append' of 'list' objects>)
1	2.3e-05	2.3e-05	0.001148	0.001148	histograms.py:3(<module>)
30	0.000114	3.8e-06	0.001136	3.787e-05	getlimits.py:43(<lambda>)
1	7.6e-05	7.6e-05	0.001126	0.001126	category.py:1(<module>)
238	0.000474	1.992e-06	0.001119	4.702e-06	enum.py:70(__setitem__)
132	8.8e-05	6.667e-07	0.001118	8.47e-06	sre_parse.py:96(closegroup)
12	9e-06	7.5e-07	0.001116	9.3e-05	rcsetup.py:454(validate_font_properties)
48	6.4e-05	1.333e-06	0.001109	2.31e-05	config.py:722(inner)
5	1.1e-05	2.2e-06	0.001107	0.0002214	fontconfig_pattern.py:121(parse)
1	5e-06	5e-06	0.001101	0.001101	__init__.py:1(<module>)
1	5.3e-05	5.3e-05	0.00109	0.00109	period.py:2(<module>)
2043	0.000751	3.676e-07	0.001073	5.252e-07	<frozen importlib._bootstrap>:843(__enter__)
6	5.3e-05	8.833e-06	0.001038	0.000173	blocks.py:78(__init__)
67	0.000235	3.507e-06	0.001037	1.548e-05	pyparsing.py:3980(__init__)

1	4.6e-05	4.6e-05	0.001028	0.001028	twodim_base.py:3(<module>)
379	0.001024	2.702e-06	0.001024	2.702e-06	~:0(<built-in method _imp._fix_co_filename>)
1	2.2e-05	2.2e-05	0.001014	0.001014	difflib.py:27(<module>)
1	9.1e-05	9.1e-05	0.001007	0.001007	multi.py:123(MultiIndex)
7	3.2e-05	4.571e-06	0.001006	0.0001437	~:0(<method 'any' of 'numpy.ndarray' objects>)
48	0.000416	8.667e-06	0.000997	2.077e-05	config.py:410(register_option)
7	8e-06	1.143e-06	0.000974	0.0001391	_methods.py:44(_any)
13	0.000287	2.208e-05	0.00097	7.462e-05	enum.py:625(<listcomp>)
1	0.000135	0.000135	0.000969	0.000969	categorical.py:215(Categorical)
3	1.5e-05	5e-06	0.000962	0.0003207	warnings.py:119(filterwarnings)
15	4e-05	2.667e-06	0.000956	6.373e-05	arrayprint.py:1512(_array_str_implementation)
1	1.2e-05	1.2e-05	0.000953	0.000953	error.py:12(<module>)
1	1e-05	1e-05	0.000952	0.000952	encoders.py:5(<module>)
54	6.2e-05	1.148e-06	0.000951	1.761e-05	rcsetup.py:76(f)
16	3.5e-05	2.187e-06	0.000948	5.925e-05	accessor.py:137(add_delegate_accessors)
18	4.3e-05	2.389e-06	0.000946	5.256e-05	abc.py:151(register)
634	0.000941	1.484e-06	0.000941	1.484e-06	<frozen importlib._bootstrap>:369(__init__)
4325	0.000929	2.148e-07	0.000929	2.148e-07	~:0(<built-in method _imp.acquire_lock>)
1	3.3e-05	3.3e-05	0.000927	0.000927	generic.py:1(<module>)
15	0.000903	6.02e-05	0.000916	6.107e-05	arrayprint.py:465(wrapper)
16	0.000198	1.237e-05	0.000913	5.706e-05	accessor.py:58(_add_delegate_accessors)
1	5.8e-05	5.8e-05	0.00091	0.00091	panel.py:108(Panel)
1	1.5e-05	1.5e-05	0.00091	0.00091	frame.py:2893(__getitem__)
3136	0.000908	2.895e-07	0.000908	2.895e-07	~:0(<method 'get' of 'dict' objects>)
72	9.1e-05	1.264e-06	0.000907	1.26e-05	rcsetup.py:373(validate_color)
1	5.8e-05	5.8e-05	0.000898	0.000898	series.py:38(SparseSeries)
1	3e-06	3e-06	0.000892	0.000892	request.py:941(AbstractBasicAuthHandler)
4325	0.000891	2.06e-07	0.000891	2.06e-07	~:0(<built-in method _imp.release_lock>)
1	1.3e-05	1.3e-05	0.00089	0.00089	generic.py:3056(_get_item_cache)
1	0.000798	0.000798	0.000889	0.000889	period.py:89(PeriodArray)
1	8.6e-05	8.6e-05	0.000882	0.000882	timedeltas.py:1(<module>)
1	4.8e-05	4.8e-05	0.000877	0.000877	window.py:1547(Rolling)
1	0.000873	0.000873	0.000873	0.000873	offsets.py:464(__init__)
1	2.8e-05	2.8e-05	0.000873	0.000873	relativedelta.py:2(<module>)
27	0.000872	3.23e-05	0.000872	3.23e-05	generic.py:6(create_pandas_abc_type)
1	1.2e-05	1.2e-05	0.00087	0.00087	console.py:3(<module>)
1	9e-06	9e-06	0.000861	0.000861	__init__.py:2(<module>)
1	4.3e-05	4.3e-05	0.00086	0.00086	window.py:1835(Expanding)
1	9e-06	9e-06	0.000854	0.000854	bisect.py:1(<module>)
1	5.8e-05	5.8e-05	0.00085	0.00085	groupby.py:953(GroupBy)
1	6.6e-05	6.6e-05	0.000848	0.000848	stata.py:11(<module>)
1	4.8e-05	4.8e-05	0.000845	0.000845	period.py:2(<module>)

626	0.000382	6.102e-07	0.000824	1.316e-06	<frozen importlib._bootstrap>:780(find_spec)
1	6.8e-05	6.8e-05	0.000823	0.000823	category.py:32(CategoricalIndex)
2160	0.000567	2.625e-07	0.00082	3.796e-07	sre_parse.py:248(match)
1	5.8e-05	5.8e-05	0.000818	0.000818	pivot.py:2(<module>)
1	8e-06	8e-06	0.00081	0.00081	version.py:93(StrictVersion)
1	3.1e-05	3.1e-05	0.000807	0.000807	__init__.py:1(<module>)
1	2.9e-05	2.9e-05	0.000807	0.000807	range.py:1(<module>)
2850	0.000806	2.828e-07	0.000806	2.828e-07	~:0(<method 'endswith' of 'str' objects>)
83	0.000185	2.229e-06	0.000795	9.578e-06	pyparsing.py:3839(__init__)
117	0.000177	1.513e-06	0.000794	6.786e-06	sre_parse.py:828(fix_flags)
1602	0.000791	4.938e-07	0.000791	4.938e-07	~:0(<built-in method _thread.allocate_lock>)
1	1.8e-05	1.8e-05	0.00079	0.00079	runner.py:1(<module>)
1	2.2e-05	2.2e-05	0.000786	0.000786	arraysetops.py:27(<module>)
70	4.6e-05	6.571e-07	0.000784	1.12e-05	colors.py:112(is_color_like)
1	1.3e-05	1.3e-05	0.000784	0.000784	pickle.py:1(<module>)
1	0.000729	0.000729	0.000779	0.000779	contextlib.py:49(inner)
1	2e-05	2e-05	0.000764	0.000764	base64.py:3(<module>)
10	0.000152	1.52e-05	0.000757	7.57e-05	ops.py:1354(add_methods)
379	0.000639	1.686e-06	0.000743	1.96e-06	<frozen importlib._bootstrap_external>:393(_check_name_
1	4.6e-05	4.6e-05	0.000734	0.000734	encoder.py:2(<module>)
1	2.6e-05	2.6e-05	0.000731	0.000731	align.py:2(<module>)
1	2.2e-05	2.2e-05	0.000726	0.000726	utils.py:1(<module>)
1	1.9e-05	1.9e-05	0.000719	0.000719	managers.py:934(get)
1	3.3e-05	3.3e-05	0.000718	0.000718	shape_base.py:1(<module>)
1	0.000681	0.000681	0.000707	0.000707	offsets.py:973(_CustomBusinessMonth)
611	0.000352	5.761e-07	0.000707	1.157e-06	os.py:742(encode)
1	6e-05	6e-05	0.000705	0.000705	arrayprint.py:5(<module>)
8	5.5e-05	6.875e-06	0.000701	8.763e-05	base.py:5240(_make_logical_function)
33/5	0.000171	3.42e-05	0.0007	0.00014	pyparsing.py:3897(streamline)
24/4	7e-05	1.75e-05	0.0007	0.000175	pyparsing.py:3999(streamline)
10	1.8e-05	1.8e-06	0.0007	7e-05	enum.py:760(_missing_)
427	0.000695	1.628e-06	0.000695	1.628e-06	_weakrefset.py:36(__init__)
1	2.8e-05	2.8e-05	0.000695	0.000695	loader.py:1(<module>)
1	1.7e-05	1.7e-05	0.000691	0.000691	window.py:890(_Rolling_and_Expanding)
779	0.000598	7.677e-07	0.000688	8.832e-07	~:0(<built-in method from_bytes>)
1	1.7e-05	1.7e-05	0.000688	0.000688	selectors.py:5(<module>)
1090	0.000683	6.266e-07	0.000683	6.266e-07	~:0(<method 'update' of 'dict' objects>)
7	0.000679	9.7e-05	0.000679	9.7e-05	~:0(<pandas._libs.algos.ensure_platform_int>)
10	6.8e-05	6.8e-06	0.000679	6.79e-05	enum.py:767(_create_pseudo_member_)
1	4.3e-05	4.3e-05	0.000677	0.000677	accessors.py:3(<module>)
7	0.000585	8.357e-05	0.000673	9.614e-05	~:0(<pandas._libs.lib.infer_dtype>)

233	0.000668	2.867e-06	0.000668	2.867e-06	pyparsing.py:1386(__init__)
1	1.5e-05	1.5e-05	0.000664	0.000664	numbers.py:6(<module>)
51	0.000328	6.431e-06	0.000653	1.28e-05	<frozen importlib._bootstrap_external>:1196(__init__)
1	0.000102	0.000102	0.000646	0.000646	algorithms.py:4(<module>)
2	9e-06	4.5e-06	0.000632	0.000316	base.py:2650(get_loc)
2982	0.000629	2.109e-07	0.000629	2.109e-07	~:0(<built-in method _thread.get_ident>)
1	4.7e-05	4.7e-05	0.000627	0.000627	base.py:663(IndexOpsMixin)
2	0.000623	0.0003115	0.000623	0.0003115	~:0(<method 'get_loc' of 'pandas._libs.index.IndexEngine' c
1	2e-05	2e-05	0.000623	0.000623	generic.py:1238(DataFrameGroupBy)
1	5e-06	5e-06	0.00062	0.00062	__init__.py:1(<module>)
803	0.000619	7.709e-07	0.000619	7.709e-07	<frozen importlib._bootstrap>:143(__init__)
1	2.3e-05	2.3e-05	0.000616	0.000616	ntpath.py:6(<module>)
1	6.4e-05	6.4e-05	0.000608	0.000608	_type_aliases.py:115(_add_aliases)
694	0.000269	3.876e-07	0.000606	8.732e-07	generic.py:7(_check)
10	0.000133	1.33e-05	0.000602	6.02e-05	enum.py:839(_decompose)
19	5.8e-05	3.053e-06	0.000601	3.163e-05	generic.py:10936(_make_stat_function)
2416	0.0006	2.483e-07	0.0006	2.483e-07	~:0(<built-in method posix.fspath>)
1	1.7e-05	1.7e-05	0.000598	0.000598	util.py:1(<module>)
1	1.1e-05	1.1e-05	0.000598	0.000598	datetimelike.py:179(TimelikeOps)
379	0.000594	1.567e-06	0.000594	1.567e-06	<frozen importlib._bootstrap>:35(_new_module)
1	1.7e-05	1.7e-05	0.000589	0.000589	message.py:105(Message)
16	0.000329	2.056e-05	0.000579	3.619e-05	enum.py:160(<setcomp>)
1	2.8e-05	2.8e-05	0.000576	0.000576	argparse.py:62(<module>)
44	4.8e-05	1.091e-06	0.000573	1.302e-05	core.py:145(get_object_signature)
1	2.4e-05	2.4e-05	0.000573	0.000573	base.py:4939(drop)
1397	0.000563	4.03e-07	0.000563	4.03e-07	~:0(<method 'split' of 'str' objects>)
298	0.000558	1.872e-06	0.000558	1.872e-06	~:0(<built-in method numpy.core._multiarray_umath.add_c
176	0.000555	3.153e-06	0.000555	3.153e-06	_decorators.py:257(__call__)
923	0.000552	5.98e-07	0.000552	5.98e-07	<frozen importlib._bootstrap_external>:37(_relax_case)
40/13	5.2e-05	4e-06	0.000551	4.238e-05	typing.py:1145(__subclasscheck__)
23/7	2.8e-05	4e-06	0.000549	7.843e-05	pyparsing.py:4453(streamline)
1858	0.000548	2.949e-07	0.000548	2.949e-07	<frozen importlib._bootstrap>:321(<genexpr>)
12	4.4e-05	3.667e-06	0.000543	4.525e-05	generic.py:10981(_make_cum_function)
1	5.8e-05	5.8e-05	0.000541	0.000541	interval.py:106(IntervalArray)
1	3.8e-05	3.8e-05	0.00054	0.00054	ctypeslib.py:51(<module>)
1196	0.000309	2.584e-07	0.000529	4.423e-07	posixpath.py:41(_get_sep)
1	5.1e-05	5.1e-05	0.000529	0.000529	zipfile.py:5(<module>)
77	9.1e-05	1.182e-06	0.000525	6.818e-06	base.py:75(is_dtype)
51	7.2e-05	1.412e-06	0.000524	1.027e-05	<frozen importlib._bootstrap_external>:99(_path_isdir)
16	0.000448	2.8e-05	0.000517	3.231e-05	_type_aliases.py:79(bitname)
1	0.00014	0.00014	0.000516	0.000516	rrule.py:7(<module>)
67	0.00019	2.836e-06	0.000514	7.672e-06	pyparsing.py:4410(__init__)

1076	0.000397	3.69e-07	0.000511	4.749e-07	sre_parse.py:171(append)
26	3.4e-05	1.308e-06	0.00051	1.962e-05	core.py:6619(__init__)
1	4.2e-05	4.2e-05	0.000508	0.000508	html.py:4(<module>)
1	1e-05	1e-05	0.000508	0.000508	_core.py:1557(BoxPlot)
1	7.9e-05	7.9e-05	0.000505	0.000505	extras.py:10(<module>)
631	0.000252	3.994e-07	0.0005	7.924e-07	<frozen importlib._bootstrap>:707(find_spec)
56	0.000182	3.25e-06	0.0005	8.929e-06	sre_compile.py:376(_mk_bitmap)
1	1.7e-05	1.7e-05	0.000499	0.000499	dtypes.py:576(DatetimeTZDtype)
894	0.00041	4.586e-07	0.000498	5.57e-07	sre_parse.py:285(tell)
3	0.000299	9.967e-05	0.000498	0.000166	expr.py:226(disallowed)
1	3.9e-05	3.9e-05	0.000497	0.000497	period.py:68(PeriodIndex)
86	0.000125	1.453e-06	0.000489	5.686e-06	ops.py:862(_make_flex_doc)
1	4.5e-05	4.5e-05	0.000489	0.000489	pickle.py:181(<listcomp>)
24	5.2e-05	2.167e-06	0.000484	2.017e-05	linecache.py:53(checkcache)
14	4.8e-05	3.429e-06	0.000484	3.457e-05	expr.py:160(_filter_nodes)
58	5e-05	8.621e-07	0.000483	8.328e-06	colors.py:142(to_rgba)
7	0.000394	5.629e-05	0.000481	6.871e-05	blocks.py:199(mgr_locs)
26	5.7e-05	2.192e-06	0.000476	1.831e-05	core.py:6624(getdoc)
146	0.000193	1.322e-06	0.000475	3.253e-06	_weakrefset.py:58(__iter__)
248	0.000288	1.161e-06	0.000466	1.879e-06	sre_compile.py:388(_simple)
465	0.000462	9.935e-07	0.000462	9.935e-07	<frozen importlib._bootstrap>:311(__enter__)
309	0.000378	1.223e-06	0.000461	1.492e-06	enum.py:353(__setattr__)
1	1.9e-05	1.9e-05	0.000459	0.000459	tokenize.py:448(open)
1487	0.000453	3.046e-07	0.000453	3.046e-07	~:0(<built-in method builtins.min>)
120	0.000283	2.358e-06	0.000452	3.767e-06	sre_parse.py:223(__init__)
2	3.1e-05	1.55e-05	0.000451	0.0002255	rcsetup.py:805(validate_cycler)
6	3.7e-05	6.167e-06	0.000444	7.4e-05	common.py:222(asarray_tuplesafe)
626	0.000442	7.061e-07	0.000442	7.061e-07	~:0(<built-in method _imp.is_frozen>)
52	0.000197	3.788e-06	0.000442	8.5e-06	core.py:889(__init__)
1	1.8e-05	1.8e-05	0.000442	0.000442	generic.py:1399(_wrap_agged_blocks)
54	7.9e-05	1.463e-06	0.000441	8.167e-06	rcsetup.py:97(<listcomp>)
126	0.000232	1.841e-06	0.000436	3.46e-06	expr.py:162(<genexpr>)
3	0.000413	0.0001377	0.000435	0.000145	~:0(<method 'get_indexer' of 'pandas._libs.index.IndexEngi
12	3.6e-05	3e-06	0.000433	3.608e-05	pyparsing.py:4815(parseImpl)
1	5.1e-05	5.1e-05	0.000431	0.000431	timedeltas.py:65(TimedeltaIndex)
1	3.4e-05	3.4e-05	0.000426	0.000426	tzinfo.py:1(<module>)
1	1.3e-05	1.3e-05	0.000414	0.000414	errors.py:5(<module>)
1	1.6e-05	1.6e-05	0.000405	0.000405	ipaddress.py:2233(_IPv6Constants)
1	6.7e-05	6.7e-05	0.000401	0.000401	datetimelike.py:55(DatetimeIndexOpsMixin)
410	0.000352	8.585e-07	0.000399	9.732e-07	~:0(<method '__reduce_ex__' of 'object' objects>)
636	0.000398	6.258e-07	0.000398	6.258e-07	sre_parse.py:111(__init__)

75	5.1e-05	6.8e-07	0.000397	5.293e-06	typing.py:342(_type_vars)
28	0.000101	3.607e-06	0.000389	1.389e-05	ipaddress.py:2143(__init__)
1	6.1e-05	6.1e-05	0.000388	0.000388	merge.py:3(<module>)
9	0.000118	1.311e-05	0.000386	4.289e-05	enum.py:857(<listcomp>)
4	1.4e-05	3.5e-06	0.000386	9.65e-05	core.py:122(doc_note)
4	1.1e-05	2.75e-06	0.000386	9.65e-05	<__array_function__ internals>:2(copyto)
374	0.000278	7.433e-07	0.000385	1.029e-06	~:0(<method 'extend' of 'list' objects>)
1	3e-06	3e-06	0.000385	0.000385	<__array_function__ internals>:2(zeros_like)
1614	0.000384	2.379e-07	0.000384	2.379e-07	~:0(<method 'strip' of 'str' objects>)
198	9.3e-05	4.697e-07	0.000379	1.914e-06	enum.py:20(_is_descriptor)
1	3e-05	3e-05	0.000379	0.000379	accessor.py:7(<module>)
1	2.7e-05	2.7e-05	0.000379	0.000379	window.py:2118(EWM)
45	9.5e-05	2.111e-06	0.000377	8.378e-06	common.py:1702(is_extension_array_dtype)
939	0.000289	3.078e-07	0.000376	4.004e-07	sre_parse.py:159(__len__)
1	6e-06	6e-06	0.000376	0.000376	numeric.py:97(zeros_like)
1	0.000111	0.000111	0.000375	0.000375	_color_data.py:1(<module>)
486	0.000373	7.675e-07	0.000373	7.675e-07	functools.py:74(wraps)
32	4.8e-05	1.5e-06	0.000372	1.162e-05	deprecation.py:197(finalize)
4	9e-06	2.25e-06	0.000371	9.275e-05	base.py:5152(_add_numeric_methods)
1	7.6e-05	7.6e-05	0.000369	0.000369	tokenize.py:355(detect_encoding)
160	0.000243	1.519e-06	0.000368	2.3e-06	<frozen importlib._bootstrap>:861(_find_spec_legacy)
618	0.000235	3.803e-07	0.000368	5.955e-07	_inspect.py:15(ismethod)
51	0.000236	4.627e-06	0.000367	7.196e-06	<frozen importlib._bootstrap_external>:1310(<setcomp>)
1	2.3e-05	2.3e-05	0.000367	0.000367	function_base.py:1(<module>)
1	3e-06	3e-06	0.000367	0.000367	dtypes.py:225(__init__)
14	4.3e-05	3.071e-06	0.000366	2.614e-05	ops.py:2168(_flex_method_PANEL)
200	0.000248	1.24e-06	0.000365	1.825e-06	sre_parse.py:342(_escape)
1	1.9e-05	1.9e-05	0.000364	0.000364	numeric.py:312(Float64Index)
1	8e-06	8e-06	0.000364	0.000364	dtypes.py:328(_finalize)
116	0.000304	2.621e-06	0.000363	3.129e-06	accessor.py:74(_create_delegator_property)
36	0.000145	4.028e-06	0.000361	1.003e-05	_dtype.py:319(_name_get)
4	8e-06	2e-06	0.00036	9e-05	re.py:204(split)
128	7.6e-05	5.937e-07	0.000356	2.781e-06	colors.py:107(_is_nth_color)
1	9e-06	9e-06	0.000356	0.000356	dtypes.py:465(validate_ordered)
1	4e-05	4e-05	0.000355	0.000355	numpy_.py:1(<module>)
1	1.5e-05	1.5e-05	0.000354	0.000354	ipaddress.py:1542(_IPv4Constants)
1	1.2e-05	1.2e-05	0.000353	0.000353	glob.py:1(<module>)
465	0.000351	7.548e-07	0.000351	7.548e-07	<frozen importlib._bootstrap>:307(__init__)
1	1.1e-05	1.1e-05	0.000351	0.000351	__init__.py:797(matplotlib_fname)
20	2.9e-05	1.45e-06	0.00035	1.75e-05	rcsetup.py:357(validate_color_for_prop_cycle)
1	1.7e-05	1.7e-05	0.00035	0.00035	isoparser.py:9(<module>)
5	0.000346	6.92e-05	0.000346	6.92e-05	~:0(<pandas._libs.lib.is_bool>)

121/75	0.000138	1.84e-06	0.000346	4.613e-06	typing.py:336(_get_type_vars)
132	0.00019	1.439e-06	0.000345	2.614e-06	sre_parse.py:84(opengroup)
1	8e-06	8e-06	0.000344	0.000344	dates.py:605(DateFormatter)
1	0.000343	0.000343	0.000343	0.000343	~:0(<pandas._libs.internals.get_blkno_placements>)
2	0.000321	0.0001605	0.000343	0.0001715	cast.py:1193(construct_1d_object_array_from_listlike)
6	3.7e-05	6.167e-06	0.000343	5.717e-05	generic.py:11016(_make_logical_function)
1	2.3e-05	2.3e-05	0.000341	0.000341	frame.py:41(SparseDataFrame)
26	7.6e-05	2.923e-06	0.000339	1.304e-05	_decorators.py:145(_deprecate_kwarg)
19	8.2e-05	4.316e-06	0.000335	1.763e-05	_add_newdocs.py:6704(add_newdoc_for_scalar_type)
1	2.4e-05	2.4e-05	0.000334	0.000334	__init__.py:5(HTTPStatus)
14	8.9e-05	6.357e-06	0.000332	2.371e-05	colors.py:176(_to_rgba_no_colorcycle)
19	8.1e-05	4.263e-06	0.00033	1.737e-05	ipaddress.py:1460(__init__)
1	2e-05	2e-05	0.00033	0.00033	ufunlike.py:5(<module>)
80	0.000255	3.187e-06	0.000327	4.087e-06	typing.py:852(_next_in_mro)
83	6.8e-05	8.193e-07	0.000327	3.94e-06	pyparsing.py:2806(__init__)
9	0.000143	1.589e-05	0.000326	3.622e-05	base.py:996(_add_comparison_ops)
1	1.2e-05	1.2e-05	0.000322	0.000322	dtypes.py:730(PeriodDtype)
440	0.000321	7.295e-07	0.000321	7.295e-07	~:0(<method 'match' of '_sre.SRE_Pattern' objects>)
379	0.000321	8.47e-07	0.000321	8.47e-07	<frozen importlib._bootstrap_external>:800(__init__)
5	4.4e-05	8.8e-06	0.00032	6.4e-05	blocks.py:3034(get_block_type)
10	9e-05	9e-06	0.000319	3.19e-05	~:0(<method 'copy' of 'dict' objects>)
13	4.8e-05	3.692e-06	0.000318	2.446e-05	~:0(<pandas._libs.lib.is_scalar>)
1	3e-06	3e-06	0.000315	0.000315	version.py:267(LooseVersion)
9/3	1.6e-05	5.333e-06	0.000314	0.0001047	pyparsing.py:4211(streamline)
209	0.000144	6.89e-07	0.000311	1.488e-06	__init__.py:309(set_function_name)
9	3.6e-05	4e-06	0.000311	3.456e-05	generic.py:10961(_make_stat_function_ddof)
2	1.2e-05	6e-06	0.000309	0.0001545	textwrap.py:381(fill)
27	7.2e-05	2.667e-06	0.000305	1.13e-05	contextlib.py:129(contextmanager)
1	1.5e-05	1.5e-05	0.000302	0.000302	algorithms.py:132(_reconstruct_data)
40	0.000169	4.225e-06	0.0003	7.5e-06	_inspect.py:142(formatargspec)
16	2.8e-05	1.75e-06	0.000299	1.869e-05	pyparsing.py:2270(_or_)
1	2.3e-05	2.3e-05	0.000299	0.000299	isoparser.py:42(isoparser)
1	1.4e-05	1.4e-05	0.000297	0.000297	stride_tricks.py:7(<module>)
551	0.000217	3.938e-07	0.000294	5.336e-07	_decorators.py:303(__init__)
1	1.5e-05	1.5e-05	0.000294	0.000294	__init__.py:5(<module>)
2	2.1e-05	1.05e-05	0.00029	0.000145	_decorators.py:10(deprecate)
2	3e-06	1.5e-06	0.00029	0.000145	textwrap.py:356(fill)
1	4e-05	4e-05	0.000289	0.000289	sql.py:5(<module>)
1	1.4e-05	1.4e-05	0.000289	0.000289	_encoded_words.py:6(<module>)
27	2.9e-05	1.074e-06	0.000287	1.063e-05	pyparsing.py:5066(__init__)
2	5e-06	2.5e-06	0.000286	0.000143	textwrap.py:342(wrap)
1	5.2e-05	5.2e-05	0.000278	0.000278	timedeltas.py:2(<module>)

4	1.3e-05	3.25e-06	0.000276	6.9e-05	__init__.py:828(gen_candidates)
1	7e-06	7e-06	0.000274	0.000274	ctypeslib.py:359(_get_scalar_type_map)
56	0.000273	4.875e-06	0.000273	4.875e-06	sre_compile.py:378(<listcomp>)
410	0.00017	4.146e-07	0.000273	6.659e-07	copyreg.py:87(__newobj__)
519	0.000272	5.241e-07	0.000272	5.241e-07	_weakrefset.py:70(__contains__)
618	0.000194	3.139e-07	0.000269	4.353e-07	_inspect.py:28(isfunction)
1	3.5e-05	3.5e-05	0.000268	0.000268	calendar.py:6(<module>)
1	8.9e-05	8.9e-05	0.000267	0.000267	ctypeslib.py:370(<dictcomp>)
156	6.6e-05	4.231e-07	0.000265	1.699e-06	__init__.py:422(<genexpr>)
16	3.6e-05	2.25e-06	0.000265	1.656e-05	pyparsing.py:4204(__init__)
1	1e-05	1e-05	0.000265	0.000265	dtypes.py:856(IntervalDtype)
134	0.000216	1.612e-06	0.000264	1.97e-06	ops.py:312(_get_opstr)
1	3e-06	3e-06	0.000264	0.000264	tokenize.py:379(read_or_stop)
1	0.000261	0.000261	0.000261	0.000261	~:0(<method 'readline' of 'io.BufferedReader' objects>)
3	8.9e-05	2.967e-05	0.000259	8.633e-05	base.py:973(_add_arithmetic_ops)
10	2e-05	2e-06	0.000256	2.56e-05	pyparsing.py:4747(parseImpl)
3	9.5e-05	3.167e-05	0.000255	8.5e-05	__init__.py:405(wrapper)
1	1.6e-05	1.6e-05	0.000255	0.000255	generic.py:5821(_convert)
1	0.000253	0.000253	0.000253	0.000253	_color_data.py:995(<dictcomp>)
618	0.000251	4.061e-07	0.000251	4.061e-07	~:0(<method 'encode' of 'str' objects>)
56	0.000104	1.857e-06	0.000251	4.482e-06	common.py:1845(_is_dtype_type)
876	0.00025	2.854e-07	0.00025	2.854e-07	~:0(<method 'find' of 'bytearray' objects>)
21	0.000249	1.186e-05	0.000249	1.186e-05	~:0(<method 'split' of 'sre.SRE_Pattern' objects>)
1	6e-06	6e-06	0.000249	0.000249	numerictypes.py:593(_register_types)
323	7e-05	2.167e-07	0.000248	7.678e-07	__init__.py:233(bind_method)
1	5.4e-05	5.4e-05	0.000248	0.000248	melt.py:3(<module>)
1	1.9e-05	1.9e-05	0.000247	0.000247	einsumfunc.py:4(<module>)
1	1.9e-05	1.9e-05	0.000246	0.000246	window.py:439(Window)
3	1.1e-05	3.667e-06	0.000246	8.2e-05	pyparsing.py:2193(__mul__)
17	1.6e-05	9.412e-07	0.000245	1.441e-05	base.py:5318(ensure_index)
1	2e-05	2e-05	0.000243	0.000243	lazy.py:1(<module>)
2	0.000242	0.000121	0.000242	0.000121	~:0(<built-in method utcfromtimestamp>)
113	0.000156	1.381e-06	0.000242	2.142e-06	sre_parse.py:294(_class_escape)
117	0.00024	2.051e-06	0.00024	2.051e-06	sre_parse.py:76(__init__)
34/26	4.5e-05	1.731e-06	0.00024	9.231e-06	pyparsing.py:4054(__str__)
1	1.4e-05	1.4e-05	0.00024	0.00024	gzip.py:4(<module>)
36	0.000109	3.028e-06	0.000239	6.639e-06	pyparsing.py:2848(__init__)
30	3.5e-05	1.167e-06	0.000239	7.967e-06	common.py:434(is_datetime64tz_dtype)
1	2.3e-05	2.3e-05	0.000239	0.000239	__init__.py:1(<module>)
1	1.3e-05	1.3e-05	0.000238	0.000238	helper.py:4(<module>)
1	3.9e-05	3.9e-05	0.000237	0.000237	ast.py:26(<module>)
50	7.8e-05	1.56e-06	0.000235	4.7e-06	_internal.py:819(_ufunc_doc_signature_formatter)

614	0.000169	2.752e-07	0.000231	3.762e-07	_inspect.py:43(iscode)
502	0.000187	3.725e-07	0.00023	4.582e-07	sre_parse.py:81(groups)
1	0.000159	0.000159	0.00023	0.00023	stata.py:720(StataMissingValue)
1	2.6e-05	2.6e-05	0.000228	0.000228	typing.py:2244(IO)
1	5e-06	5e-06	0.000228	0.000228	pytables.py:4408(AppendableMultiFrameTable)
1	4e-06	4e-06	0.000228	0.000228	managers.py:533(convert)
238	0.000131	5.504e-07	0.000227	9.538e-07	ops.py:364(_get_op_name)
38	8.1e-05	2.132e-06	0.000227	5.974e-06	numericitypes.py:365(issubdtype)
22	2e-05	9.091e-07	0.000225	1.023e-05	rcsetup.py:54(__init__)
53	0.000124	2.34e-06	0.000224	4.226e-06	typing.py:1047(_get_type_vars)
1	1.2e-05	1.2e-05	0.000224	0.000224	managers.py:318(apply)
1	4.8e-05	4.8e-05	0.000223	0.000223	datetimes.py:94(DatetimeIndex)
3	4.8e-05	1.6e-05	0.000221	7.367e-05	_decorators.py:194(decorate)
4	6e-06	1.5e-06	0.000221	5.525e-05	missing.py:25(isna)
29	6.6e-05	2.276e-06	0.000219	7.552e-06	pyparsing.py:3308(parseImpl)
26	3.1e-05	1.192e-06	0.000219	8.423e-06	core.py:916(__init__)
1	1e-05	1e-05	0.000217	0.000217	_parser.py:58(_timelex)
16	5.3e-05	3.313e-06	0.000216	1.35e-05	enum.py:114(__prepare__)
1	1.4e-05	1.4e-05	0.000216	0.000216	construction.py:254(_homogenize)
157/155	0.000179	1.155e-06	0.000215	1.387e-06	pyparsing.py:546(__init__)
11	4.4e-05	4e-06	0.000215	1.955e-05	common.py:1578(is_bool_dtype)
4	1.5e-05	3.75e-06	0.000215	5.375e-05	missing.py:105(_isna_new)
82	0.000147	1.793e-06	0.000213	2.598e-06	sre_compile.py:441(_get_charset_prefix)
10	7.4e-05	7.4e-06	0.000212	2.12e-05	ops.py:1350(<dictcomp>)
1	1.1e-05	1.1e-05	0.000211	0.000211	pyparsing.py:6731(pyparsing_unicode)
1	5.8e-05	5.8e-05	0.000208	0.000208	frequencies.py:2(<module>)
6	2.6e-05	4.333e-06	0.000208	3.467e-05	generic.py:10908(_make_min_count_stat_function)
12/2	1.9e-05	9.5e-06	0.000208	0.000104	pyparsing.py:2248(makeOptionalList)
137/99	0.000191	1.929e-06	0.000207	2.091e-06	sre_compile.py:414(_get_literal_prefix)
635	0.000206	3.244e-07	0.000206	3.244e-07	~:0(<method 'lstrip' of 'str' objects>)
16	4.8e-05	3e-06	0.000206	1.287e-05	offsets.py:51(apply_wraps)
1	2.2e-05	2.2e-05	0.000206	0.000206	window.py:45(_Window)
1084	0.000205	1.891e-07	0.000205	1.891e-07	~:0(<method 'lower' of 'str' objects>)
22	0.000159	7.227e-06	0.000205	9.318e-06	rcsetup.py:64(<dictcomp>)
1	1.2e-05	1.2e-05	0.000204	0.000204	_exceptions.py:7(<module>)
117	0.000201	1.718e-06	0.000201	1.718e-06	~:0(<built-in method _sre.compile>)
21	2.7e-05	1.286e-06	0.000198	9.429e-06	common.py:536(is_interval_dtype)
2	1.9e-05	9.5e-06	0.000198	9.9e-05	construction.py:537(sanitize_array)
30	3.5e-05	1.167e-06	0.000195	6.5e-06	getlimits.py:42(<lambdab>)
1	1.4e-05	1.4e-05	0.000195	0.000195	exceptions.py:1(<module>)
42	2.5e-05	5.952e-07	0.000194	4.619e-06	~:0(<built-in method builtins.next>)
18	2.6e-05	1.444e-06	0.000192	1.067e-05	core.py:992(__init__)

1	1.7e-05	1.7e-05	0.000192	0.000192	_core.py:2912(FramePlotMethods)
111	0.000191	1.721e-06	0.000191	1.721e-06	~:0(<built-in method _imp.is_builtin>)
36/34	4.9e-05	1.441e-06	0.000191	5.618e-06	typing.py:1083(_subs_tree)
599	0.000189	3.155e-07	0.000189	3.155e-07	~:0(<method 'rfind' of 'str' objects>)
45	0.000118	2.622e-06	0.000189	4.2e-06	enum.py:419(_get_mixins_)
3	6.7e-05	2.233e-05	0.000188	6.267e-05	cast.py:255(maybe_promote)
1	3.5e-05	3.5e-05	0.000187	0.000187	tempfile.py:24(<module>)
4	1.6e-05	4e-06	0.000187	4.675e-05	managers.py:599(_consolidate_check)
1	2.6e-05	2.6e-05	0.000184	0.000184	range.py:27(RangeIndex)
1	7e-06	7e-06	0.000181	0.000181	base.py:4909(delete)
1	1.7e-05	1.7e-05	0.00018	0.00018	__init__.py:291(Verbose)
36	9.5e-05	2.639e-06	0.000179	4.972e-06	sre_parse.py:266(getuntil)
273	8.4e-05	3.077e-07	0.000179	6.557e-07	function_base.py:434(_add_docstring)
40	6.6e-05	1.65e-06	0.000179	4.475e-06	codecs.py:318(decode)
156	6.7e-05	4.295e-07	0.000178	1.141e-06	__init__.py:420(<genexpr>)
1	2.8e-05	2.8e-05	0.000177	0.000177	ops.py:250(group_info)
3	4.9e-05	1.633e-05	0.000175	5.833e-05	base.py:5104(_add_numeric_methods_binary)
28	3.6e-05	1.286e-06	0.000175	6.25e-06	pyparsing.py:1305(wrapper)
25	2.5e-05	1e-06	0.000175	7e-06	pyparsing.py:4809(__init__)
1	3.6e-05	3.6e-05	0.000174	0.000174	base.py:28(ExtensionArray)
234	0.000134	5.726e-07	0.000172	7.35e-07	sre_compile.py:539(isstring)
15	6.7e-05	4.467e-06	0.000171	1.14e-05	dtypes.py:973(is_dtype)
2	3.7e-05	1.85e-05	0.00017	8.5e-05	lazy.py:139(__new__)
1	1.3e-05	1.3e-05	0.00017	0.00017	_core.py:2712(SeriesPlotMethods)
215	0.000114	5.302e-07	0.000169	7.86e-07	types.py:135(__get__)
4	7e-06	1.75e-06	0.000169	4.225e-05	managers.py:600(<listcomp>)
2	9.6e-05	4.8e-05	0.000168	8.4e-05	missing.py:183(_isna_ndarraylike)
23	2.4e-05	1.043e-06	0.000168	7.304e-06	common.py:572(is_categorical_dtype)
1	4.7e-05	4.7e-05	0.000167	0.000167	sorting.py:1(<module>)
4	0	0	0.000167	4.175e-05	rcsetup.py:344(validate_color_or_inherit)
443	0.000166	3.747e-07	0.000166	3.747e-07	~:0(<method 'replace' of 'str' objects>)
1	5.9e-05	5.9e-05	0.000166	0.000166	quoprimime.py:27(<module>)
1	1.9e-05	1.9e-05	0.000166	0.000166	frozen.py:9(<module>)
1	2e-06	2e-06	0.000166	0.000166	__init__.py:686(_get_configdir)
1516	0.000165	1.088e-07	0.000165	1.088e-07	~:0(<built-in method builtins.ord>)
1	1.5e-05	1.5e-05	0.000165	0.000165	_iotools.py:3(<module>)
8	1.8e-05	2.25e-06	0.000164	2.05e-05	common.py:1078(is_datetime64_any_dtype)
83	9.7e-05	1.169e-06	0.000163	1.964e-06	typing.py:1025(_abc_negative_cache)
5	1.4e-05	2.8e-06	0.000162	3.24e-05	blocks.py:312(ftype)
62	0.000161	2.597e-06	0.000161	2.597e-06	~:0(<method 'copy' of 'numpy.ndarray' objects>)
4	6.2e-05	1.55e-05	0.00016	4e-05	algorithms.py:1417(_get_take_nd_function)

1	1.2e-05	1.2e-05	0.00016	0.00016	_polybase.py:8(<module>)
1	0.000105	0.000105	0.000159	0.000159	range.py:611(_add_numeric_methods_binary)
1	6e-06	6e-06	0.000159	0.000159	mixins.py:1(<module>)
1	4.6e-05	4.6e-05	0.000158	0.000158	common.py:5(<module>)
1	2.5e-05	2.5e-05	0.000158	0.000158	path.py:10(<module>)
6	1.9e-05	3.167e-06	0.000158	2.633e-05	<__array_function__ internals>:2(all)
38/36	5.1e-05	1.417e-06	0.000157	4.361e-06	typing.py:580(_subs_tree)
54	0.000109	2.019e-06	0.000156	2.889e-06	pyparsing.py:3339(__str__)
1	2.2e-05	2.2e-05	0.000156	0.000156	groupby.py:323(_GroupBy)
8	0.000154	1.925e-05	0.000154	1.925e-05	~:0(<built-in method numpy.arange>)
86	4.8e-05	5.581e-07	0.000153	1.779e-06	pyparsing.py:4059(<genexpr>)
2	4e-06	2e-06	0.000153	7.65e-05	textwrap.py:336(_split_chunks)
92	9.9e-05	1.076e-06	0.000152	1.652e-06	_weakrefset.py:26(__exit__)
12	6.5e-05	5.417e-06	0.000152	1.267e-05	_ufunc_config.py:39(seterr)
1	3.2e-05	3.2e-05	0.000152	0.000152	chebyshev.py:89(<module>)
1	2.1e-05	2.1e-05	0.000152	0.000152	core.py:6317(__new__)
1	1.8e-05	1.8e-05	0.000152	0.000152	missing.py:259(notna)
5	1e-05	2e-06	0.000152	3.04e-05	pyparsing.py:1476(_setResultsName)
24	0.000151	6.292e-06	0.000151	6.292e-06	getlimits.py:497(__init__)
34	9.8e-05	2.882e-06	0.000151	4.441e-06	base.py:95(whitelist_method_generator)
1	1.5e-05	1.5e-05	0.000151	0.000151	suite.py:1(<module>)
2	8e-06	4e-06	0.000151	7.55e-05	construction.py:684(_try_cast)
2	4.3e-05	2.15e-05	0.00015	7.5e-05	lazy.py:84(__new__)
20	2.3e-05	1.15e-06	0.000149	7.45e-06	ipaddress.py:1099(_ip_int_from_string)
1	9e-06	9e-06	0.000149	0.000149	arraypad.py:5(<module>)
1	9e-06	9e-06	0.000148	0.000148	base.py:3089(reindex)
1	2.6e-05	2.6e-05	0.000147	0.000147	hermite_e.py:60(<module>)
1	1.8e-05	1.8e-05	0.000147	0.000147	ops.py:267(_get_compressed_labels)
10	1.4e-05	1.4e-06	0.000147	1.47e-05	extras.py:237(__init__)
1	2.3e-05	2.3e-05	0.000145	0.000145	records.py:35(<module>)
16	6.6e-05	4.125e-06	0.000144	9e-06	enum.py:464(_find_new__)
1	2.6e-05	2.6e-05	0.000144	0.000144	legendre.py:83(<module>)
1	2.4e-05	2.4e-05	0.000144	0.000144	_style.py:3(<module>)
1	1.3e-05	1.3e-05	0.000144	0.000144	pathlib.py:382(_NormalAccessor)
13	8e-06	6.154e-07	0.000144	1.108e-05	contextlib.py:79(__enter__)
1	2.6e-05	2.6e-05	0.000143	0.000143	hermite.py:60(<module>)
6	1.3e-05	2.167e-06	0.000143	2.383e-05	common.py:868(is_integer_dtype)
1	2.4e-05	2.4e-05	0.000142	0.000142	laguerre.py:60(<module>)
5	1e-05	2e-06	0.000142	2.84e-05	<frozen importlib._bootstrap>:728(create_module)
940	0.000141	1.5e-07	0.000141	1.5e-07	~:0(<method 'add' of 'set' objects>)
1	0.000141	0.000141	0.000141	0.000141	base.py:170(SelectionMixin)
28	9.5e-05	3.393e-06	0.000141	5.036e-06	ipaddress.py:1614(_ip_int_from_string)

465	0.00014	3.011e-07	0.00014	3.011e-07	<frozen importlib._bootstrap>:424(has_location)
38	0.000139	3.658e-06	0.000139	3.658e-06	~:0(<method 'strftime' of 'datetime.date' objects>)
76	7.4e-05	9.737e-07	0.000139	1.829e-06	numerictypes.py:293(issubclass_)
1	3e-06	3e-06	0.000139	0.000139	<__array_function__ internals>:2(delete)
1	4.4e-05	4.4e-05	0.000138	0.000138	datetimes.py:213(DatetimeArray)
4	2.8e-05	7e-06	0.000138	3.45e-05	base.py:566(_shallow_copy)
16	2.5e-05	1.562e-06	0.000138	8.625e-06	common.py:503(is_period_dtype)
2	1.1e-05	5.5e-06	0.000138	6.9e-05	pyparsing.py:5297(delimitedList)
1	6e-06	6e-06	0.000138	0.000138	pyparsing.py:3248(Regex)
1	1.8e-05	1.8e-05	0.000137	0.000137	stata.py:952(StataReader)
8	6.1e-05	7.625e-06	0.000135	1.688e-05	base.py:504(_simple_new)
2	7e-06	3.5e-06	0.000135	6.75e-05	textwrap.py:160(_split)
1	2.1e-05	2.1e-05	0.000134	0.000134	_common.py:1(<module>)
2	1.5e-05	7.5e-06	0.000134	6.7e-05	typing.py:790(__getitem__)
1	1.4e-05	1.4e-05	0.000134	0.000134	numeric.py:25(NumericIndex)
139	9.7e-05	6.978e-07	0.000133	9.568e-07	pyparsing.py:2563(__eq__)
15	1.7e-05	1.133e-06	0.000133	8.867e-06	version.py:302(__init__)
10	1.5e-05	1.5e-06	0.000133	1.33e-05	extras.py:241(getdoc)
28	2.7e-05	9.643e-07	0.000132	4.714e-06	_asarray.py:16(asarray)
1	5e-06	5e-06	0.000132	0.000132	exceptions.py:3(<module>)
1	0.000131	0.000131	0.000131	0.000131	rrule.py:1417(_rulestr)
52	8.5e-05	1.635e-06	0.000131	2.519e-06	typing.py:354(_type_check)
1	7e-05	7e-05	0.000131	0.000131	function_base.py:4225(delete)
1	5.6e-05	5.6e-05	0.000131	0.000131	__init__.py:869(RcParams)
4	1.7e-05	4.25e-06	0.000131	3.275e-05	base.py:4051(equals)
1	6e-06	6e-06	0.000131	0.000131	chainmap.py:1(<module>)
157	8.8e-05	5.605e-07	0.00013	8.28e-07	pyparsing.py:537(__new__)
144	4.6e-05	3.194e-07	0.00013	9.028e-07	ops.py:1347(<lambda>)
15	2.5e-05	1.667e-06	0.000129	8.6e-06	inference.py:253(is_list_like)
2	8.3e-05	4.15e-05	0.000128	6.4e-05	textwrap.py:233(_wrap_chunks)
137	6e-05	4.38e-07	0.000127	9.27e-07	expr.py:155(<lambda>)
1	2.3e-05	2.3e-05	0.000127	0.000127	mixins.py:63(NDArrayOperatorsMixin)
1	5e-06	5e-06	0.000127	0.000127	typing.py:1248(__getitem__)
5	0.000126	2.52e-05	0.000126	2.52e-05	~:0(<built-in method _imp.create_builtin>)
42	3.4e-05	8.095e-07	0.000126	3e-06	base.py:100(_make_arithmetic_op)
76	2.2e-05	2.895e-07	0.000126	1.658e-06	typing.py:1107(<genexpr>)
6	1.6e-05	2.667e-06	0.000126	2.1e-05	fromnumeric.py:2277(all)
1	7e-06	7e-06	0.000126	0.000126	response.py:7(<module>)
1	9.2e-05	9.2e-05	0.000125	0.000125	_compat_pickle.py:9(<module>)
1	0.000111	0.000111	0.000124	0.000124	offsets.py:2239(Tick)
1	8.8e-05	8.8e-05	0.000124	0.000124	pyparsing.py:1343(ParserElement)
297	4.1e-05	1.38e-07	0.000124	4.175e-07	_collections_abc.py:719(__iter__)

16	3.2e-05	2e-06	0.000124	7.75e-06	ops.py:1490(_arith_method_SERIES)
20	0.000123	6.15e-06	0.000123	6.15e-06	~:0(<built-in method numpy.empty>)
13	2e-05	1.538e-06	0.000123	9.462e-06	nanops.py:67(__call__)
34	0.000122	3.588e-06	0.000122	3.588e-06	typing.py:896(_no_slots_copy)
1	0.000104	0.000104	0.000122	0.000122	colors.py:80(<dictcomp>)
23	8.9e-05	3.87e-06	0.000122	5.304e-06	~:0(<method 'sort' of 'list' objects>)
12	2.6e-05	2.167e-06	0.000122	1.017e-05	functools.py:479(decorating_function)
6	9.7e-05	1.617e-05	0.000121	2.017e-05	numeric.py:2400(extend_all)
9	7.9e-05	8.778e-06	0.000121	1.344e-05	datetime.py:356(__new__)
1	3.4e-05	3.4e-05	0.000121	0.000121	concat.py:3(<module>)
1	2.6e-05	2.6e-05	0.000121	0.000121	getlimits.py:3(<module>)
88	9.6e-05	1.091e-06	0.00012	1.364e-06	six.py:141(__init__)
3	7.4e-05	2.467e-05	0.00012	4e-05	six.py:837(wrapper)
105	6.9e-05	6.571e-07	0.00012	1.143e-06	enum.py:874(_power_of_two)
12	2.6e-05	2.167e-06	0.00012	1e-05	ops.py:2135(_comp_method_PANEL)
215	7.4e-05	3.442e-07	0.000119	5.535e-07	socket.py:76(<lambda>)
10	3.3e-05	3.3e-06	0.000119	1.19e-05	printing.py:156(pprint_thing)
742	0.000118	1.59e-07	0.000118	1.59e-07	~:0(<built-in method builtins.chr>)
1	1.9e-05	1.9e-05	0.000118	0.000118	parquet.py:1(<module>)
115	0.000117	1.017e-06	0.000117	1.017e-06	~:0(<built-in method builtins.repr>)
317	0.000117	3.691e-07	0.000117	3.691e-07	overrides.py:112(array_function_dispatch)
104	7.3e-05	7.019e-07	0.000117	1.125e-06	ops.py:220(_gen_eval_kwargs)
8	2.8e-05	3.5e-06	0.000117	1.462e-05	typing.py:875(__extrahook__)
10	2.2e-05	2.2e-06	0.000117	1.17e-05	common.py:403(is_datetime64_dtype)
238	0.000109	4.58e-07	0.000116	4.874e-07	enum.py:28(_is_dunder)
15	6.1e-05	4.067e-06	0.000116	7.733e-06	version.py:307(parse)
3	2.4e-05	8e-06	0.000115	3.833e-05	typing.py:732(__new__)
1	2.1e-05	2.1e-05	0.000115	0.000115	pprint.py:35(<module>)
1	1.2e-05	1.2e-05	0.000115	0.000115	_factories.py:1(<module>)
1	1.1e-05	1.1e-05	0.000115	0.000115	groupby.py:1233(_add_numeric_operations)
1	4e-06	4e-06	0.000115	0.000115	blocks.py:213(make_block)
11	1.3e-05	1.182e-06	0.000114	1.036e-05	pathlib.py:384(_wrap_strfunc)
8	1.2e-05	1.5e-06	0.000114	1.425e-05	core.py:8059(__init__)
1	1.2e-05	1.2e-05	0.000114	0.000114	win.py:8(<module>)
1	6e-06	6e-06	0.000114	0.000114	<__array_function__ internals>:2(setdiff1d)
40	0.000113	2.825e-06	0.000113	2.825e-06	~:0(<built-in method _codecs.utf_8_decode>)
2	4e-05	2e-05	0.000113	5.65e-05	utils.py:75(__call__)
16	2.9e-05	1.813e-06	0.000113	7.062e-06	dtypes.py:827(is_dtype)
16	1.5e-05	9.375e-07	0.000113	7.062e-06	pyarsing.py:4246(__str__)
111	8.9e-05	8.018e-07	0.000112	1.009e-06	_weakrefset.py:81(add)
1	1.4e-05	1.4e-05	0.000112	0.000112	polyutils.py:45(<module>)

1	1e-06	1e-06	0.000112	0.000112	blocks.py:660(convert)
304	0.000111	3.651e-07	0.000111	3.651e-07	__init__.py:930(__getitem__)
1	5e-06	5e-06	0.000111	0.000111	blocks.py:749(copy)
1	4e-06	4e-06	0.00011	0.00011	_compression.py:1(<module>)
216	6.5e-05	3.009e-07	0.000109	5.046e-07	socket.py:81(<lambda>)
145	7.6e-05	5.241e-07	0.000108	7.448e-07	rcsetup.py:125(validate_bool)
3	9e-06	3e-06	0.000108	3.6e-05	pyparsing.py:1553(addParseAction)
1	2e-06	2e-06	0.000108	0.000108	missing.py:469(_maybe_fill)
408	0.000107	2.623e-07	0.000107	2.623e-07	<frozen importlib._bootstrap_external>:1202(<genexpr>)
6	1.8e-05	3e-06	0.000107	1.783e-05	_ufunc_config.py:441(__enter__)
25	4.7e-05	1.88e-06	0.000106	4.24e-06	dtypes.py:672(construct_from_string)
6	1e-06	1.667e-07	0.000106	1.767e-05	pyparsing.py:2392(__call__)
1	2.9e-05	2.9e-05	0.000105	0.000105	scope.py:3(<module>)
12	2.3e-05	1.917e-06	0.000105	8.75e-06	ops.py:2084(_comp_method_FRAME)
14	1.8e-05	1.286e-06	0.000105	7.5e-06	calendar.py:77(__getitem__)
1	6e-06	6e-06	0.000105	0.000105	_doctools.py:1(<module>)
379	0.000104	2.744e-07	0.000104	2.744e-07	<frozen importlib._bootstrap_external>:825(get_filename)
16	0.000104	6.5e-06	0.000104	6.5e-06	common.py:122(classes_and_not_datetimelike)
12	3.7e-05	3.083e-06	0.000104	8.667e-06	managers.py:139(shape)
2	2.1e-05	1.05e-05	0.000104	5.2e-05	__init__.py:1023(_open_file_or_url)
6	1.9e-05	3.167e-06	0.000104	1.733e-05	groupby.py:1239(groupby_function)
3	1.1e-05	3.667e-06	0.000104	3.467e-05	__init__.py:405(wrapper)
1	8e-06	8e-06	0.000104	0.000104	frame.py:3342(_box_item_values)
4	3e-06	7.5e-07	0.000104	2.6e-05	base.py:1729(inferred_type)
1	0.000101	0.000101	0.000103	0.000103	datetimelike.py:321(DatetimeLikeArrayMixin)
1	1.8e-05	1.8e-05	0.000103	0.000103	arraysetops.py:744(setdiff1d)
5	1.7e-05	3.4e-06	0.000103	2.06e-05	typing.py:668(_tp_cache)
3	0.000102	3.4e-05	0.000102	3.4e-05	~:0(<built-in method builtins.dir>)
1	4e-05	4e-05	0.000102	0.000102	common.py:22(<setcomp>)
1	2.6e-05	2.6e-05	0.000102	0.000102	nosetester.py:6(<module>)
36	1.8e-05	5e-07	0.000102	2.833e-06	getlimits.py:41(<lambda>)
198	8e-05	4.04e-07	0.000101	5.101e-07	typing.py:1089(__eq__)
9	3.7e-05	4.111e-06	0.000101	1.122e-05	six.py:91(__get__)
4	1e-05	2.5e-06	0.000101	2.525e-05	pyparsing.py:2154(__radd__)
1	9e-06	9e-06	0.0001	0.0001	__init__.py:649(_get_config_or_cache_dir)
1	9.9e-05	9.9e-05	9.9e-05	9.9e-05	__init__.py:1182(<listcomp>)
267	7.4e-05	2.772e-07	9.9e-05	3.708e-07	typing.py:971(<genexpr>)
50/46	5.1e-05	1.109e-06	9.9e-05	2.152e-06	typing.py:553(_replace_arg)
11	5.1e-05	4.636e-06	9.9e-05	9e-06	common.py:160(is_sparse)
1	4e-06	4e-06	9.9e-05	9.9e-05	<string>:2(<module>)
1	9.8e-05	9.8e-05	9.8e-05	9.8e-05	blocks.py:2926(CategoricalBlock)
1	2.7e-05	2.7e-05	9.8e-05	9.8e-05	concat.py:3(<module>)

8	1.6e-05	2e-06	9.8e-05	1.225e-05	core.py:8064(getdoc)
2	1.3e-05	6.5e-06	9.8e-05	4.9e-05	utils.py:147(deprecate)
160	9.7e-05	6.063e-07	9.7e-05	6.063e-07	six.py:184(find_module)
62	5.8e-05	9.355e-07	9.7e-05	1.565e-06	accessor.py:88(<create_delegator_method>)
1	3.2e-05	3.2e-05	9.6e-05	9.6e-05	pickle_compat.py:3(<module>)
3	7e-06	2.333e-06	9.6e-05	3.2e-05	base.py:1669(is_boolean)
323	9.5e-05	2.941e-07	9.5e-05	2.941e-07	~:0(<method 'get' of 'mappingproxy' objects>)
16	7.5e-05	4.687e-06	9.5e-05	5.937e-06	pyparsing.py:3175(parseImpl)
217	6.2e-05	2.857e-07	9.5e-05	4.378e-07	socket.py:86(<lambda>)
138	5e-05	3.623e-07	9.5e-05	6.884e-07	expr.py:157(<genexpr>)
1	4.9e-05	4.9e-05	9.5e-05	9.5e-05	construction.py:4(<module>)
1	1.2e-05	1.2e-05	9.5e-05	9.5e-05	_string_helpers.py:5(<module>)
254	7e-05	2.756e-07	9.4e-05	3.701e-07	pyparsing.py:3851(<genexpr>)
10	1.1e-05	1.1e-06	9.4e-05	9.4e-06	pyparsing.py:4640(__init__)
238	8.9e-05	3.739e-07	9.3e-05	3.908e-07	enum.py:36(<is_sunder>)
3	5e-05	1.667e-05	9.3e-05	3.1e-05	tokenize.py:137(<all_string_prefixes>)
26	1.5e-05	5.769e-07	9.3e-05	3.577e-06	calendar.py:58(<getitem__>)
1	9.2e-05	9.2e-05	9.2e-05	9.2e-05	opcode.py:37(<listcomp>)
92	7.6e-05	8.261e-07	9.2e-05	1e-06	_weakrefset.py:20(__enter__)
83	5.3e-05	6.386e-07	9.2e-05	1.108e-06	typing.py:1039(<abc_negative_cache_version>)
1	3.6e-05	3.6e-05	9.2e-05	9.2e-05	tile.py:3(<module>)
1	2.5e-05	2.5e-05	9.2e-05	9.2e-05	_ufunc_config.py:5(<module>)
11	2.3e-05	2.091e-06	9.2e-05	8.364e-06	re.py:324(<subx>)
1	4.3e-05	4.3e-05	9.1e-05	9.1e-05	datetimes.py:1(<module>)
3	2.3e-05	7.667e-06	9.1e-05	3.033e-05	managers.py:306(<verify_integrity>)
1	2.1e-05	2.1e-05	9.1e-05	9.1e-05	__init__.py:259(<reset_cache>)
80	6.1e-05	7.625e-07	9e-05	1.125e-06	ipaddress.py:1125(<parse_octet>)
218	5.5e-05	2.523e-07	9e-05	4.128e-07	socket.py:91(<lambda>)
1	1.1e-05	1.1e-05	8.9e-05	8.9e-05	units.py:43(<module>)
7	1e-05	1.429e-06	8.9e-05	1.271e-05	common.py:262(is_categorical)
26	3.8e-05	1.462e-06	8.8e-05	3.385e-06	inspect.py:2450(__init__)
21	2e-05	9.524e-07	8.8e-05	4.19e-06	common.py:1809(<get_dtype>)
3	5.3e-05	1.767e-05	8.7e-05	2.9e-05	generic.py:219(<setup_axes>)
299	3.4e-05	1.137e-07	8.7e-05	2.91e-07	__init__.py:968(__iter__)
1	1.7e-05	1.7e-05	8.6e-05	8.6e-05	construction.py:284(<extract_index>)
1	7e-06	7e-06	8.6e-05	8.6e-05	indexing.py:1385(<IXIndexer>)
2	2e-06	1e-06	8.6e-05	4.3e-05	pyparsing.py:1453(<setResultsName>)
30	4.2e-05	1.4e-06	8.5e-05	2.833e-06	getlimits.py:27(<_fr1>)
2	4e-05	2e-05	8.5e-05	4.25e-05	core.py:2929(<__array_finalize__>)
8	3.1e-05	3.875e-06	8.5e-05	1.062e-05	<frozen importlib._bootstrap>:433(<spec_from_loader>)
81	8.4e-05	1.037e-06	8.4e-05	1.037e-06	<frozen importlib._bootstrap_external>:908(<__init__>)
5	2.8e-05	5.6e-06	8.4e-05	1.68e-05	_dtype.py:46(<__str__>)

933	8.3e-05	8.896e-08	8.3e-05	8.896e-08	~:0(<method 'isupper' of 'str' objects>)
3	3.5e-05	1.167e-05	8.3e-05	2.767e-05	_asarray.py:223(require)
13	3.5e-05	2.692e-06	8.3e-05	6.385e-06	_dtype_ctypes.py:97(dtype_from_ctypes_type)
3	2.4e-05	8e-06	8.3e-05	2.767e-05	__init__.py:1838(getLogger)
14	1.8e-05	1.286e-06	8.3e-05	5.929e-06	common.py:131(is_object_dtype)
1	6e-06	6e-06	8.3e-05	8.3e-05	typing.py:2340(BinaryIO)
2	5e-06	2.5e-06	8.3e-05	4.15e-05	random.py:87(__init__)
1	2e-06	2e-06	8.3e-05	8.3e-05	_parser.py:575(__init__)
6	1.9e-05	3.167e-06	8.2e-05	1.367e-05	_ufunc_config.py:446(__exit__)
9	8.1e-05	9e-06	8.1e-05	9e-06	~:0(<method 'fill' of 'numpy.ndarray' objects>)
1	8.1e-05	8.1e-05	8.1e-05	8.1e-05	quoprimime.py:55(<listcomp>)
1	1.5e-05	1.5e-05	8.1e-05	8.1e-05	generic.py:48(NDFrameGroupBy)
1	1.4e-05	1.4e-05	8.1e-05	8.1e-05	_parser.py:300(__init__)
1	1.1e-05	1.1e-05	8.1e-05	8.1e-05	typing.py:2354(TextIO)
1	4e-06	4e-06	8.1e-05	8.1e-05	<__array_function__ internals>:2(in1d)
1	5.9e-05	5.9e-05	8e-05	8e-05	core.py:2708(MaskedArray)
21	4.9e-05	2.333e-06	8e-05	3.81e-06	pyparsing.py:3203(__str__)
1	3.2e-05	3.2e-05	8e-05	8e-05	expr.py:262(f)
8	3e-06	3.75e-07	8e-05	1e-05	pyparsing.py:5675(<genexpr>)
42	7.9e-05	1.881e-06	7.9e-05	1.881e-06	deprecation.py:23(<generate_deprecation_message>)
1	9e-06	9e-06	7.9e-05	7.9e-05	_globals.py:17(<module>)
1	8e-06	8e-06	7.9e-05	7.9e-05	frame.py:3349(_box_col_values)
1	7.8e-05	7.8e-05	7.8e-05	7.8e-05	parse.py:126(_ResultMixinStr)
1	1.8e-05	1.8e-05	7.8e-05	7.8e-05	random.py:96(seed)
379	7.7e-05	2.032e-07	7.7e-05	2.032e-07	<frozen importlib._bootstrap_external>:669(create_module)
1	3.8e-05	3.8e-05	7.7e-05	7.7e-05	_string_helpers.py:9(<listcomp>)
3	1.7e-05	5.667e-06	7.7e-05	2.567e-05	_decorators.py:318(indent)
6	1.7e-05	2.833e-06	7.7e-05	1.283e-05	pyparsing.py:5673(<lambda>)
1	2.5e-05	2.5e-05	7.6e-05	7.6e-05	timedeltas.py:109(TimedeltaArray)
1	9e-06	9e-06	7.6e-05	7.6e-05	__future__.py:48(<module>)
6	2.3e-05	3.833e-06	7.5e-05	1.25e-05	nanops.py:94(__call__)
3	2e-05	6.667e-06	7.5e-05	2.5e-05	numeric.py:166(ones)
1	1e-05	1e-05	7.5e-05	7.5e-05	numeric.py:239(UINT64Index)
1	3e-06	3e-06	7.5e-05	7.5e-05	pyparsing.py:1563(addCondition)
6	7.4e-05	1.233e-05	7.4e-05	1.233e-05	~:0(<built-in method builtins.sorted>)
248	7.4e-05	2.984e-07	7.4e-05	2.984e-07	sre_parse.py:167(__setitem__)
218	7.3e-05	3.349e-07	7.3e-05	3.349e-07	~:0(<method 'isidentifier' of 'str' objects>)
297	7.3e-05	2.458e-07	7.3e-05	2.458e-07	__init__.py:878(<genexpr>)
1	1.8e-05	1.8e-05	7.3e-05	7.3e-05	_endian.py:1(<module>)
3	1.2e-05	4e-06	7.3e-05	2.433e-05	__init__.py:73(CFUNCTYPE)
24	4.3e-05	1.792e-06	7.2e-05	3e-06	dtypes.py:929(construct_from_string)
1	3.9e-05	3.9e-05	7.2e-05	7.2e-05	arraysetops.py:483(in1d)

3	1.6e-05	5.333e-06	7.2e-05	2.4e-05	__init__.py:171(compare_versions)
10	1.4e-05	1.4e-06	7.2e-05	7.2e-06	ops.py:1234(_get_method_wrappers)
1	1.1e-05	1.1e-05	7.2e-05	7.2e-05	core.py:2773(__new__)
2	3e-06	1.5e-06	7.2e-05	3.6e-05	config.py:226(__call__)
273	7.1e-05	2.601e-07	7.1e-05	2.601e-07	~:0(<method '__contains__' of 'frozenset' objects>)
116	7.1e-05	6.121e-07	7.1e-05	6.121e-07	pyparsing.py:2523(__str__)
1	1.8e-05	1.8e-05	7.1e-05	7.1e-05	cycler.py:41(<module>)
1	1.5e-05	1.5e-05	7.1e-05	7.1e-05	transforms.py:2126(IdentityTransform)
1	9e-06	9e-06	7.1e-05	7.1e-05	series.py:152(__init__)
1	6e-06	6e-06	7.1e-05	7.1e-05	os.py:40(_get_exports_list)
1	3.8e-05	3.8e-05	7e-05	7e-05	path.py:26(Path)
1	1.8e-05	1.8e-05	7e-05	7e-05	feather_format.py:1(<module>)
2	1.2e-05	6e-06	7e-05	3.5e-05	generic.py:4341(<genexpr>)
1	4e-06	4e-06	7e-05	7e-05	pyparsing.py:280(conditionAsParseAction)
1	6.9e-05	6.9e-05	6.9e-05	6.9e-05	_converter.py:285(DatetimeConverter)
197	5.1e-05	2.589e-07	6.9e-05	3.503e-07	typing.py:974(<genexpr>)
1	5e-05	5e-05	6.9e-05	6.9e-05	umath.py:7(<module>)
1	3.9e-05	3.9e-05	6.9e-05	6.9e-05	timedeltas.py:3(<module>)
1	3.7e-05	3.7e-05	6.9e-05	6.9e-05	_type_aliases.py:246(_set_array_types)
3	8e-06	2.667e-06	6.9e-05	2.3e-05	__init__.py:35(_deprecate_private_class)
2	7e-06	3.5e-06	6.9e-05	3.45e-05	config.py:96(_get_option)
1	2e-06	2e-06	6.9e-05	6.9e-05	typing.py:843(__getitem__)
80	4e-05	5e-07	6.8e-05	8.5e-07	ops.py:287(_get_frame_op_default_axis)
3	9e-06	3e-06	6.8e-05	2.267e-05	re.py:314(_compile_repl)
36	1e-05	2.778e-07	6.7e-05	1.861e-06	managers.py:141(<genexpr>)
6	6e-06	1e-06	6.7e-05	1.117e-05	core.py:1141(__init__)
20	5.8e-05	2.9e-06	6.6e-05	3.3e-06	mixins.py:20(_binary_method)
5	5.1e-05	1.02e-05	6.6e-05	1.32e-05	generic.py:5069(_setattr__)
98	4e-05	4.082e-07	6.6e-05	6.735e-07	ops.py:261(_gen_fill_zeros)
22	2.3e-05	1.045e-06	6.6e-05	3e-06	numpy_.py:432(_create_arithmetic_method)
1	1.3e-05	1.3e-05	6.6e-05	6.6e-05	grouper.py:234(__init__)
7	6e-06	8.571e-07	6.6e-05	9.429e-06	pyparsing.py:4743(__init__)
176	6.5e-05	3.693e-07	6.5e-05	3.693e-07	_decorators.py:251(__init__)
93	5.8e-05	6.237e-07	6.5e-05	6.989e-07	pyparsing.py:1614(preParse)
1	4.1e-05	4.1e-05	6.5e-05	6.5e-05	offsets.py:110(DateOffset)
28	2.8e-05	1e-06	6.5e-05	2.321e-06	ipaddress.py:1596(_make_netmask)
1	2.2e-05	2.2e-05	6.5e-05	6.5e-05	base.py:5(<module>)
16	2.8e-05	1.75e-06	6.4e-05	4e-06	integer.py:620(_create_arithmetic_method)
16	2.6e-05	1.625e-06	6.4e-05	4e-06	_type_aliases.py:66(_bits_of)
1	5e-06	5e-06	6.4e-05	6.4e-05	__init__.py:621(_get_xdg_config_dir)
1	4e-06	4e-06	6.4e-05	6.4e-05	indexing.py:1541(_LocIndexer)
207	6.3e-05	3.043e-07	6.3e-05	3.043e-07	~:0(<built-in method _sre.getlower>)

15	6.3e-05	4.2e-06	6.3e-05	4.2e-06	strings.py:1736(_noarg_wrapper)
1	6.1e-05	6.1e-05	6.3e-05	6.3e-05	polynomial.py:1009(poly1d)
1	2.7e-05	2.7e-05	6.3e-05	6.3e-05	concat.py:3(<module>)
1	2.6e-05	2.6e-05	6.3e-05	6.3e-05	managers.py:963(iget)
3	1e-05	3.333e-06	6.3e-05	2.1e-05	common.py:1431(needs_i8_conversion)
6	4.7e-05	7.833e-06	6.2e-05	1.033e-05	weakref.py:102(__init__)
57	4.5e-05	7.895e-07	6.2e-05	1.088e-06	__init__.py:19(__new__)
102	3.4e-05	3.333e-07	6.2e-05	6.078e-07	sre_compile.py:102(fixup)
44	3e-05	6.818e-07	6.2e-05	1.409e-06	pyparsing.py:4251(<genexpr>)
50	2.5e-05	5e-07	6.2e-05	1.24e-06	ops.py:1384(_wrap_inplace_method)
3	6.1e-05	2.033e-05	6.1e-05	2.033e-05	~:0(<built-in method numpy.zeros>)
44	3.9e-05	8.864e-07	6.1e-05	1.386e-06	six.py:105(__init__)
1	2.4e-05	2.4e-05	6.1e-05	6.1e-05	inference.py:1(<module>)
2	1.2e-05	6e-06	6.1e-05	3.05e-05	cast.py:953(maybe_cast_to_datetime)
1	6e-05	6e-05	6e-05	6e-05	~:0(<built-in method builtins.print>)
1	6e-05	6e-05	6e-05	6e-05	threading.py:1188(_MainThread)
1	5.9e-05	5.9e-05	6e-05	6e-05	blocks.py:50(Block)
14	2.3e-05	1.643e-06	6e-05	4.286e-06	__init__.py:139(_check_size)
10	1e-05	1e-06	6e-05	6e-06	common.py:472(is_timedelta64_dtype)
1	5.9e-05	5.9e-05	5.9e-05	5.9e-05	~:0(<function Random.seed at 0x10d64aa60>)
7	4.3e-05	6.143e-06	5.9e-05	8.429e-06	_parser.py:315(_convert)
3	3.2e-05	1.067e-05	5.9e-05	1.967e-05	sre_parse.py:876(parse_template)
3	2e-05	6.667e-06	5.9e-05	1.967e-05	__init__.py:1161(getLogger)
3	1.9e-05	6.333e-06	5.9e-05	1.967e-05	_common.py:132(_validate_fromutc_inputs)
1	1.6e-05	1.6e-05	5.9e-05	5.9e-05	base.py:784(take)
1	9e-06	9e-06	5.9e-05	5.9e-05	common.py:1(<module>)
331	5.8e-05	1.752e-07	5.8e-05	1.752e-07	~:0(<method 'items' of 'dict' objects>)
72	4.7e-05	6.528e-07	5.8e-05	8.056e-07	linecache.py:147(lazycache)
2	1.2e-05	6e-06	5.8e-05	2.9e-05	__init__.py:302(loads)
5	6e-06	1.2e-06	5.8e-05	1.16e-05	fontconfig_pattern.py:140(_family)
4	3e-05	7.5e-06	5.7e-05	1.425e-05	typing.py:613(_remove_dups_flatten)
1	9e-06	9e-06	5.7e-05	5.7e-05	<string>:1(<module>)
2	6e-06	3e-06	5.7e-05	2.85e-05	__init__.py:587(_get_home)
3	4.3e-05	1.433e-05	5.6e-05	1.867e-05	inspect.py:2730(__init__)
2	3.2e-05	1.6e-05	5.6e-05	2.8e-05	utils.py:133(_get_indent)
1	1.2e-05	1.2e-05	5.6e-05	5.6e-05	memmap.py:1(<module>)
1	8e-06	8e-06	5.6e-05	5.6e-05	numeric.py:2066(identity)
12	5.4e-05	4.5e-06	5.5e-05	4.583e-06	_ufunc_config.py:139(geterr)
1	3.3e-05	3.3e-05	5.5e-05	5.5e-05	missing.py:3(<module>)
1	9e-06	9e-06	5.5e-05	5.5e-05	base.py:1096(tolist)
205	5.4e-05	2.634e-07	5.4e-05	2.634e-07	enum.py:594(name)
8	2.8e-05	3.5e-06	5.4e-05	6.75e-06	range.py:615(_make_evaluate_binop)

67	2.4e-05	3.582e-07	5.4e-05	8.06e-07	signal.py:10(<lambda>)
16	1.6e-05	1e-06	5.4e-05	3.375e-06	sparse.py:1664(_create_arithmetic_method)
4	1e-05	2.5e-06	5.4e-05	1.35e-05	base.py:963(_ndarray_values)
1	5e-06	5e-06	5.4e-05	5.4e-05	core.py:3078(view)
1	3e-06	3e-06	5.4e-05	5.4e-05	__init__.py:218(_is_writable_dir)
1	2e-06	2e-06	5.4e-05	5.4e-05	base.py:1346(rename)
9	3.7e-05	4.111e-06	5.3e-05	5.889e-06	typing.py:498(__init__)
1	2.1e-05	2.1e-05	5.3e-05	5.3e-05	_policybase.py:99(_extend_docstrings)
13	2e-05	1.538e-06	5.3e-05	4.077e-06	contextlib.py:157(helper)
1	1.3e-05	1.3e-05	5.3e-05	5.3e-05	signals.py:1(<module>)
1	1.1e-05	1.1e-05	5.3e-05	5.3e-05	token.py:1(<module>)
3	8e-06	2.667e-06	5.3e-05	1.767e-05	blocks.py:225(make_block_same_class)
1	2e-06	2e-06	5.3e-05	5.3e-05	base.py:4071(identical)
82	3.6e-05	4.39e-07	5.2e-05	6.341e-07	enum.py:822(_high_bit)
1	6e-06	6e-06	5.2e-05	5.2e-05	base.py:1272(set_names)
9	5.1e-05	5.667e-06	5.1e-05	5.667e-06	__future__.py:79(__init__)
45	5.1e-05	1.133e-06	5.1e-05	1.133e-06	pyparsing.py:1438(setName)
1	2.3e-05	2.3e-05	5.1e-05	5.1e-05	pathlib.py:107(_WindowsFlavour)
1	1.9e-05	1.9e-05	5.1e-05	5.1e-05	generic.py:3070(_set_as_cached)
136	5e-05	3.676e-07	5e-05	3.676e-07	~:0(<method 'issuperset' of 'frozenset' objects>)
51	5e-05	9.804e-07	5e-05	9.804e-07	six.py:177(_add_module)
1	5e-05	5e-05	5e-05	5e-05	__init__.py:1141(<listcomp>)
1	4.9e-05	4.9e-05	5e-05	5e-05	_type_aliases.py:154(_add_integer_aliases)
1	3.8e-05	3.8e-05	5e-05	5e-05	case.py:341(TestCase)
1	3.3e-05	3.3e-05	5e-05	5e-05	missing.py:3(<module>)
78	2.9e-05	3.718e-07	5e-05	6.41e-07	_internal.py:830(<genexpr>)
2	3.3e-05	1.65e-05	4.9e-05	2.45e-05	config.py:78(_get_single_key)
47	3e-05	6.383e-07	4.9e-05	1.043e-06	ipaddress.py:158(_split_optional_netmask)
14	2.6e-05	1.857e-06	4.9e-05	3.5e-06	pyparsing.py:844(__iadd__)
2	5e-06	2.5e-06	4.9e-05	2.45e-05	_dtype.py:57(__repr__)
1	5e-06	5e-06	4.9e-05	4.9e-05	sparse.py:1752(_add_comparison_ops)
96	4.8e-05	5e-07	4.8e-05	5e-07	traceback.py:290(walk_stack)
30	2.8e-05	9.333e-07	4.8e-05	1.6e-06	getlimits.py:19(_fr0)
12	2.4e-05	2e-06	4.8e-05	4e-06	pyparsing.py:5641(<lambda>)
1	1.6e-05	1.6e-05	4.8e-05	4.8e-05	_methods.py:5(<module>)
1	9e-06	9e-06	4.8e-05	4.8e-05	deprecation.py:1(<module>)
3	3e-06	1e-06	4.8e-05	1.6e-05	__init__.py:476(PYFUNCTYPE)
90	4.7e-05	5.222e-07	4.7e-05	5.222e-07	_inspect.py:133(strseq)
138	4.7e-05	3.406e-07	4.7e-05	3.406e-07	pyparsing.py:2428(setWhitespaceChars)
1	2.6e-05	2.6e-05	4.7e-05	4.7e-05	__init__.py:2642(_StringFuncParser)
19	1.9e-05	1e-06	4.7e-05	2.474e-06	ipaddress.py:1075(_make_netmask)
1	1.8e-05	1.8e-05	4.7e-05	4.7e-05	numeric.py:1(<module>)

14	1.6e-05	1.143e-06	4.7e-05	3.357e-06	copyreg.py:96(_slotnames)
7	1.1e-05	1.571e-06	4.7e-05	6.714e-06	pyparsing.py:3676(__init__)
1	6e-06	6e-06	4.7e-05	4.7e-05	threading.py:1190(__init__)
1	1e-06	1e-06	4.7e-05	4.7e-05	_common.py:3(<module>)
1	4.6e-05	4.6e-05	4.6e-05	4.6e-05	~:0(<built-in method posix.access>)
132	4.6e-05	3.485e-07	4.6e-05	3.485e-07	six.py:88(__init__)
36	3.1e-05	8.611e-07	4.6e-05	1.278e-06	_add_newdocs.py:6710(<genexpr>)
149	3.1e-05	2.081e-07	4.6e-05	3.087e-07	rcsetup.py:59(func)
97	2.5e-05	2.577e-07	4.6e-05	4.742e-07	pyparsing.py:5673(<genexpr>)
13	1.7e-05	1.308e-06	4.6e-05	3.538e-06	contextlib.py:85(__exit__)
1	1.3e-05	1.3e-05	4.6e-05	4.6e-05	result.py:24(TestResult)
4	7e-06	1.75e-06	4.6e-05	1.15e-05	ssl.py:360(_new__)
1	3e-06	3e-06	4.6e-05	4.6e-05	inspect.py:2390(_ParameterKind)
62	4.5e-05	7.258e-07	4.5e-05	7.258e-07	~:0(<method 'setter' of 'property' objects>)
2	4.5e-05	2.25e-05	4.5e-05	2.25e-05	~:0(<built-in method ctypes.POINTER>)
1	1.2e-05	1.2e-05	4.5e-05	4.5e-05	clipboards.py:1(<module>)
1	1e-06	1e-06	4.5e-05	4.5e-05	_parser.py:1361(_tzparser)
16	4.4e-05	2.75e-06	4.4e-05	2.75e-06	enum.py:135(<dictcomp>)
17	4e-05	2.353e-06	4.4e-05	2.588e-06	sre_compile.py:393(_generate_overlap_table)
1	3.1e-05	3.1e-05	4.4e-05	4.4e-05	twodim_base.py:154(eye)
1	2.8e-05	2.8e-05	4.4e-05	4.4e-05	generic.py:1607(_check_label_or_level_ambiguity)
6	1.6e-05	2.667e-06	4.4e-05	7.333e-06	datetimes.py:126(_dt_array_cmp)
2	1e-05	5e-06	4.4e-05	2.2e-05	decoder.py:334(decode)
40	4.3e-05	1.075e-06	4.3e-05	1.075e-06	~:0(<built-in method builtins.delattr>)
59	3.8e-05	6.441e-07	4.3e-05	7.288e-07	typing.py:866(_make_subclasshook)
48	2.8e-05	5.833e-07	4.3e-05	8.958e-07	<string>:12(__new__)
1	2.1e-05	2.1e-05	4.3e-05	4.3e-05	ops.py:369(_get_cython_function)
1	7e-06	7e-06	4.3e-05	4.3e-05	uu.py:31(<module>)
1	1e-06	1e-06	4.3e-05	4.3e-05	core.py:6335(__array_finalize__)
86	3.2e-05	3.721e-07	4.2e-05	4.884e-07	typing.py:518(_get_type_vars)
24	3e-05	1.25e-06	4.2e-05	1.75e-06	config.py:691(config_prefix)
17	2.1e-05	1.235e-06	4.2e-05	2.471e-06	base.py:3608(values)
11	1.9e-05	1.727e-06	4.2e-05	3.818e-06	pyparsing.py:5422(_escapeRegexRangeChars)
13	1.5e-05	1.154e-06	4.2e-05	3.231e-06	mixins.py:48(_numeric_methods)
2	7e-06	3.5e-06	4.2e-05	2.1e-05	cast.py:846(maybe_infer_to_datetimelike)
2	4e-06	2e-06	4.2e-05	2.1e-05	_dtype.py:80(_construction_repr)
1	4.1e-05	4.1e-05	4.1e-05	4.1e-05	managers.py:43(BlockManager)
7	2.9e-05	4.143e-06	4.1e-05	5.857e-06	warnings.py:159(_add_filter)
1	2.1e-05	2.1e-05	4.1e-05	4.1e-05	token.py:74(<dictcomp>)
59	1.7e-05	2.881e-07	4.1e-05	6.949e-07	_inspect.py:146(<lambda>)
1	1.6e-05	1.6e-05	4.1e-05	4.1e-05	base.py:4997(_add_comparison_methods)
2	1.1e-05	5.5e-06	4.1e-05	2.05e-05	functools.py:193(total_ordering)

2	6e-06	3e-06	4.1e-05	2.05e-05	common.py:1643(is_extension_type)
2	5e-06	2.5e-06	4.1e-05	2.05e-05	typing.py:805(_subs_tree)
4	5e-06	1.25e-06	4.1e-05	1.025e-05	pyparsing.py:2345(__invert__)
56	4e-05	7.143e-07	4e-05	7.143e-07	~:0(<method 'translate' of 'bytearray' objects>)
363	4e-05	1.102e-07	4e-05	1.102e-07	~:0(<built-in method builtins.globals>)
282	4e-05	1.418e-07	4e-05	1.418e-07	pyparsing.py:3122(<genexpr>)
1	4e-05	4e-05	4e-05	4e-05	colors.py:64(__init__)
64	3.7e-05	5.781e-07	4e-05	6.25e-07	rcsetup.py:66(__call__)
21	2.3e-05	1.095e-06	4e-05	1.905e-06	datetimes.py:88(_field_accessor)
101	2.2e-05	2.178e-07	4e-05	3.96e-07	ssl.py:124(<lambda>)
1	9e-06	9e-06	4e-05	4e-05	pytables.py:3876(LegacyTable)
1	8e-06	8e-06	4e-05	4e-05	base.py:5408(default_index)
1	7e-06	7e-06	4e-05	4e-05	_version.py:20(get_versions)
1	3.9e-05	3.9e-05	3.9e-05	3.9e-05	<string>:5(DefaultVerifyPaths)
1	3.8e-05	3.8e-05	3.9e-05	3.9e-05	sparse.py:505(SparseArray)
5	2.7e-05	5.4e-06	3.9e-05	7.8e-06	base.py:5130(_add_numeric_methods_unary)
14	2.1e-05	1.5e-06	3.9e-05	2.786e-06	pyparsing.py:4474(__str__)
1	1.7e-05	1.7e-05	3.9e-05	3.9e-05	numeric.py:185(Int64Index)
15	1.7e-05	1.133e-06	3.9e-05	2.6e-06	pyparsing.py:4829(__str__)
1	1.3e-05	1.3e-05	3.9e-05	3.9e-05	category.py:794(_add_comparison_methods)
1	7e-06	7e-06	3.9e-05	3.9e-05	typing.py:686(_Union)
1	2e-06	2e-06	3.9e-05	3.9e-05	generic.py:10106(_add_series_only_operations)
100	3.8e-05	3.8e-07	3.8e-05	3.8e-07	abc.py:9(abstractmethod)
92	3.8e-05	4.13e-07	3.8e-05	4.13e-07	_weakrefset.py:16(__init__)
72	3.8e-05	5.278e-07	3.8e-05	5.278e-07	traceback.py:243(__init__)
84	3.8e-05	4.524e-07	3.8e-05	4.524e-07	lazy.py:149(lazy)
1	3.7e-05	3.7e-05	3.8e-05	3.8e-05	numerictypes.py:445(_construct_lookups)
18	2.3e-05	1.278e-06	3.8e-05	2.111e-06	datetimelike.py:106(_create_comparison_method)
2	1.4e-05	7e-06	3.8e-05	1.9e-05	_dtype.py:115(_scalar_str)
7	1e-05	1.429e-06	3.8e-05	5.429e-06	six.py:159(_resolve)
1	8e-06	8e-06	3.8e-05	3.8e-05	_parser.py:574(parser)
1	4e-06	4e-06	3.8e-05	3.8e-05	common.py:702(is_datetimelike)
92	3.7e-05	4.022e-07	3.7e-05	4.022e-07	_weakrefset.py:52(_commit_removals)
1	3.7e-05	3.7e-05	3.7e-05	3.7e-05	zipfile.py:760(ZipExtFile)
1	3.7e-05	3.7e-05	3.7e-05	3.7e-05	transforms.py:258(BboxBase)
101	2.3e-05	2.277e-07	3.7e-05	3.663e-07	ssl.py:139(<lambda>)
30	2e-05	6.667e-07	3.7e-05	1.233e-06	ipaddress.py:1251(__init__)
3	1.2e-05	4e-06	3.7e-05	1.233e-05	base.py:4459(_maybe_promote)
3	1.1e-05	3.667e-06	3.7e-05	1.233e-05	~:0(<method 'all' of 'numpy.ndarray' objects>)
2	3e-06	1.5e-06	3.7e-05	1.85e-05	algorithms.py:38(_ensure_data)
257	3.6e-05	1.401e-07	3.6e-05	1.401e-07	hmac.py:10(<genexpr>)

4	3.6e-05	9e-06	3.6e-05	9e-06	~:0(<built-in method _ssl.txt2obj>)
49	3.6e-05	7.347e-07	3.6e-05	7.347e-07	pyparsing.py:296(__init__)
63	3.1e-05	4.921e-07	3.6e-05	5.714e-07	~:0(<built-in method builtins.hash>)
43	2.4e-05	5.581e-07	3.6e-05	8.372e-07	ipaddress.py:1866(__init__)
2	1.7e-05	8.5e-06	3.6e-05	1.8e-05	cyclcr.py:349(by_key)
24	1.2e-05	5e-07	3.6e-05	1.5e-06	integer.py:80(construct_from_string)
3	9e-06	3e-06	3.6e-05	1.2e-05	posixpath.py:232(expanduser)
4	9e-06	2.25e-06	3.6e-05	9e-06	warnings.py:143(simplefilter)
1	9e-06	9e-06	3.6e-05	3.6e-05	offsets.py:570(BusinessHourMixin)
1	8e-06	8e-06	3.6e-05	3.6e-05	machar.py:7(<module>)
4	7e-06	1.75e-06	3.6e-05	9e-06	pyparsing.py:4618(__init__)
17	3.5e-05	2.059e-06	3.5e-05	2.059e-06	getlimits.py:521(max)
211	3.5e-05	1.659e-07	3.5e-05	1.659e-07	typing.py:975(<genexpr>)
12	2e-05	1.667e-06	3.5e-05	2.917e-06	ops.py:1780(_bool_method_SERIES)
1	1.5e-05	1.5e-05	3.5e-05	3.5e-05	__init__.py:1(<module>)
20	8e-06	4e-07	3.5e-05	1.75e-06	ops.py:2119(_arith_method_PANEL)
4	5e-06	1.25e-06	3.5e-05	8.75e-06	isoparser.py:22(_takes_ascii)
1	4e-06	4e-06	3.5e-05	3.5e-05	missing.py:342(_isna_compat)
1	3e-06	3e-06	3.5e-05	3.5e-05	tz.py:1464(__get_gettz)
1	3.4e-05	3.4e-05	3.4e-05	3.4e-05	pickle.py:986(_Unpickler)
1	3.4e-05	3.4e-05	3.4e-05	3.4e-05	pprint.py:98(PrettyPrinter)
1	3.4e-05	3.4e-05	3.4e-05	3.4e-05	offsets.py:2368(Day)
1	2e-05	2e-05	3.4e-05	3.4e-05	_tools.py:3(<module>)
1	1.8e-05	1.8e-05	3.4e-05	3.4e-05	offsets.py:1300(Week)
1	1.7e-05	1.7e-05	3.4e-05	3.4e-05	format.py:163(<module>)
31	1.2e-05	3.871e-07	3.4e-05	1.097e-06	ipaddress.py:1718(_parse_hextet)
7	1.2e-05	1.714e-06	3.4e-05	4.857e-06	config.py:793(is_one_of_factory)
13	9e-06	6.923e-07	3.4e-05	2.615e-06	dtypes.py:19(register_extension_dtype)
1	7e-06	7e-06	3.4e-05	3.4e-05	frozen.py:123(FrozenNDArray)
1	6e-06	6e-06	3.4e-05	3.4e-05	arrayiterator.py:9(<module>)
1	5e-06	5e-06	3.4e-05	3.4e-05	_version.py:7(<module>)
13	2.9e-05	2.231e-06	3.3e-05	2.538e-06	contextlib.py:59(__init__)
101	1.9e-05	1.881e-07	3.3e-05	3.267e-07	ssl.py:129(<lambda>)
101	1.8e-05	1.782e-07	3.3e-05	3.267e-07	ssl.py:144(<lambda>)
18	1.3e-05	7.222e-07	3.3e-05	1.833e-06	rcsetup.py:920(_validate_linestyle)
22	9e-06	4.091e-07	3.3e-05	1.5e-06	ops.py:2240(_arith_method_SPARSE_SERIES)
2	8e-06	4e-06	3.3e-05	1.65e-05	<__array_function__ internals>:2(concatenate)
3	6e-06	2e-06	3.3e-05	1.1e-05	result.py:12(failfast)
106	3.2e-05	3.019e-07	3.2e-05	3.019e-07	~:0(<built-in method builtins.max>)
112	3.2e-05	2.857e-07	3.2e-05	2.857e-07	~:0(<built-in method _struct.unpack>)
30	2.9e-05	9.667e-07	3.2e-05	1.067e-06	_type_aliases.py:238(_add_array_type)
58	2.8e-05	4.828e-07	3.2e-05	5.517e-07	rcsetup.py:414(validate_string)

11	2.5e-05	2.273e-06	3.2e-05	2.909e-06	rcsetup.py:75(_listify_validator)
37	2.3e-05	6.216e-07	3.2e-05	8.649e-07	pyparsing.py:585(__getitem__)
101	2.1e-05	2.079e-07	3.2e-05	3.168e-07	ssl.py:134(<lambda>)
16	1.4e-05	8.75e-07	3.2e-05	2e-06	enum.py:312(__getattr__)
6	1.4e-05	2.333e-06	3.2e-05	5.333e-06	~:0(<pandas._libs.lib.values_from_object>)
1	1.1e-05	1.1e-05	3.2e-05	3.2e-05	linalg.py:82(_determine_error_states)
1	8e-06	8e-06	3.2e-05	3.2e-05	tz.py:41(tzutc)
1	7e-06	7e-06	3.2e-05	3.2e-05	_version.py:22(get_versions)
1	6e-06	6e-06	3.2e-05	3.2e-05	base.py:646(<lambda>)
3	5e-06	1.667e-06	3.2e-05	1.067e-05	platform.py:1254(python_implementation)
100	3.1e-05	3.1e-07	3.1e-05	3.1e-07	~:0(<method '__subclasses__' of 'type' objects>)
23	3.1e-05	1.348e-06	3.1e-05	1.348e-06	~:0(<built-in method _struct.calcsize>)
118	3.1e-05	2.627e-07	3.1e-05	2.627e-07	opcode.py:39(def_op)
7	3.1e-05	4.429e-06	3.1e-05	4.429e-06	offsets.py:2244(__init__)
98	3.1e-05	3.163e-07	3.1e-05	3.163e-07	pyparsing.py:2529(streamline)
115	3.1e-05	2.696e-07	3.1e-05	2.696e-07	expr.py:167(<lambda>)
10	2.5e-05	2.5e-06	3.1e-05	3.1e-06	sre_parse.py:257(getwhile)
31	2.2e-05	7.097e-07	3.1e-05	1e-06	pyparsing.py:2874(parseImpl)
1	1.1e-05	1.1e-05	3.1e-05	3.1e-05	datetime.py:1961(timezone)
1	7e-06	7e-06	3.1e-05	3.1e-05	ipaddress.py:1245(IPv4Address)
1	6e-06	6e-06	3.1e-05	3.1e-05	_pytesttester.py:29(<module>)
1	5e-06	5e-06	3.1e-05	3.1e-05	_style.py:102(_Options)
54	3e-05	5.556e-07	3e-05	5.556e-07	~:0(<method 'translate' of 'str' objects>)
19	3e-05	1.579e-06	3e-05	1.579e-06	_internal.py:865(npy_ctypes_check)
96	3e-05	3.125e-07	3e-05	3.125e-07	ops.py:200(make_invalid_op)
1	2.4e-05	2.4e-05	3e-05	3e-05	_polybase.py:19(ABCPolyBase)
11	1.8e-05	1.636e-06	3e-05	2.727e-06	__init__.py:221(iteritems)
6	1.1e-05	1.833e-06	3e-05	5e-06	period.py:44(_period_array_cmp)
4	1e-05	2.5e-06	3e-05	7.5e-06	genericpath.py:39(isdir)
3	9e-06	3e-06	3e-05	1e-05	pyparsing.py:3743(__init__)
1	8e-06	8e-06	3e-05	3e-05	range.py:69(__new__)
2	3e-06	1.5e-06	3e-05	1.5e-05	generic.py:5132(_consolidate_inplace)
1	2.9e-05	2.9e-05	2.9e-05	2.9e-05	offsets.py:2482(<dictcomp>)
5	2.9e-05	5.8e-06	2.9e-05	5.8e-06	generic.py:127(__init__)
159	2.9e-05	1.824e-07	2.9e-05	1.824e-07	expr.py:207(_node_not_implemented)
10	2.6e-05	2.6e-06	2.9e-05	2.9e-06	printing.py:185(as_escaped_unicode)
1	2.6e-05	2.6e-05	2.9e-05	2.9e-05	series.py:354(_set_axis)
26	2.4e-05	9.231e-07	2.9e-05	1.115e-06	typing.py:654(_check_generic)
7	2e-05	2.857e-06	2.9e-05	4.143e-06	sre_parse.py:784(_parse_flags)
11	2e-05	1.818e-06	2.9e-05	2.636e-06	range.py:510(__len__)
2	1.8e-05	9e-06	2.9e-05	1.45e-05	locale.py:565(getlocale)
1	1.6e-05	1.6e-05	2.9e-05	2.9e-05	_version.py:7(<module>)

8	1.4e-05	1.75e-06	2.9e-05	3.625e-06	datetimelike.py:171(_join_i8_wrapper)
6	1.3e-05	2.167e-06	2.9e-05	4.833e-06	common.py:923(is_signed_integer_dtype)
3	1.2e-05	4e-06	2.9e-05	9.667e-06	<frozen importlib._bootstrap>:622(_load_backward_comp
4	1.2e-05	3e-06	2.9e-05	7.25e-06	timedeltas.py:154(_join_i8_wrapper)
3	1.1e-05	3.667e-06	2.9e-05	9.667e-06	<__array_function__ internals>:2(can_cast)
1	6e-06	6e-06	2.9e-05	2.9e-05	common.py:246(index_labels_to_array)
1	6e-06	6e-06	2.9e-05	2.9e-05	numeric.py:34(__new__)
2	2e-06	1e-06	2.9e-05	1.45e-05	core.py:6500(__init__)
1	2e-06	2e-06	2.9e-05	2.9e-05	base.py:2590(_assert_can_do_setop)
1	1e-06	1e-06	2.9e-05	2.9e-05	pyparsing.py:6765(Japanese)
78	2.8e-05	3.59e-07	2.8e-05	3.59e-07	overrides.py:105(decorator)
32	2.8e-05	8.75e-07	2.8e-05	8.75e-07	_type_aliases.py:68(<genexpr>)
1	2.8e-05	2.8e-05	2.8e-05	2.8e-05	offsets.py:2373(Hour)
158	2.8e-05	1.772e-07	2.8e-05	1.772e-07	pyparsing.py:3994(<genexpr>)
1	2.2e-05	2.2e-05	2.8e-05	2.8e-05	api.py:3(<module>)
1	1.9e-05	1.9e-05	2.8e-05	2.8e-05	decorators.py:15(<module>)
2	1.5e-05	7.5e-06	2.8e-05	1.4e-05	core.py:2903(_update_from)
36	1.4e-05	3.889e-07	2.8e-05	7.778e-07	_string_helpers.py:16(english_lower)
1	1.3e-05	1.3e-05	2.8e-05	2.8e-05	tzfile.py:4(<module>)
1	1.1e-05	1.1e-05	2.8e-05	2.8e-05	lazy.py:118(<listcomp>)
3	8e-06	2.667e-06	2.8e-05	9.333e-06	datetime.py:1369(__new__)
2	8e-06	4e-06	2.8e-05	1.4e-05	nanops.py:726(_nanminmax)
1	6e-06	6e-06	2.8e-05	2.8e-05	_add_newdocs.py:6668(numeric_type_aliases)
1	5e-06	5e-06	2.8e-05	2.8e-05	__init__.py:332(__init__)
2	3e-06	1.5e-06	2.8e-05	1.4e-05	arrayprint.py:462(decorating_function)
2	3e-06	1.5e-06	2.8e-05	1.4e-05	rcsetup.py:115(validate_path_exists)
83	2.7e-05	3.253e-07	2.7e-05	3.253e-07	~:0(<method 'pop' of 'dict' objects>)
16	2.7e-05	1.687e-06	2.7e-05	1.687e-06	enum.py:65(__init__)
78	2.7e-05	3.462e-07	2.7e-05	3.462e-07	overrides.py:94(set_module)
25	2e-05	8e-07	2.7e-05	1.08e-06	ipaddress.py:476(_prefix_from_prefix_string)
13	1.6e-05	1.231e-06	2.7e-05	2.077e-06	_dtype_ctypes.py:69(_from_ctypes_scalar)
18	1.6e-05	8.889e-07	2.7e-05	1.5e-06	typing.py:168(__new__)
48	1.5e-05	3.125e-07	2.7e-05	5.625e-07	pyparsing.py:4002(<genexpr>)
3	1.3e-05	4.333e-06	2.7e-05	9e-06	platform.py:1147(_sys_version)
1	1.2e-05	1.2e-05	2.7e-05	2.7e-05	offsets.py:1074(SemiMonthOffset)
9	1.1e-05	1.222e-06	2.7e-05	3e-06	six.py:80(_import_module)
2	1.1e-05	5.5e-06	2.7e-05	1.35e-05	cast.py:832(maybe_castable)
3	1.1e-05	3.667e-06	2.7e-05	9e-06	base.py:3940(__getitem__)
5	7e-06	1.4e-06	2.7e-05	5.4e-06	_collections_abc.py:664(__contains__)
1	7e-06	7e-06	2.7e-05	2.7e-05	lazy.py:172(<listcomp>)
2	7e-06	3.5e-06	2.7e-05	1.35e-05	generic.py:5122(_protect_consolidate)
1	5e-06	5e-06	2.7e-05	2.7e-05	cyclus.py:468(cyclus)

1	4e-06	4e-06	2.7e-05	2.7e-05	numeric.py:67(_shallow_copy)
3	3e-06	1e-06	2.7e-05	9e-06	pyparsing.py:5130(__init__)
1	2e-06	2e-06	2.7e-05	2.7e-05	_common.py:149(_tinfo)
1	2e-06	2e-06	2.7e-05	2.7e-05	__init__.py:2493(Locked)
1	2.6e-05	2.6e-05	2.6e-05	2.6e-05	os.py:44(<listcomp>)
6	2.6e-05	4.333e-06	2.6e-05	4.333e-06	six.py:126(__init__)
1	2.6e-05	2.6e-05	2.6e-05	2.6e-05	ops.py:90(BaseGrouper)
1	2.3e-05	2.3e-05	2.6e-05	2.6e-05	transforms.py:766(Bbox)
24	2.2e-05	9.167e-07	2.6e-05	1.083e-06	traceback.py:273(__getitem__)
4	1.4e-05	3.5e-06	2.6e-05	6.5e-06	function_base.py:2031(__init__)
10	1.4e-05	1.4e-06	2.6e-05	2.6e-06	rcsetup.py:303(__call__)
1	1.3e-05	1.3e-05	2.6e-05	2.6e-05	_factories.py:24(__init__)
101	1.2e-05	1.188e-07	2.6e-05	2.574e-07	ssl.py:149(<lambda>)
16	1.1e-05	6.875e-07	2.6e-05	1.625e-06	_string_helpers.py:72(english_capitalize)
1	1e-05	1e-05	2.6e-05	2.6e-05	offsets.py:456(BusinessDay)
6	1e-05	1.667e-06	2.6e-05	4.333e-06	timedeltas.py:60(_td_array_cmp)
6	1e-05	1.667e-06	2.6e-05	4.333e-06	category.py:798(_make_compare)
1	6e-06	6e-06	2.6e-05	2.6e-05	_exceptions.py:1(<module>)
2/1	6e-06	6e-06	2.6e-05	2.6e-05	deprecation.py:206(wrapper)
3	4e-06	1.333e-06	2.6e-05	8.667e-06	_methods.py:47(_all)
1	1e-06	1e-06	2.6e-05	2.6e-05	<__array_function__ internals>:2(sort)
71	2.5e-05	3.521e-07	2.5e-05	3.521e-07	~:0(<built-in method sys._getframe>)
1	2.5e-05	2.5e-05	2.5e-05	2.5e-05	~:0(<built-in method posix.uname>)
134	2.5e-05	1.866e-07	2.5e-05	1.866e-07	enum.py:630(<lambda>)
95	2.5e-05	2.632e-07	2.5e-05	2.632e-07	pyparsing.py:277(<genexpr>)
1	2.5e-05	2.5e-05	2.5e-05	2.5e-05	pytables.py:2290(Fixed)
1	2.5e-05	2.5e-05	2.5e-05	2.5e-05	pytables.py:3041(Table)
12	2.4e-05	2e-06	2.5e-05	2.083e-06	pyparsing.py:1846(resetCache)
40	1.7e-05	4.25e-07	2.5e-05	6.25e-07	common.py:119(<lambda>)
13	1.6e-05	1.231e-06	2.5e-05	1.923e-06	dtypes.py:57(register)
1	1.6e-05	1.6e-05	2.5e-05	2.5e-05	stata.py:2675(StataWriter117)
1	1.5e-05	1.5e-05	2.5e-05	2.5e-05	numbers.py:32(Complex)
4	1.2e-05	3e-06	2.5e-05	6.25e-06	generic.py:10241(_doc_parms)
6	8e-06	1.333e-06	2.5e-05	4.167e-06	base.py:66(_make_comparison_op)
1	8e-06	8e-06	2.5e-05	2.5e-05	grouper.py:619(_convert_grouper)
1	6e-06	6e-06	2.5e-05	2.5e-05	sql.py:952(SQLDatabase)
1	4e-06	4e-06	2.5e-05	2.5e-05	argparse.py:150(HelpFormatter)
13	2.4e-05	1.846e-06	2.4e-05	1.846e-06	~:0(<built-in method numpy.seterrobj>)
24	2.4e-05	1e-06	2.4e-05	1e-06	dtypes.py:452(construct_from_string)
1	1.6e-05	1.6e-05	2.4e-05	2.4e-05	fractions.py:60(Fraction)
1	1.3e-05	1.3e-05	2.4e-05	2.4e-05	tokenize.py:385(find_cookie)
2	1.1e-05	5.5e-06	2.4e-05	1.2e-05	sre_compile.py:381(_bytes_to_codes)

8	1e-05	1.25e-06	2.4e-05	3e-06	sparse.py:1707(_create_comparison_method)
1	7e-06	7e-06	2.4e-05	2.4e-05	typing.py:907(GenericMeta)
1	7e-06	7e-06	2.4e-05	2.4e-05	pparsing.py:3550(__init__)
1	6e-06	6e-06	2.4e-05	2.4e-05	random.py:680(getrandbits)
2	5e-06	2.5e-06	2.4e-05	1.2e-05	os.py:672(__setitem__)
2	5e-06	2.5e-06	2.4e-05	1.2e-05	os.py:678(__delitem__)
1	3e-06	3e-06	2.4e-05	2.4e-05	case.py:44(_Outcome)
1	2e-06	2e-06	2.4e-05	2.4e-05	_parser.py:1363(_result)
1	2e-06	2e-06	2.4e-05	2.4e-05	__init__.py:772(_get_data_path_cached)
199	2.3e-05	1.156e-07	2.3e-05	1.156e-07	~:0(<method 'items' of 'collections.OrderedDict' objects>)
3	2.3e-05	7.667e-06	2.3e-05	7.667e-06	~:0(<built-in method _csv.register_dialect>)
26	2.3e-05	8.846e-07	2.3e-05	8.846e-07	_decorators.py:77(deprecate_kwarg)
1	2.3e-05	2.3e-05	2.3e-05	2.3e-05	offsets.py:2378(Minute)
1	2.3e-05	2.3e-05	2.3e-05	2.3e-05	offsets.py:2383(Second)
90	2.3e-05	2.556e-07	2.3e-05	2.556e-07	rcsetup.py:160(validate_float)
1	2.2e-05	2.2e-05	2.3e-05	2.3e-05	relativedelta.py:18(relativedelta)
1	2e-05	2e-05	2.3e-05	2.3e-05	subprocess.py:14(<module>)
1	1.9e-05	1.9e-05	2.3e-05	2.3e-05	numbers.py:147(Real)
10	1.8e-05	1.8e-06	2.3e-05	2.3e-06	inference.py:470(is_sequence)
74	1.6e-05	2.162e-07	2.3e-05	3.108e-07	typing.py:931(<genexpr>)
1	1.6e-05	1.6e-05	2.3e-05	2.3e-05	terminal.py:13(<module>)
4	1.5e-05	3.75e-06	2.3e-05	5.75e-06	managers.py:98(<listcomp>)
6	1.4e-05	2.333e-06	2.3e-05	3.833e-06	generic.py:263(set_axis)
1	1.3e-05	1.3e-05	2.3e-05	2.3e-05	scipy_sparse.py:5(<module>)
10	1.2e-05	1.2e-06	2.3e-05	2.3e-06	version.py:331(_cmp)
7	1.2e-05	1.714e-06	2.3e-05	3.286e-06	config.py:798(inner)
1	1.1e-05	1.1e-05	2.3e-05	2.3e-05	__init__.py:1(<module>)
1	9e-06	9e-06	2.3e-05	2.3e-05	_dtype.py:5(<module>)
1	6e-06	6e-06	2.3e-05	2.3e-05	fnmatch.py:11(<module>)
2	6e-06	3e-06	2.3e-05	1.15e-05	<__array_function__ internals>:2(empty_like)
1	5e-06	5e-06	2.3e-05	2.3e-05	offsets.py:813(CustomBusinessDay)
1	5e-06	5e-06	2.3e-05	2.3e-05	pparsing.py:3956(And)
1	5e-06	5e-06	2.3e-05	2.3e-05	rrule.py:1306(rruleset)
19	2.2e-05	1.158e-06	2.2e-05	1.158e-06	~:0(<method 'view' of 'numpy.ndarray' objects>)
1	2.2e-05	2.2e-05	2.2e-05	2.2e-05	pathlib.py:602(PurePath)
1	2.2e-05	2.2e-05	2.2e-05	2.2e-05	sparse.py:46(SparseDtype)
1	2.2e-05	2.2e-05	2.2e-05	2.2e-05	_core.py:66(MPLPlot)
1	2.2e-05	2.2e-05	2.2e-05	2.2e-05	pytables.py:414(HDFStore)
5	1.8e-05	3.6e-06	2.2e-05	4.4e-06	generic.py:349(_get_axis_number)
1	1.7e-05	1.7e-05	2.2e-05	2.2e-05	pytables.py:2459(GenericFixed)
3	1.5e-05	5e-06	2.2e-05	7.333e-06	pytables.py:1541(__init__)
1	1.4e-05	1.4e-05	2.2e-05	2.2e-05	_asarray.py:5(<module>)

1	9e-06	9e-06	2.2e-05	2.2e-05	fromnumeric.py:826(sort)
1	8e-06	8e-06	2.2e-05	2.2e-05	__config__.py:3(<module>)
18	8e-06	4.444e-07	2.2e-05	1.222e-06	_add_newdocs.py:6669(type_aliases_gen)
1	8e-06	8e-06	2.2e-05	2.2e-05	api.py:3(<module>)
6	7e-06	1.167e-06	2.2e-05	3.667e-06	ops.py:1607(_comp_method_SERIES)
1	7e-06	7e-06	2.2e-05	2.2e-05	sasreader.py:3(<module>)
1	6e-06	6e-06	2.2e-05	2.2e-05	iterators.py:5(<module>)
7	5e-06	7.143e-07	2.2e-05	3.143e-06	version.py:51(__lt__)
1	4e-06	4e-06	2.2e-05	2.2e-05	__init__.py:729(_get_data_path)
1	3e-06	3e-06	2.2e-05	2.2e-05	ssl.py:376(Purpose)
3	3e-06	1e-06	2.2e-05	7.333e-06	pyparsing.py:2412(suppress)
3	2e-06	6.667e-07	2.2e-05	7.333e-06	ufunlike.py:60(_fix_and_maybe_deprecate_out_named_y)
1	2e-06	2e-06	2.2e-05	2.2e-05	typing.py:1245(TupleMeta)
1	1e-06	1e-06	2.2e-05	2.2e-05	algorithms.py:217(_get_data_algo)
1	1e-06	1e-06	2.2e-05	2.2e-05	cycler.py:529(_cyclier)
1	2.1e-05	2.1e-05	2.1e-05	2.1e-05	_iotools.py:499(StringConverter)
62	2.1e-05	3.387e-07	2.1e-05	3.387e-07	lazy.py:96(lazy)
47	2.1e-05	4.468e-07	2.1e-05	4.468e-07	ipaddress.py:607(__init__)
22	1.9e-05	8.636e-07	2.1e-05	9.545e-07	typing.py:1033(_abc_negative_cache_version)
14	1.9e-05	1.357e-06	2.1e-05	1.5e-06	__init__.py:2554(__init__)
7	1.8e-05	2.571e-06	2.1e-05	3e-06	base.py:5263(_add_logical_methods_disabled)
36	1.7e-05	4.722e-07	2.1e-05	5.833e-07	typing.py:1019(_abc_negative_cache)
1	1.6e-05	1.6e-05	2.1e-05	2.1e-05	_compat.py:3(<module>)
4	9e-06	2.25e-06	2.1e-05	5.25e-06	~:0(<built-in method builtins.sum>)
6	9e-06	1.5e-06	2.1e-05	3.5e-06	_policybase.py:94(_append_doc)
1	6e-06	6e-06	2.1e-05	2.1e-05	threading.py:757(__init__)
1	5e-06	5e-06	2.1e-05	2.1e-05	contextlib.py:48(__call__)
108	2e-05	1.852e-07	2e-05	1.852e-07	~:0(<built-in method _struct.pack>)
40	2e-05	5e-07	2e-05	5e-07	common.py:117(classes)
1	2e-05	2e-05	2e-05	2e-05	offsets.py:2388(Milli)
2	2e-05	1e-05	2e-05	1e-05	decoder.py:345(raw_decode)
1	2e-05	2e-05	2e-05	2e-05	transforms.py:1907(Affine2D)
2	1.7e-05	8.5e-06	2e-05	1e-05	functools.py:196(<listcomp>)
42	1.7e-05	4.048e-07	2e-05	4.762e-07	pyparsing.py:1547(<genexpr>)
5	1.3e-05	2.6e-06	2e-05	4e-06	generic.py:3028(_create_indexer)
3	1.2e-05	4e-06	2e-05	6.667e-06	__init__.py:1268(__init__)
7	1e-05	1.429e-06	2e-05	2.857e-06	typing.py:206(__new__)
5	1e-05	2e-06	2e-05	4e-06	common.py:746(is_dtype_equal)
1	8e-06	8e-06	2e-05	2e-05	_tester.py:3(<module>)
3	5e-06	1.667e-06	2e-05	6.667e-06	ufunlike.py:43(_fix_out_named_y)
1	5e-06	5e-06	2e-05	2e-05	cycler.py:191(_from_iter)
1	1e-06	1e-06	2e-05	2e-05	typing.py:1298(CallableMeta)

45	1.9e-05	4.222e-07	1.9e-05	4.222e-07	~:0(<built-in method builtins.iter>)
9	1.9e-05	2.111e-06	1.9e-05	2.111e-06	~:0(<built-in method builtins.round>)
90	1.9e-05	2.111e-07	1.9e-05	2.111e-07	typing.py:1096(__hash__)
9	1.9e-05	2.111e-06	1.9e-05	2.111e-06	~:0(<pandas._libs.algos.ensure_int64>)
1	1.9e-05	1.9e-05	1.9e-05	1.9e-05	offsets.py:2398(Nano)
1	1.9e-05	1.9e-05	1.9e-05	1.9e-05	decoder.py:283(__init__)
71	1.9e-05	2.676e-07	1.9e-05	2.676e-07	pyparsing.py:2419(leaveWhitespace)
1	1.8e-05	1.8e-05	1.9e-05	1.9e-05	_type_aliases.py:187(_set_up_aliases)
1	1.4e-05	1.4e-05	1.9e-05	1.9e-05	__init__.py:1582(__init__)
23	1.3e-05	5.652e-07	1.9e-05	8.261e-07	inference.py:438(is_hashable)
25	1.3e-05	5.2e-07	1.9e-05	7.6e-07	base.py:652(__len__)
6	1.3e-05	2.167e-06	1.9e-05	3.167e-06	rcsetup.py:886(validate_animation_writer_path)
20	1.1e-05	5.5e-07	1.9e-05	9.5e-07	tokenize.py:112(group)
1	1e-05	1e-05	1.9e-05	1.9e-05	ipaddress.py:1860(IPv6Address)
1	9e-06	9e-06	1.9e-05	1.9e-05	enum.py:850(<listcomp>)
1	7e-06	7e-06	1.9e-05	1.9e-05	calendar.py:50(_localized_month)
1	7e-06	7e-06	1.9e-05	1.9e-05	offsets.py:907(MonthOffset)
4	7e-06	1.75e-06	1.9e-05	4.75e-06	datetimes.py:231(_join_i8_wrapper)
1	6e-06	6e-06	1.9e-05	1.9e-05	pyparsing.py:4896(__init__)
1	3e-06	3e-06	1.9e-05	1.9e-05	__init__.py:771(__init__)
1	2e-06	2e-06	1.9e-05	1.9e-05	typing.py:835(Optional)
1	0	0	1.9e-05	1.9e-05	__init__.py:1085(__init__)
50	1.8e-05	3.6e-07	1.8e-05	3.6e-07	enum.py:181(<genexpr>)
4	1.8e-05	4.5e-06	1.8e-05	4.5e-06	warnings.py:449(__enter__)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	_type_aliases.py:95(_add_types)
5	1.8e-05	3.6e-06	1.8e-05	3.6e-06	getlimits.py:508(min)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	tzinfo.py:18(memorized_timedelta)
15	1.8e-05	1.2e-06	1.8e-05	1.2e-06	version.py:312(<listcomp>)
76	1.8e-05	2.368e-07	1.8e-05	2.368e-07	typing.py:984(<genexpr>)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	offsets.py:2393(Micro)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	integer.py:224(IntegerArray)
3	1.8e-05	6e-06	1.8e-05	6e-06	datetimelike.py:480(_add_datetimelike_methods)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	managers.py:1435(SingleBlockManager)
42	1.8e-05	4.286e-07	1.8e-05	4.286e-07	deprecation.py:110(deprecated)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	expr.py:276(BaseExprVisitor)
6	1.6e-05	2.667e-06	1.8e-05	3e-06	_ufunc_config.py:437(__init__)
4	1.4e-05	3.5e-06	1.8e-05	4.5e-06	pyparsing.py:594(__setitem__)
8	1.1e-05	1.375e-06	1.8e-05	2.25e-06	core.py:2551(_arraymethod)
4	1e-05	2.5e-06	1.8e-05	4.5e-06	base.py:547(_get_attributes_dict)
2	7e-06	3.5e-06	1.8e-05	9e-06	generic.py:5135(f)
1	6e-06	6e-06	1.8e-05	1.8e-05	pyparsing.py:3639(__init__)

1	6e-06	6e-06	1.8e-05	1.8e-05	testing.py:54(set_testing_mode)
1	5e-06	5e-06	1.8e-05	1.8e-05	offsets.py:1698(YearOffset)
6	5e-06	8.333e-07	1.8e-05	3e-06	base.py:3663(get_values)
1	2e-06	2e-06	1.8e-05	1.8e-05	__init__.py:905(RingBuffer)
2	1.7e-05	8.5e-06	1.7e-05	8.5e-06	~:0(<built-in method _warnings.warn>)
1	1.7e-05	1.7e-05	1.7e-05	1.7e-05	random.py:71(Random)
1	1.7e-05	1.7e-05	1.7e-05	1.7e-05	dtypes.py:173(CategoricalDtype)
44	1.7e-05	3.864e-07	1.7e-05	3.864e-07	colors.py:196(<genexpr>)
1	1.3e-05	1.3e-05	1.7e-05	1.7e-05	numbers.py:294(Integral)
1	1.3e-05	1.3e-05	1.7e-05	1.7e-05	range.py:136(_simple_new)
1	9e-06	9e-06	1.7e-05	1.7e-05	stata.py:1906(StataWriter)
3	7e-06	2.333e-06	1.7e-05	5.667e-06	missing.py:360(array_equivalent)
1	7e-06	7e-06	1.7e-05	1.7e-05	__init__.py:5(<module>)
4	6e-06	1.5e-06	1.7e-05	4.25e-06	_collections_abc.py:252(__subclasshook__)
1	6e-06	6e-06	1.7e-05	1.7e-05	offsets.py:1582(QuarterOffset)
1	5e-06	5e-06	1.7e-05	1.7e-05	sparse.py:1746(_add_unary_ops)
3	5e-06	1.667e-06	1.7e-05	5.667e-06	generic.py:377(_get_axis)
1	3e-06	3e-06	1.7e-05	1.7e-05	algorithms.py:163(_ensure_arraylike)
1	2e-06	2e-06	1.7e-05	1.7e-05	_internal.py:241(_missing_ctypes)
1	2e-06	2e-06	1.7e-05	1.7e-05	argparse.py:1054(_SubParsersAction)
82	1.6e-05	1.951e-07	1.6e-05	1.951e-07	~:0(<method 'bit_length' of 'int' objects>)
92	1.6e-05	1.739e-07	1.6e-05	1.739e-07	~:0(<method 'remove' of 'set' objects>)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	~:0(<built-in method posix.urandom>)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	datetime.py:1361(datetime)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	rrule.py:93(rrulebase)
1	1.6e-05	1.6e-05	1.6e-05	1.6e-05	pytables.py:1523(IndexCol)
1	1.4e-05	1.4e-05	1.6e-05	1.6e-05	request.py:324(Request)
3	1.3e-05	4.333e-06	1.6e-05	5.333e-06	_asarray.py:300(<setcomp>)
5	1e-05	2e-06	1.6e-05	3.2e-06	datetime.py:279(_check_date_fields)
7	9e-06	1.286e-06	1.6e-05	2.286e-06	__init__.py:1544(isEnabledFor)
9	9e-06	1e-06	1.6e-05	1.778e-06	pparsing.py:4630(__str__)
2	6e-06	3e-06	1.6e-05	8e-06	rcsetup.py:283(validate_toolbar)
2	5e-06	2.5e-06	1.6e-05	8e-06	pathlib.py:390(_wrap_binary_strfunc)
1	5e-06	5e-06	1.6e-05	1.6e-05	offsets.py:1985(FY5253Quarter)
8	5e-06	6.25e-07	1.6e-05	2e-06	rrule.py:77(<genexpr>)
1	5e-06	5e-06	1.6e-05	1.6e-05	align.py:44(_filter_special_cases)
1	4e-06	4e-06	1.6e-05	1.6e-05	tz.py:126(tzoffset)
1	3e-06	3e-06	1.6e-05	1.6e-05	threading.py:512(set)
1	1e-06	1e-06	1.6e-05	1.6e-05	typing.py:2137(__new__)
87	1.5e-05	1.724e-07	1.5e-05	1.724e-07	~:0(<method 'items' of 'mappingproxy' objects>)
2	1.5e-05	7.5e-06	1.5e-05	7.5e-06	~:0(<built-in method posix.putenv>)
2	1.5e-05	7.5e-06	1.5e-05	7.5e-06	~:0(<built-in method posix.unsetenv>)

5	1.5e-05	3e-06	1.5e-05	3e-06	_collections_abc.py:72(_check_methods)
85	1.5e-05	1.765e-07	1.5e-05	1.765e-07	_compat_pickle.py:167(<genexpr>)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	client.py:107(<dictcomp>)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	client.py:218(HTTPResponse)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	client.py:788(HTTPConnection)
72	1.5e-05	2.083e-07	1.5e-05	2.083e-07	ipaddress.py:417(_check_int_address)
44	1.5e-05	3.409e-07	1.5e-05	3.409e-07	pyparsing.py:4207(<genexpr>)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	ticker.py:489(ScalarFormatter)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	transforms.py:2515(CompositeAffine2D)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	_print_versions.py:1(<module>)
1	1.4e-05	1.4e-05	1.5e-05	1.5e-05	__init__.py:9(<module>)
12	1.3e-05	1.083e-06	1.5e-05	1.25e-06	functools.py:448(lru_cache)
6	1.2e-05	2e-06	1.5e-05	2.5e-06	generic.py:363(_get_axis_name)
5	1.1e-05	2.2e-06	1.5e-05	3e-06	<frozen importlib._bootstrap>:232(_requires_builtin_wrap)
2	1.1e-05	5.5e-06	1.5e-05	7.5e-06	base.py:5009(_add_numeric_methods_add_sub_disabled)
24	9e-06	3.75e-07	1.5e-05	6.25e-07	tokenize.py:148(<listcomp>)
12	9e-06	7.5e-07	1.5e-05	1.25e-06	opcode.py:43(name_op)
2	9e-06	4.5e-06	1.5e-05	7.5e-06	rcsetup.py:901(validate_webagg_address)
1	8e-06	8e-06	1.5e-05	1.5e-05	case.py:388(__init__)
1	8e-06	8e-06	1.5e-05	1.5e-05	generic.py:297(_construct_axes_from_arguments)
5	8e-06	1.6e-06	1.5e-05	3e-06	pyparsing.py:4753(__str__)
16	7e-06	4.375e-07	1.5e-05	9.375e-07	_string_helpers.py:44(english_upper)
1	7e-06	7e-06	1.5e-05	1.5e-05	pytables.py:1873(__init__)
1	5e-06	5e-06	1.5e-05	1.5e-05	__init__.py:20(__deprecated_private_func)
21	1.4e-05	6.667e-07	1.4e-05	6.667e-07	~:0(<method 'mro' of 'type' objects>)
16	1.4e-05	8.75e-07	1.4e-05	8.75e-07	enum.py:337(__members__)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	<string>:5(_Instruction)
25	1.4e-05	5.6e-07	1.4e-05	5.6e-07	ipaddress.py:433(_ip_int_from_prefix)
90	1.4e-05	1.556e-07	1.4e-05	1.556e-07	typing.py:139(__init__)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	<string>:5(Components)
7	1.4e-05	2e-06	1.4e-05	2e-06	~:0(<pandas._libs.tslibs.offsets.apply_index_wraps>)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	blocks.py:1667(ExtensionBlock)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	format.py:368(DataFrameFormatter)
96	1.4e-05	1.458e-07	1.4e-05	1.458e-07	pyparsing.py:1629(postParse)
1	1.3e-05	1.3e-05	1.4e-05	1.4e-05	socket.py:133(socket)
1	1.1e-05	1.1e-05	1.4e-05	1.4e-05	__init__.py:1590(LoggerAdapter)
12	1.1e-05	9.167e-07	1.4e-05	1.167e-06	rcsetup.py:437(validate_fontsize)
3	1e-05	3.333e-06	1.4e-05	4.667e-06	six.py:195(load_module)
1	1e-05	1e-05	1.4e-05	1.4e-05	util.py:1(<module>)
1	9e-06	9e-06	1.4e-05	1.4e-05	_validators.py:4(<module>)
3	8e-06	2.667e-06	1.4e-05	4.667e-06	common.py:144(cast_scalar_indexer)
4	8e-06	2e-06	1.4e-05	3.5e-06	rcsetup.py:264(validate_backend)

13	6e-06	4.615e-07	1.4e-05	1.077e-06	mixins.py:40(_inplace_binary_method)
5	6e-06	1.2e-06	1.4e-05	2.8e-06	fontconfig_pattern.py:152(_families)
1	5e-06	5e-06	1.4e-05	1.4e-05	offsets.py:1795(FY5253)
6	5e-06	8.333e-07	1.4e-05	2.333e-06	integer.py:530(_create_comparison_method)
2	4e-06	2e-06	1.4e-05	7e-06	textwrap.py:146(_munge_whitespace)
1	4e-06	4e-06	1.4e-05	1.4e-05	ufunlike.py:18(_deprecate_out_named_y)
1	2e-06	2e-06	1.4e-05	1.4e-05	offsets.py:1417(_WeekOfMonthMixin)
1	1e-06	1e-06	1.4e-05	1.4e-05	inference.py:304(is_array_like)
2	1e-06	5e-07	1.4e-05	7e-06	pyparsing.py:3777(__init__)
44	1.3e-05	2.955e-07	1.3e-05	2.955e-07	~:0(<method 'setdefault' of 'dict' objects>)
47	1.3e-05	2.766e-07	1.3e-05	2.766e-07	_collections_abc.py:392(__subclasshook__)
1	1.3e-05	1.3e-05	1.3e-05	1.3e-05	_globals.py:67(__new__)
26	1.3e-05	5e-07	1.3e-05	5e-07	~:0(<built-in method numpy.geterrobj>)
94	1.3e-05	1.383e-07	1.3e-05	1.383e-07	ipaddress.py:550(__int__)
25	1.3e-05	5.2e-07	1.3e-05	5.2e-07	function.py:33(__init__)
1	1.3e-05	1.3e-05	1.3e-05	1.3e-05	indexing.py:92(_NDFrameIndexer)
40	1.3e-05	3.25e-07	1.3e-05	3.25e-07	pyparsing.py:634(__bool__)
1	1.3e-05	1.3e-05	1.3e-05	1.3e-05	parsers.py:2163(PythonParser)
1	1.2e-05	1.2e-05	1.3e-05	1.3e-05	ops.py:50(Term)
14	1.1e-05	7.857e-07	1.3e-05	9.286e-07	pyparsing.py:3211(charsAsStr)
1	1.1e-05	1.1e-05	1.3e-05	1.3e-05	excel.py:952(ExcelWriter)
27	1e-05	3.704e-07	1.3e-05	4.815e-07	pathlib.py:119(<genexpr>)
1	1e-05	1e-05	1.3e-05	1.3e-05	base64mime.py:25(<module>)
1	1e-05	1e-05	1.3e-05	1.3e-05	quopri.py:3(<module>)
2	1e-05	5e-06	1.3e-05	6.5e-06	config.py:546(_get_root)
7	1e-05	1.429e-06	1.3e-05	1.857e-06	config.py:795(<listcomp>)
1	1e-05	1e-05	1.3e-05	1.3e-05	transforms.py:1109(LockableBbox)
4	9e-06	2.25e-06	1.3e-05	3.25e-06	offsets.py:2223(_tick_comp)
2	7e-06	3.5e-06	1.3e-05	6.5e-06	charset.py:211(__init__)
4	7e-06	1.75e-06	1.3e-05	3.25e-06	rsetup.py:237(validate_fonttype)
5	7e-06	1.4e-06	1.3e-05	2.6e-06	pyparsing.py:3591(__str__)
1	6e-06	6e-06	1.3e-05	1.3e-05	_ranges.py:5(<module>)
1	6e-06	6e-06	1.3e-05	1.3e-05	generic.py:4378(_needs_reindex_multi)
1	5e-06	5e-06	1.3e-05	1.3e-05	threading.py:498(__init__)
4	5e-06	1.25e-06	1.3e-05	3.25e-06	generic.py:10243(<listcomp>)
1	4e-06	4e-06	1.3e-05	1.3e-05	offsets.py:1056(CustomBusinessMonthEnd)
1	4e-06	4e-06	1.3e-05	1.3e-05	sql.py:1395(SQLiteDatabase)
6	3e-06	5e-07	1.3e-05	2.167e-06	typing.py:800(<genexpr>)
72	1.2e-05	1.667e-07	1.2e-05	1.667e-07	~:0(<method 'pop' of 'list' objects>)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	pathlib.py:984(Path)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	pickle.py:345(_Pickler)
9	1.2e-05	1.333e-06	1.2e-05	1.333e-06	fromnumeric.py:74(<dictcomp>)

1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	<string>:5(uname_result)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	~:0(<built-in method _hashlib.openssl_md5>)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	calendar.py:52(<listcomp>)
36	1.2e-05	3.333e-07	1.2e-05	3.333e-07	config.py:721(wrap)
20	1.2e-05	6e-07	1.2e-05	6e-07	base.py:5135(_make_evaluate_unary)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	datetimes.py:59(DatetimeDelegateMixin)
10	1.2e-05	1.2e-06	1.2e-05	1.2e-06	deprecation.py:174(finalize)
66	1.2e-05	1.818e-07	1.2e-05	1.818e-07	pyparsing.py:4014(<genexpr>)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	colors.py:868(Normalize)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	transforms.py:2173(BlendedGenericTransform)
6	1.1e-05	1.833e-06	1.2e-05	2e-06	weakref.py:288(update)
1	1.1e-05	1.1e-05	1.2e-05	1.2e-05	ssl.py:721(SSLSocket)
1	1.1e-05	1.1e-05	1.2e-05	1.2e-05	zipfile.py:1063(ZipFile)
10	1.1e-05	1.1e-06	1.2e-05	1.2e-06	pyparsing.py:4648(stopOn)
3	8e-06	2.667e-06	1.2e-05	4e-06	six.py:209(is_package)
16	7e-06	4.375e-07	1.2e-05	7.5e-07	common.py:127(<lambda>)
1	7e-06	7e-06	1.2e-05	1.2e-05	managers.py:2015(_preprocess_slice_or_indexer)
2	7e-06	3.5e-06	1.2e-05	6e-06	rcsetup.py:476(validate_whiskers)
2	7e-06	3.5e-06	1.2e-05	6e-06	expr.py:110(_compose)
2	6e-06	3e-06	1.2e-05	6e-06	datetime.py:1049(__new__)
2	6e-06	3e-06	1.2e-05	6e-06	fontconfig_pattern.py:160(_property)
1	6e-06	6e-06	1.2e-05	1.2e-05	date_converters.py:1(<module>)
5	5e-06	1e-06	1.2e-05	2.4e-06	datetime.py:292(_check_time_fields)
3	5e-06	1.667e-06	1.2e-05	4e-06	sparse.py:1653(_create_unary_method)
10	5e-06	5e-07	1.2e-05	1.2e-06	timedeltas.py:33(_make_wrapped_arith_op)
27	4e-06	1.481e-07	1.2e-05	4.444e-07	_add_newdocs.py:6709(<genexpr>)
7	4e-06	5.714e-07	1.2e-05	1.714e-06	managers.py:308(<genexpr>)
2	3e-06	1.5e-06	1.2e-05	6e-06	__init__.py:1359(log)
2	2e-06	1e-06	1.2e-05	6e-06	datetime.py:689(__new__)
1	2e-06	2e-06	1.2e-05	1.2e-05	offsets.py:2181(Easter)
1	2e-06	2e-06	1.2e-05	1.2e-05	pyparsing.py:3730(__init__)
1	1e-06	1e-06	1.2e-05	1.2e-05	pyparsing.py:2813(__init__)
6	1.1e-05	1.833e-06	1.1e-05	1.833e-06	~:0(<method 'copy' of 'mappingproxy' objects>)
88	1.1e-05	1.25e-07	1.1e-05	1.25e-07	~:0(<built-in method builtins.callable>)
22	1.1e-05	5e-07	1.1e-05	5e-07	~:0(<method 'search' of '_sre.SRE_Pattern' objects>)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	~:0(<built-in method numpy.core._multiarray_umath.norm>)
69	1.1e-05	1.594e-07	1.1e-05	1.594e-07	signal.py:22(<lambda>)
10	1.1e-05	1.1e-06	1.1e-05	1.1e-06	_pytesttester.py:72(__init__)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	__init__.py:1253(Logger)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	<string>:5(FullArgSpec)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	<string>:5(DeprecatedOption)
9	1.1e-05	1.222e-06	1.1e-05	1.222e-06	base.py:633(_reset_identity)

12	1.1e-05	9.167e-07	1.1e-05	9.167e-07	period.py:33(_field_accessor)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	integer.py:25(_IntegerDtype)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	response.py:68(addinfourl)
22	1.1e-05	5e-07	1.1e-05	5e-07	rcsetup.py:648(__call__)
10	1.1e-05	1.1e-06	1.1e-05	1.1e-06	colors.py:228(<genexpr>)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	transforms.py:1238(Transform)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	transforms.py:2386(CompositeGenericTransform)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	json.py:594(Parser)
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	pytables.py:1834(DataCol)
1	1e-05	1e-05	1.1e-05	1.1e-05	base.py:759(size)
4	9e-06	2.25e-06	1.1e-05	2.75e-06	__init__.py:219(_acquireLock)
2	9e-06	4.5e-06	1.1e-05	5.5e-06	__init__.py:1212(_fixupParents)
16	9e-06	5.625e-07	1.1e-05	6.875e-07	typing.py:646(<genexpr>)
7	9e-06	1.286e-06	1.1e-05	1.571e-06	rrule.py:70(__init__)
1	8e-06	8e-06	1.1e-05	1.1e-05	managers.py:1443(__init__)
1	8e-06	8e-06	1.1e-05	1.1e-05	_backports.py:1(<module>)
35	6e-06	1.714e-07	1.1e-05	3.143e-07	datetime.py:262(_check_int_field)
2	5e-06	2.5e-06	1.1e-05	5.5e-06	<__array_function__ internals>:2(result_type)
6	4e-06	6.667e-07	1.1e-05	1.833e-06	_asarray.py:88(asanyarray)
1	4e-06	4e-06	1.1e-05	1.1e-05	tz.py:1539(__init__)
1	4e-06	4e-06	1.1e-05	1.1e-05	datetimelike.py:133(DatelineOps)
2	4e-06	2e-06	1.1e-05	5.5e-06	managers.py:1844(_asarray_compat)
1	3e-06	3e-06	1.1e-05	1.1e-05	generic.py:1844(__contains__)
2	3e-06	1.5e-06	1.1e-05	5.5e-06	arrays.py:7(extract_array)
1	1e-06	1e-06	1.1e-05	1.1e-05	base.py:100(_reset_cache)
1	1e-06	1e-06	1.1e-05	1.1e-05	py parsing.py:5176(__init__)
37	1e-05	2.703e-07	1e-05	2.703e-07	~:0(<method '_subclasshook_' of 'object' objects>)
22	1e-05	4.545e-07	1e-05	4.545e-07	~:0(<method 'group' of '_sre.SRE_Match' objects>)
25	1e-05	4e-07	1e-05	4e-07	~:0(<method 'end' of '_sre.SRE_Match' objects>)
1	1e-05	1e-05	1e-05	1e-05	datetime.py:659(date)
1	1e-05	1e-05	1e-05	1e-05	subprocess.py:542(Popen)
1	1e-05	1e-05	1e-05	1e-05	<string>:5(interface)
1	1e-05	1e-05	1e-05	1e-05	<string>:5(Mismatch)
1	1e-05	1e-05	1e-05	1e-05	__init__.py:762(Handler)
1	1e-05	1e-05	1e-05	1e-05	tempfile.py:631(SpoiledTemporaryFile)
24	1e-05	4.167e-07	1e-05	4.167e-07	config.py:757(inner)
1	1e-05	1e-05	1e-05	1e-05	easter.py:5(<module>)
1	1e-05	1e-05	1e-05	1e-05	frequencies.py:257(_FrequencyInferer)
19	1e-05	5.263e-07	1e-05	5.263e-07	blocks.py:195(mgr_locs)
8	1e-05	1.25e-06	1e-05	1.25e-06	blocks.py:308(dtype)
1	1e-05	1e-05	1e-05	1e-05	blocks.py:2621(ObjectBlock)

1	1e-05	1e-05	1e-05	1e-05	zipfile.py:318(ZipInfo)
32	1e-05	3.125e-07	1e-05	3.125e-07	rcsetup.py:217(validate_int)
1	1e-05	1e-05	1e-05	1e-05	pyparsing.py:494(ParseResults)
1	1e-05	1e-05	1e-05	1e-05	ticker.py:1792(MaxNLocator)
1	1e-05	1e-05	1e-05	1e-05	transforms.py:60(TransformNode)
1	1e-05	1e-05	1e-05	1e-05	transforms.py:1639(TransformWrapper)
1	9e-06	9e-06	1e-05	1e-05	numbers.py:267(Rational)
5	9e-06	1.8e-06	1e-05	2e-06	six.py:586(iteritems)
3	9e-06	3e-06	1e-05	3.333e-06	excel.py:273(register_writer)
2	7e-06	3.5e-06	1e-05	5e-06	_dtype.py:172(_byte_order_str)
1	7e-06	7e-06	1e-05	1e-05	_converter.py:55(register)
27	6e-06	2.222e-07	1e-05	3.704e-07	pathlib.py:120(<genexpr>)
1	6e-06	6e-06	1e-05	1e-05	_validators.py:230(validate_axis_style_args)
1	6e-06	6e-06	1e-05	1e-05	series.py:392(name)
7	6e-06	8.571e-07	1e-05	1.429e-06	pyparsing.py:5718(tokenMap)
3	5e-06	1.667e-06	1e-05	3.333e-06	common.py:980(is_unsigned_integer_dtype)
3	5e-06	1.667e-06	1e-05	3.333e-06	series.py:84(_coerce_method)
5	4e-06	8e-07	1e-05	2e-06	<frozen importlib._bootstrap>:736(exec_module)
1	4e-06	4e-06	1e-05	1e-05	__init__.py:752(_addHandlerRef)
11	4e-06	3.636e-07	1e-05	9.091e-07	typing.py:512(<genexpr>)
1	3e-06	3e-06	1e-05	1e-05	threading.py:357(notify_all)
5	3e-06	6e-07	1e-05	2e-06	__init__.py:1286(debug)
1	3e-06	3e-06	1e-05	1e-05	_factories.py:51(__init__)
3	3e-06	1e-06	1e-05	3.333e-06	common.py:1198(is_datetime_or_timedelta_dtype)
1	3e-06	3e-06	1e-05	1e-05	base.py:2595(_convert_can_do_setop)
2	3e-06	1.5e-06	1e-05	5e-06	rcsetup.py:194(validate_axisbelow)
1	2e-06	2e-06	1e-05	1e-05	ipaddress.py:1445(IPv4Network)
1	0	0	1e-05	1e-05	datetime.py:531(__neg__)
7	9e-06	1.286e-06	9e-06	1.286e-06	~:0(<method 'remove' of 'list' objects>)
6	9e-06	1.5e-06	9e-06	1.5e-06	~:0(<method 'rsplit' of 'str' objects>)
39	9e-06	2.308e-07	9e-06	2.308e-07	~:0(<method 'upper' of 'str' objects>)
21	9e-06	4.286e-07	9e-06	4.286e-07	~:0(<method 'groupdict' of '_sre.SRE_Match' objects>)
23	9e-06	3.913e-07	9e-06	3.913e-07	overrides.py:196(array_function_from_dispatcher)
1	9e-06	9e-06	9e-06	9e-06	datetime.py:337(timedelta)
1	9e-06	9e-06	9e-06	9e-06	~:0(<method 'nonzero' of 'numpy.ndarray' objects>)
1	9e-06	9e-06	9e-06	9e-06	~:0(<method 'view' of 'numpy.generic' objects>)
43	9e-06	2.093e-07	9e-06	2.093e-07	_compat_pickle.py:165(<genexpr>)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(ArgSpec)
1	9e-06	9e-06	9e-06	9e-06	defchararray.py:1810(chararray)
1	9e-06	9e-06	9e-06	9e-06	_internal.py:218(_getintp_ctype)
1	9e-06	9e-06	9e-06	9e-06	defmatrix.py:74(matrix)
257	9e-06	3.502e-08	9e-06	3.502e-08	hmac.py:11(<genexpr>)

1	9e-06	9e-06	9e-06	9e-06	<string>:5(Match)
1	9e-06	9e-06	9e-06	9e-06	inspect.py:2418(Parameter)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(FrameInfo)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(Traceback)
1	9e-06	9e-06	9e-06	9e-06	ipaddress.py:598(_BaseNetwork)
1	9e-06	9e-06	9e-06	9e-06	ipaddress.py:1049(_BaseV4)
1	9e-06	9e-06	9e-06	9e-06	_parser.py:247(parserinfo)
6	9e-06	1.5e-06	9e-06	1.5e-06	~:0(<pandas._libs.lib.is_float>)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(RegisteredOption)
1	9e-06	9e-06	9e-06	9e-06	dtypes.py:99(PandasExtensionDtype)
1	9e-06	9e-06	9e-06	9e-06	base.py:11(_DtypeOpsMixin)
1	9e-06	9e-06	9e-06	9e-06	categorical.py:2455(CategoricalAccessor)
16	9e-06	5.625e-07	9e-06	5.625e-07	accessor.py:110(delegate_names)
1	9e-06	9e-06	9e-06	9e-06	numpy_.py:97(PandasArray)
1	9e-06	9e-06	9e-06	9e-06	blocks.py:2089(DatetimeBlock)
1	9e-06	9e-06	9e-06	9e-06	blocks.py:2239(DatetimeTZBlock)
1	9e-06	9e-06	9e-06	9e-06	gzip.py:110(GzipFile)
26	9e-06	3.462e-07	9e-06	3.462e-07	pyparsing.py:688(haskeys)
1	9e-06	9e-06	9e-06	9e-06	pyparsing.py:3791(WordStart)
1	9e-06	9e-06	9e-06	9e-06	transforms.py:1760(AffineBase)
1	9e-06	9e-06	9e-06	9e-06	excel.py:1198(_OpenpyxlWriter)
2	9e-06	4.5e-06	9e-06	4.5e-06	parsers.py:528(_make_parser_function)
1	9e-06	9e-06	9e-06	9e-06	<string>:5(ExtType)
1	8e-06	8e-06	9e-06	9e-06	ssl.py:383(SSLContext)
8	8e-06	1e-06	9e-06	1.125e-06	relativedelta.py:13(<genexpr>)
1	8e-06	8e-06	9e-06	9e-06	csv.py:81(DictReader)
1	7e-06	7e-06	9e-06	9e-06	_inspect.py:7(<module>)
1	7e-06	7e-06	9e-06	9e-06	_policybase.py:112(Policy)
4	6e-06	1.5e-06	9e-06	2.25e-06	function_base.py:257(iterable)
7	6e-06	8.571e-07	9e-06	1.286e-06	config.py:796(<listcomp>)
1	6e-06	6e-06	9e-06	9e-06	arrays.py:3(<module>)
2	5e-06	2.5e-06	9e-06	4.5e-06	config.py:602(_warn_if_deprecated)
3	4e-06	1.333e-06	9e-06	3e-06	inference.py:121(is_iterator)
1	4e-06	4e-06	9e-06	9e-06	blocks.py:3100(_extend_blocks)
2	3e-06	1.5e-06	9e-06	4.5e-06	locale.py:462(_parse_localename)
1	3e-06	3e-06	9e-06	9e-06	series.py:476(_values)
1	3e-06	3e-06	9e-06	9e-06	cycler.py:112(__init__)
2	2e-06	1e-06	9e-06	4.5e-06	managers.py:1850(_shape_compat)
1	2e-06	2e-06	9e-06	9e-06	pyparsing.py:3763(__init__)
26	8e-06	3.077e-07	8e-06	3.077e-07	~:0(<method 'reverse' of 'list' objects>)
1	8e-06	8e-06	8e-06	8e-06	~:0(<built-in method time.localtime>)

33	8e-06	2.424e-07	8e-06	2.424e-07	enum.py:868(<lambda>)
1	8e-06	8e-06	8e-06	8e-06	datetime.py:1024(time)
1	8e-06	8e-06	8e-06	8e-06	~:0(<method 'sort' of 'numpy.ndarray' objects>)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(SplitResult)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(ParseResult)
1	8e-06	8e-06	8e-06	8e-06	threading.py:215(__init__)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(TokenInfo)
1	8e-06	8e-06	8e-06	8e-06	bz2.py:32(BZ2File)
1	8e-06	8e-06	8e-06	8e-06	main.py:49(TestProgram)
1	8e-06	8e-06	8e-06	8e-06	inspect.py:2700(Signature)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(Attribute)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(Arguments)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(ArgInfo)
1	8e-06	8e-06	8e-06	8e-06	<string>:5(Closure Vars)
1	8e-06	8e-06	8e-06	8e-06	ssl.py:567(SSLObject)
1	8e-06	8e-06	8e-06	8e-06	ipaddress.py:1576(_BaseV6)
1	8e-06	8e-06	8e-06	8e-06	tz.py:380(tzfile)
4	8e-06	2e-06	8e-06	2e-06	fractions.py:294(_operator_fallbacks)
114	8e-06	7.018e-08	8e-06	7.018e-08	ops.py:1349(<lambda>)
1	8e-06	8e-06	8e-06	8e-06	accessor.py:13(DirNamesMixin)
1	8e-06	8e-06	8e-06	8e-06	_core.py:944(LinePlot)
8	8e-06	1e-06	8e-06	1e-06	rcsetup.py:315(<listcomp>)
11	8e-06	7.273e-07	8e-06	7.273e-07	rcsetup.py:642(__init__)
1	8e-06	8e-06	8e-06	8e-06	dates.py:1056(RRuleLocator)
1	8e-06	8e-06	8e-06	8e-06	parsers.py:1350(ParserBase)
1	8e-06	8e-06	8e-06	8e-06	html.py:147(_HtmlFrameParser)
1	8e-06	8e-06	8e-06	8e-06	pytables.py:72(BinOp)
4	7e-06	1.75e-06	8e-06	2e-06	warnings.py:468(__exit__)
1	7e-06	7e-06	8e-06	8e-06	threading.py:738(Thread)
1	7e-06	7e-06	8e-06	8e-06	console.py:15(detect_console_encoding)
4	7e-06	1.75e-06	8e-06	2e-06	base.py:551(<dictcomp>)
2	7e-06	3.5e-06	8e-06	4e-06	pyarsing.py:849(<listcomp>)
2	6e-06	3e-06	8e-06	4e-06	typing.py:280(__init__)
4	6e-06	1.5e-06	8e-06	2e-06	timedeltas.py:45(_field_accessor)
1	5e-06	5e-06	8e-06	8e-06	chebyshev.py:1966(Chebyshev)
1	5e-06	5e-06	8e-06	8e-06	legendre.py:1613(Legendre)
1	5e-06	5e-06	8e-06	8e-06	hermite.py:1627(Hermite)
1	5e-06	5e-06	8e-06	8e-06	hermite_e.py:1621(HermiteE)
1	5e-06	5e-06	8e-06	8e-06	laguerre.py:1578(Laguerre)
2	5e-06	2.5e-06	8e-06	4e-06	config.py:477(deprecate_option)
1	4e-06	4e-06	8e-06	8e-06	info.py:83(<module>)
1	4e-06	4e-06	8e-06	8e-06	dtypes.py:872(__new__)

1	4e-06	4e-06	8e-06	8e-06	_validators.py:130(validate_kwargs)
4	4e-06	1e-06	8e-06	2e-06	managers.py:927(_consolidate_inplace)
1	3e-06	3e-06	8e-06	8e-06	locale.py:631(getpreferredencoding)
2	3e-06	1.5e-06	8e-06	4e-06	six.py:114(_resolve)
1	3e-06	3e-06	8e-06	8e-06	testing.py:2332(optional_args)
3	2e-06	6.667e-07	8e-06	2.667e-06	version.py:69(__ge__)
2	2e-06	1e-06	8e-06	4e-06	common.py:605(is_string_dtype)
3	2e-06	6.667e-07	8e-06	2.667e-06	common.py:1545(is_float_dtype)
1	2e-06	2e-06	8e-06	8e-06	range.py:330(equals)
1	2e-06	2e-06	8e-06	8e-06	__init__.py:313(__init__)
1	1e-06	1e-06	8e-06	8e-06	<__array_function__ internals>:2(<module>)
23	7e-06	3.043e-07	7e-06	3.043e-07	~:0(<method 'values' of 'dict' objects>)
2	7e-06	3.5e-06	7e-06	3.5e-06	~:0(<method 'cast' of 'memoryview' objects>)
4	7e-06	1.75e-06	7e-06	1.75e-06	warnings.py:428(__init__)
2	7e-06	3.5e-06	7e-06	3.5e-06	textwrap.py:115(__init__)
2	7e-06	3.5e-06	7e-06	3.5e-06	textwrap.py:179(<listcomp>)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(DecimalTuple)
4	7e-06	1.75e-06	7e-06	1.75e-06	~:0(<method 'ravel' of 'numpy.ndarray' objects>)
1	7e-06	7e-06	7e-06	7e-06	parse.py:205(_NetlocResultMixinBytes)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(SelectorKey)
7	7e-06	1e-06	7e-06	1e-06	__init__.py:1530(getEffectiveLevel)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(_LoggingWatcher)
1	7e-06	7e-06	7e-06	7e-06	socket.py:543(SocketIO)
1	7e-06	7e-06	7e-06	7e-06	message.py:945(MIMEPart)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(_ASN1Object)
1	7e-06	7e-06	7e-06	7e-06	_parser.py:400(_ymd)
1	7e-06	7e-06	7e-06	7e-06	_common.py:267(tzrangebase)
1	7e-06	7e-06	7e-06	7e-06	_decorators.py:222(Substitution)
1	7e-06	7e-06	7e-06	7e-06	datetimelike.py:42(AttributesMixin)
2	7e-06	3.5e-06	7e-06	3.5e-06	groupby.py:527(__getattr__)
1	7e-06	7e-06	7e-06	7e-06	request.py:1664(URLOpener)
22	7e-06	3.182e-07	7e-06	3.182e-07	cyclcr.py:227(<genexpr>)
1	7e-06	7e-06	7e-06	7e-06	ticker.py:812(LogFormatter)
1	7e-06	7e-06	7e-06	7e-06	transforms.py:1819(Affine2DBase)
1	7e-06	7e-06	7e-06	7e-06	<string>:5(Boxplot)
1	7e-06	7e-06	7e-06	7e-06	grouper.py:557(is_in_obj)
1	7e-06	7e-06	7e-06	7e-06	gbq.py:1(<module>)
6	6e-06	1e-06	7e-06	1.167e-06	_exceptions.py:17(_display_as_base)
1	6e-06	6e-06	7e-06	7e-06	six.py:475(Module_six_moves_urllib)
16	6e-06	3.75e-07	7e-06	4.375e-07	typing.py:1110(<genexpr>)
3	6e-06	2e-06	7e-06	2.333e-06	generic.py:144(_init_mgr)

1	6e-06	6e-06	7e-06	7e-06	engines.py:41(AbstractEngine)
10	5e-06	5e-07	7e-06	7e-07	_policybase.py:104(<genexpr>)
4	5e-06	1.25e-06	7e-06	1.75e-06	missing.py:530(clean_reindex_fill_method)
9	5e-06	5.556e-07	7e-06	7.778e-07	managers.py:143(ndim)
2	5e-06	2.5e-06	7e-06	3.5e-06	rcsetup.py:327(__call__)
4	5e-06	1.25e-06	7e-06	1.75e-06	fontconfig_pattern.py:146(_name)
7	5e-06	7.143e-07	7e-06	1e-06	pyparsing.py:638(__iter__)
1	5e-06	5e-06	7e-06	7e-06	pyparsing.py:6684(unicode_set)
1	4e-06	4e-06	7e-06	7e-06	ops.py:43(get_op_result_name)
1	3e-06	3e-06	7e-06	7e-06	calendar.py:69(_localized_day)
1	3e-06	3e-06	7e-06	7e-06	common.py:199(count_not_none)
1	3e-06	3e-06	7e-06	7e-06	pyparsing.py:4723(__str__)
1	2e-06	2e-06	7e-06	7e-06	series.py:406(dtype)
22	6e-06	2.727e-07	6e-06	2.727e-07	~:0(<method 'keys' of 'dict' objects>)
11	6e-06	5.455e-07	6e-06	5.455e-07	~:0(<method 'expandtabs' of 'str' objects>)
3	6e-06	2e-06	6e-06	2e-06	~:0(<method 'find' of 'str' objects>)
19	6e-06	3.158e-07	6e-06	3.158e-07	~:0(<built-in method builtins.vars>)
1	6e-06	6e-06	6e-06	6e-06	~:0(<method 'groups' of '_sre.SRE_Match' objects>)
1	6e-06	6e-06	6e-06	6e-06	weakref.py:354(__init__)
1	6e-06	6e-06	6e-06	6e-06	<string>:5(usage)
2	6e-06	3e-06	6e-06	3e-06	~:0(<method 'swapaxes' of 'numpy.ndarray' objects>)
16	6e-06	3.75e-07	6e-06	3.75e-07	_inspect.py:145(<lambda>)
1	6e-06	6e-06	6e-06	6e-06	<string>:5(DefragResult)
1	6e-06	6e-06	6e-06	6e-06	_type_aliases.py:63(<setcomp>)
18	6e-06	3.333e-07	6e-06	3.333e-07	_dtype.py:36(_kind_name)
8	6e-06	7.5e-07	6e-06	7.5e-07	getlimits.py:92(_register_type)
1	6e-06	6e-06	6e-06	6e-06	_internal.py:290(_ctypes)
6	6e-06	1e-06	6e-06	1e-06	case.py:420(addTypeEqualityFunc)
1	6e-06	6e-06	6e-06	6e-06	argparse.py:1585(ArgumentParser)
1	6e-06	6e-06	6e-06	6e-06	utils.py:1982(suppress_warnings)
1	6e-06	6e-06	6e-06	6e-06	header.py:413(_ValueFormatter)
2	6e-06	3e-06	6e-06	3e-06	~:0(<built-in method _socket.inet_aton>)
1	6e-06	6e-06	6e-06	6e-06	tz.py:195(tzlocal)
1	6e-06	6e-06	6e-06	6e-06	tz.py:322(_tinfo)
4	6e-06	1.5e-06	6e-06	1.5e-06	config.py:561(_get_deprecated_option)
7	6e-06	8.571e-07	6e-06	8.571e-07	accessor.py:163(__init__)
4	6e-06	1.5e-06	6e-06	1.5e-06	base.py:613(is_)
16	6e-06	3.75e-07	6e-06	3.75e-07	strings.py:1775(do_copy)
1	6e-06	6e-06	6e-06	6e-06	sparse.py:1895(SparseAccessor)
1	6e-06	6e-06	6e-06	6e-06	numpy_.py:20(PandasDtype)
1	6e-06	6e-06	6e-06	6e-06	period.py:56(PeriodDelegateMixin)
1	6e-06	6e-06	6e-06	6e-06	datetimelike.py:682(DatetimelikeDelegateMixin)

6	6e-06	1e-06	6e-06	1e-06	blocks.py:89(_check_ndim)
1	6e-06	6e-06	6e-06	6e-06	blocks.py:2475(TimeDeltaBlock)
1	6e-06	6e-06	6e-06	6e-06	__init__.py:147(_BoundMethodProxy)
1	6e-06	6e-06	6e-06	6e-06	__init__.py:1157(__init__)
1	6e-06	6e-06	6e-06	6e-06	fontconfig_pattern.py:38(FontconfigPatternParser)
1	6e-06	6e-06	6e-06	6e-06	colors.py:419(Colormap)
1	6e-06	6e-06	6e-06	6e-06	cycler.py:55(_process_keys)
11	6e-06	5.455e-07	6e-06	5.455e-07	cycler.py:212(<genexpr>)
1	6e-06	6e-06	6e-06	6e-06	_version.py:7(<module>)
1	6e-06	6e-06	6e-06	6e-06	ticker.py:213(_DummyAxis)
1	6e-06	6e-06	6e-06	6e-06	excel.py:623(ExcelFile)
1	6e-06	6e-06	6e-06	6e-06	parsers.py:806(TextFileReader)
9	5e-06	5.556e-07	6e-06	6.667e-07	typing.py:889(__extrahook__)
1	5e-06	5e-06	6e-06	6e-06	common.py:212(dict_keys_to_ordered_list)
2	5e-06	2.5e-06	6e-06	3e-06	generic.py:426(_info_axis)
1	5e-06	5e-06	6e-06	6e-06	error.py:35(HTTPError)
4	5e-06	1.25e-06	6e-06	1.5e-06	pyparsing.py:3575(parseImpl)
1	5e-06	5e-06	6e-06	6e-06	ticker.py:1304(PercentFormatter)
2	4e-06	2e-06	6e-06	3e-06	sre_parse.py:885(addgroup)
1	4e-06	4e-06	6e-06	6e-06	info.py:156(<module>)
4	4e-06	1e-06	6e-06	1.5e-06	__init__.py:228(_releaseLock)
2	4e-06	2e-06	6e-06	3e-06	generic.py:450(ndim)
1	4e-06	4e-06	6e-06	6e-06	managers.py:1549(internal_values)
3	4e-06	1.333e-06	6e-06	2e-06	pytables.py:1565(set_name)
2	3e-06	1.5e-06	6e-06	3e-06	codecs.py:308(__init__)
2	3e-06	1.5e-06	6e-06	3e-06	locale.py:379(normalize)
7	3e-06	4.286e-07	6e-06	8.571e-07	opcode.py:47(jrel_op)
5	3e-06	6e-07	6e-06	1.2e-06	six.py:583(itervalues)
2	3e-06	1.5e-06	6e-06	3e-06	common.py:1784(_is_dtype)
1	3e-06	3e-06	6e-06	6e-06	generic.py:381(_get_block_manager_axis)
1	3e-06	3e-06	6e-06	6e-06	window.py:766(_GroupByMixin)
1	2e-06	2e-06	6e-06	6e-06	_collections_abc.py:349(__subclasshook__)
1	2e-06	2e-06	6e-06	6e-06	base.py:1240(_set_names)
1	2e-06	2e-06	6e-06	6e-06	expr.py:708(PandasExprVisitor)
14	0	0	6e-06	4.286e-07	mixins.py:30(_reflected_binary_method)
1	5e-06	5e-06	5e-06	5e-06	~:0(<method 'startswith' of 'bytes' objects>)
2	5e-06	2.5e-06	5e-06	2.5e-06	~:0(<method 'copy' of 'collections.OrderedDict' objects>)
45	5e-06	1.111e-07	5e-06	1.111e-07	~:0(<built-in method builtins.divmod>)
1	5e-06	5e-06	5e-06	5e-06	~:0(<built-in method math.exp>)
3	5e-06	1.667e-06	5e-06	1.667e-06	threading.py:74(RLock)
1	5e-06	5e-06	5e-06	5e-06	~:0(<built-in method _hashlib.openssl_sha224>)
1	5e-06	5e-06	5e-06	5e-06	core.py:6307(MaskedConstant)

1	5e-06	5e-06	5e-06	5e-06	__init__.py:426(Formatter)
4	5e-06	1.25e-06	5e-06	1.25e-06	__init__.py:685(__init__)
1	5e-06	5e-06	5e-06	5e-06	loader.py:66(TestLoader)
1	5e-06	5e-06	5e-06	5e-06	__init__.py:206(UTC)
26	5e-06	1.923e-07	5e-06	1.923e-07	inspect.py:2500(name)
26	5e-06	1.923e-07	5e-06	1.923e-07	inspect.py:2512(kind)
1	5e-06	5e-06	5e-06	5e-06	charset.py:167(Charset)
1	5e-06	5e-06	5e-06	5e-06	_parseaddr.py:203(AddrlistClass)
1	5e-06	5e-06	5e-06	5e-06	ipaddress.py:385(_IPAddressBase)
1	5e-06	5e-06	5e-06	5e-06	ipaddress.py:1362(IPv4Interface)
1	5e-06	5e-06	5e-06	5e-06	tz.py:1161(_tzicalvtz)
1	5e-06	5e-06	5e-06	5e-06	tz.py:1469(GettzFunc)
1	5e-06	5e-06	5e-06	5e-06	base.py:148(ExtensionDtype)
20	5e-06	2.5e-07	5e-06	2.5e-07	ops.py:1439(<genexpr>)
1	5e-06	5e-06	5e-06	5e-06	offsets.py:1441(WeekOfMonth)
1	5e-06	5e-06	5e-06	5e-06	_doctools.py:8(TablePlotter)
1	5e-06	5e-06	5e-06	5e-06	frozen.py:24(FrozenList)
1	5e-06	5e-06	5e-06	5e-06	timedeltas.py:45(TimedeltaDelegateMixin)
1	5e-06	5e-06	5e-06	5e-06	indexing.py:1916(_iLocIndexer)
1	5e-06	5e-06	5e-06	5e-06	blocks.py:1543(NonConsolidatableMixIn)
6	5e-06	8.333e-07	5e-06	8.333e-07	managers.py:591(is_consolidated)
1	5e-06	5e-06	5e-06	5e-06	common.py:477(MMapWrapper)
4	5e-06	1.25e-06	5e-06	1.25e-06	__init__.py:395(_wrap)
16	5e-06	3.125e-07	5e-06	3.125e-07	pyparsing.py:487(__getitem__)
33	5e-06	1.515e-07	5e-06	1.515e-07	pyparsing.py:4214(<genexpr>)
1	5e-06	5e-06	5e-06	5e-06	colors.py:1533(LightSource)
11	5e-06	4.545e-07	5e-06	4.545e-07	_color_data.py:34(<genexpr>)
10	5e-06	5e-07	5e-06	5e-07	cycler.py:138(keys)
2	5e-06	2.5e-06	5e-06	2.5e-06	cycler.py:225(__iter__)
1	5e-06	5e-06	5e-06	5e-06	cycler.py:77(Cycler)
1	5e-06	5e-06	5e-06	5e-06	dates.py:976(DateLocator)
1	5e-06	5e-06	5e-06	5e-06	ticker.py:1420(Locator)
1	5e-06	5e-06	5e-06	5e-06	ticker.py:1519(IndexLocator)
1	5e-06	5e-06	5e-06	5e-06	ticker.py:2395(LogitLocator)
1	5e-06	5e-06	5e-06	5e-06	grouper.py:30(Grouper)
1	5e-06	5e-06	5e-06	5e-06	grouper.py:206(Grouping)
2	5e-06	2.5e-06	5e-06	2.5e-06	grouper.py:517(<genexpr>)
1	5e-06	5e-06	5e-06	5e-06	ops.py:636(BinGrouper)
1	5e-06	5e-06	5e-06	5e-06	excel.py:1783(_XlsxStyler)
1	5e-06	5e-06	5e-06	5e-06	excel.py:1926(_XlsxWriter)
1	5e-06	5e-06	5e-06	5e-06	pytables.py:382(ExprVisitor)

1	5e-06	5e-06	5e-06	5e-06	sql.py:525(SQLTable)
1	4e-06	4e-06	5e-06	5e-06	subprocess.py:60(CalledProcessError)
1	4e-06	4e-06	5e-06	5e-06	threading.py:334(notify)
5	4e-06	8e-07	5e-06	1e-06	pparsing.py:3781(parseImpl)
1	4e-06	4e-06	5e-06	5e-06	ops.py:268(<listcomp>)
2	3e-06	1.5e-06	5e-06	2.5e-06	~:0(<built-in method _functools.reduce>)
1	3e-06	3e-06	5e-06	5e-06	_bootlocale.py:23(getpreferredencoding)
1	3e-06	3e-06	5e-06	5e-06	extras.py:1507(__init__)
4	3e-06	7.5e-07	5e-06	1.25e-06	__init__.py:190(_checkLevel)
1	3e-06	3e-06	5e-06	5e-06	series.py:399(name)
4	2e-06	5e-07	5e-06	1.25e-06	os.py:746(decode)
1	2e-06	2e-06	5e-06	5e-06	_ufunc_config.py:452(_setdef)
1	2e-06	2e-06	5e-06	5e-06	managers.py:1522(dtype)
3	0	0	5e-06	1.667e-06	typing.py:1263(<genexpr>)
5	4e-06	8e-07	4e-06	8e-07	~:0(<method 'decode' of 'bytes' objects>)
2	4e-06	2e-06	4e-06	2e-06	~:0(<method 'tolist' of 'memoryview' objects>)
16	4e-06	2.5e-07	4e-06	2.5e-07	~:0(<method 'discard' of 'set' objects>)
2	4e-06	2e-06	4e-06	2e-06	~:0(<method 'count' of 'str' objects>)
1	4e-06	4e-06	4e-06	4e-06	~:0(<method 'seek' of '_io.BufferedReader' objects>)
5	4e-06	8e-07	4e-06	8e-07	<frozen importlib._bootstrap>:753(is_package)
1	4e-06	4e-06	4e-06	4e-06	copyreg.py:12(pickle)
1	4e-06	4e-06	4e-06	4e-06	lzma.py:38(LZMAFile)
1	4e-06	4e-06	4e-06	4e-06	_iotools.py:276(NameValidator)
1	4e-06	4e-06	4e-06	4e-06	datetime.py:954(tzinfo)
1	4e-06	4e-06	4e-06	4e-06	machar.py:18(MachAr)
38	4e-06	1.053e-07	4e-06	1.053e-07	~:0(<built-in method _ctypes.sizeof>)
68	4e-06	5.882e-08	4e-06	5.882e-08	signal.py:17(<lambdab>)
3	4e-06	1.333e-06	4e-06	1.333e-06	index_tricks.py:312(__init__)
2	4e-06	2e-06	4e-06	2e-06	utils.py:70(__init__)
1	4e-06	4e-06	4e-06	4e-06	hmac.py:19(HMAC)
1	4e-06	4e-06	4e-06	4e-06	~:0(<built-in method _hashlib.openssl_sha256>)
4	4e-06	1e-06	4e-06	1e-06	core.py:3347(dtype)
1	4e-06	4e-06	4e-06	4e-06	case.py:1338(FunctionTestCase)
1	4e-06	4e-06	4e-06	4e-06	runner.py:29(TextTestResult)
1	4e-06	4e-06	4e-06	4e-06	tempfile.py:136(_RandomNameSequence)
1	4e-06	4e-06	4e-06	4e-06	__init__.py:391(_FixedOffset)
1	4e-06	4e-06	4e-06	4e-06	tzinfo.py:76(StaticTzInfo)
1	4e-06	4e-06	4e-06	4e-06	inspect.py:2570(BoundArguments)
1	4e-06	4e-06	4e-06	4e-06	feedparser.py:45(BufferedSubFile)
1	4e-06	4e-06	4e-06	4e-06	feedparser.py:136(FeedParser)
1	4e-06	4e-06	4e-06	4e-06	_policybase.py:271(Compat32)
1	4e-06	4e-06	4e-06	4e-06	header.py:541(_Accumulator)

1	4e-06	4e-06	4e-06	4e-06	calendar.py:72(<listcomp>)
1	4e-06	4e-06	4e-06	4e-06	calendar.py:260(TextCalendar)
1	4e-06	4e-06	4e-06	4e-06	ipaddress.py:539(_BaseAddress)
1	4e-06	4e-06	4e-06	4e-06	six.py:164(_SixMetaPathImporter)
1	4e-06	4e-06	4e-06	4e-06	tz.py:1150(_tzicalvtzcomp)
1	4e-06	4e-06	4e-06	4e-06	typing.py:269(_TypeAlias)
2	4e-06	2e-06	4e-06	2e-06	~:0(<built-in method pandas._libs.missing.checknull>)
2	4e-06	2e-06	4e-06	2e-06	config.py:528(_select_options)
6	4e-06	6.667e-07	4e-06	6.667e-07	categorical.py:55(_cat_compare_op)
12	4e-06	3.333e-07	4e-06	3.333e-07	algorithms.py:1249(_view_wrapper)
1	4e-06	4e-06	4e-06	4e-06	base.py:81(PandasObject)
1	4e-06	4e-06	4e-06	4e-06	offsets.py:432(BusinessMixin)
1	4e-06	4e-06	4e-06	4e-06	offsets.py:797(BusinessHour)
4	4e-06	1e-06	4e-06	1e-06	base.py:676(dtype)
3	4e-06	1.333e-06	4e-06	1.333e-06	generic.py:5036(__finalize__)
1	4e-06	4e-06	4e-06	4e-06	generic.py:5053(__getattr__)
5	4e-06	8e-07	4e-06	8e-07	datetimelike.py:34(ea_passthrough)
6	4e-06	6.667e-07	4e-06	6.667e-07	managers.py:206(items)
1	4e-06	4e-06	4e-06	4e-06	concat.py:102(JoinUnit)
1	4e-06	4e-06	4e-06	4e-06	format.py:1441(EngFormatter)
1	4e-06	4e-06	4e-06	4e-06	common.py:455(BytesZipFile)
1	4e-06	4e-06	4e-06	4e-06	request.py:910(HTTPPasswordMgrWithPriorAuth)
1	4e-06	4e-06	4e-06	4e-06	accessors.py:180(TimedeltaProperties)
1	4e-06	4e-06	4e-06	4e-06	_style.py:114(__init__)
1	4e-06	4e-06	4e-06	4e-06	_core.py:1163(BarPlot)
1	4e-06	4e-06	4e-06	4e-06	_core.py:1726(<dictcomp>)
1	4e-06	4e-06	4e-06	4e-06	_converter.py:394(MilliSecondLocator)
1	4e-06	4e-06	4e-06	4e-06	__init__.py:822(Null)
1	4e-06	4e-06	4e-06	4e-06	__init__.py:1449(Grouper)
5	4e-06	8e-07	4e-06	8e-07	fontconfig_pattern.py:153(<listcomp>)
1	4e-06	4e-06	4e-06	4e-06	pyparsing.py:3835(ParseExpression)
1	4e-06	4e-06	4e-06	4e-06	pyparsing.py:4770(Optional)
1	4e-06	4e-06	4e-06	4e-06	dates.py:1161(AutoDateLocator)
1	4e-06	4e-06	4e-06	4e-06	dates.py:1589(MicrosecondLocator)
1	4e-06	4e-06	4e-06	4e-06	dates.py:1781(DateConverter)
1	4e-06	4e-06	4e-06	4e-06	ticker.py:260(Formatter)
1	4e-06	4e-06	4e-06	4e-06	ticker.py:1178(EngFormatter)
1	4e-06	4e-06	4e-06	4e-06	ticker.py:2027(LogLocator)
1	4e-06	4e-06	4e-06	4e-06	ops.py:113(__init__)
1	4e-06	4e-06	4e-06	4e-06	ops.py:184(Op)
1	4e-06	4e-06	4e-06	4e-06	ops.py:484(UnaryOp)
1	4e-06	4e-06	4e-06	4e-06	scope.py:80(Scope)

1	4e-06	4e-06	4e-06	4e-06	concat.py:232(_Concatenator)
1	4e-06	4e-06	4e-06	4e-06	parsers.py:1825(CParserWrapper)
1	4e-06	4e-06	4e-06	4e-06	html.py:633(_LxmlFrameParser)
1	4e-06	4e-06	4e-06	4e-06	json.py:436(JsonReader)
1	4e-06	4e-06	4e-06	4e-06	pytables.py:4301(AppendableSeriesTable)
1	4e-06	4e-06	4e-06	4e-06	pytables.py:4445(AppendablePanelTable)
22	4e-06	1.818e-07	4e-06	1.818e-07	expr.py:237(_op_maker)
1	4e-06	4e-06	4e-06	4e-06	testing.py:2934(SubclassedDataFrame)
1	3e-06	3e-06	4e-06	4e-06	selectors.py:79(BaseSelector)
1	3e-06	3e-06	4e-06	4e-06	info.py:34(<module>)
2	3e-06	1.5e-06	4e-06	2e-06	core.py:6399(__setattr__)
1	3e-06	3e-06	4e-06	4e-06	__init__.py:471(__init__)
1	3e-06	3e-06	4e-06	4e-06	__init__.py:800(createLock)
6	3e-06	5e-07	4e-06	6.667e-07	opcode.py:51(jabs_op)
1	3e-06	3e-06	4e-06	4e-06	_encoded_words.py:73(_QByteMap)
1	3e-06	3e-06	4e-06	4e-06	common.py:1472(is_numeric_dtype)
2	3e-06	1.5e-06	4e-06	2e-06	range.py:89(ensure_int)
2	3e-06	1.5e-06	4e-06	2e-06	managers.py:911(consolidate)
1	2e-06	2e-06	4e-06	4e-06	posixpath.py:52(normcase)
1	2e-06	2e-06	4e-06	4e-06	enum.py:43(_make_class_unpicklable)
2	2e-06	1e-06	4e-06	2e-06	sre_parse.py:452(<listcomp>)
1	2e-06	2e-06	4e-06	4e-06	threading.py:893(_set_tstate_lock)
1	2e-06	2e-06	4e-06	4e-06	info.py:184(<module>)
1	2e-06	2e-06	4e-06	4e-06	grouper.py:547(is_in_axis)
1	1e-06	1e-06	4e-06	4e-06	core.py:1324(make_mask_descr)
1	1e-06	1e-06	4e-06	4e-06	base.py:802(_assert_take_fillable)
1	1e-06	1e-06	4e-06	4e-06	base.py:5381(_ensure_has_len)
3	1e-06	3.333e-07	4e-06	1.333e-06	sparse.py:196(construct_from_string)
2	0	0	4e-06	2e-06	pyparsing.py:833(__getattr__)
1	3e-06	3e-06	3e-06	3e-06	~:0(<method 'union' of 'set' objects>)
15	3e-06	2e-07	3e-06	2e-07	~:0(<built-in method _warnings._filters_mutated>)
16	3e-06	1.875e-07	3e-06	1.875e-07	~:0(<built-in method builtins.id>)
5	3e-06	6e-07	3e-06	6e-07	~:0(<built-in method _imp.exec_builtint>)
5	3e-06	6e-07	3e-06	6e-07	~:0(<method 'acquire' of '_thread.RLock' objects>)
5	3e-06	6e-07	3e-06	6e-07	~:0(<method 'release' of '_thread.RLock' objects>)
2	3e-06	1.5e-06	3e-06	1.5e-06	codecs.py:259(__init__)
1	3e-06	3e-06	3e-06	3e-06	arrayiterator.py:20(Arrayiterator)
4	3e-06	7.5e-07	3e-06	7.5e-07	multiarray.py:1043(copyto)
5	3e-06	6e-07	3e-06	6e-07	datetime.py:309(_check_tzinfo_arg)
4	3e-06	7.5e-07	3e-06	7.5e-07	~:0(<method 'newbyteorder' of 'numpy.dtype' objects>)
15	3e-06	2e-07	3e-06	2e-07	_inspect.py:144(<lambda>)
2	3e-06	1.5e-06	3e-06	1.5e-06	~:0(<built-in method math.log>)

3	3e-06	1e-06	3e-06	1e-06	~:0(<method 'toordinal' of 'datetime.date' objects>)
1	3e-06	3e-06	3e-06	3e-06	pathlib.py:126(<setcomp>)
1	3e-06	3e-06	3e-06	3e-06	parse.py:348(_fix_result_transcoding)
1	3e-06	3e-06	3e-06	3e-06	_type_aliases.py:36(TypeNADict)
1	3e-06	3e-06	3e-06	3e-06	_exceptions.py:82(_UFuncInputCastingError)
6	3e-06	5e-07	3e-06	5e-07	fromnumeric.py:2273(_all_dispatcher)
1	3e-06	3e-06	3e-06	3e-06	_internal.py:561(_Stream)
1	3e-06	3e-06	3e-06	3e-06	threading.py:566(Barrier)
1	3e-06	3e-06	3e-06	3e-06	traceback.py:227(FrameSummary)
1	3e-06	3e-06	3e-06	3e-06	tokenize.py:344(_get_normal_name)
1	3e-06	3e-06	3e-06	3e-06	index_tricks.py:302(AxisConcatenator)
1	3e-06	3e-06	3e-06	3e-06	numpyio.py:122(NpzFile)
1	3e-06	3e-06	3e-06	3e-06	_datasource.py:272(DataSource)
1	3e-06	3e-06	3e-06	3e-06	~:0(<built-in method _hashlib.openssl_sha1>)
1	3e-06	3e-06	3e-06	3e-06	~:0(<built-in method _hashlib.openssl_sha384>)
1	3e-06	3e-06	3e-06	3e-06	core.py:6113(mvoid)
4	3e-06	7.5e-07	3e-06	7.5e-07	core.py:6311(__has_singleton)
1	3e-06	3e-06	3e-06	3e-06	difflib.py:43(SequenceMatcher)
1	3e-06	3e-06	3e-06	3e-06	difflib.py:1707(HtmlDiff)
1	3e-06	3e-06	3e-06	3e-06	string.py:173(Formatter)
1	3e-06	3e-06	3e-06	3e-06	loader.py:76(__init__)
1	3e-06	3e-06	3e-06	3e-06	argparse.py:713(ArgumentError)
1	3e-06	3e-06	3e-06	3e-06	argparse.py:1204(Namespace)
1	3e-06	3e-06	3e-06	3e-06	signals.py:9(_InterruptHandler)
1	3e-06	3e-06	3e-06	3e-06	utils.py:1916(clear_and_catch_warnings)
1	3e-06	3e-06	3e-06	3e-06	tempfile.py:418(_TemporaryFileCloser)
1	3e-06	3e-06	3e-06	3e-06	tzinfo.py:156(DstTzInfo)
1	3e-06	3e-06	3e-06	3e-06	__init__.py:125(lrange)
3	3e-06	1e-06	3e-06	1e-06	__init__.py:403(add_metaclass)
26	3e-06	1.154e-07	3e-06	1.154e-07	inspect.py:2504(default)
1	3e-06	3e-06	3e-06	3e-06	dis.py:416(Bytecode)
1	3e-06	3e-06	3e-06	3e-06	_policybase.py:18(_PolicyBase)
1	3e-06	3e-06	3e-06	3e-06	header.py:179(Header)
1	3e-06	3e-06	3e-06	3e-06	calendar.py:129(Calendar)
1	3e-06	3e-06	3e-06	3e-06	ipaddress.py:2040(IPv6Interface)
8	3e-06	3.75e-07	3e-06	3.75e-07	six.py:75(_add_doc)
1	3e-06	3e-06	3e-06	3e-06	six.py:173(__init__)
1	3e-06	3e-06	3e-06	3e-06	six.py:580(iterkeys)
14	3e-06	2.143e-07	3e-06	2.143e-07	_common.py:9(__init__)
1	3e-06	3e-06	3e-06	3e-06	tz.py:868(tzrange)
1	3e-06	3e-06	3e-06	3e-06	tz.py:1247(tzical)

1	3e-06	3e-06	3e-06	3e-06	_factories.py:7(__init__)
15	3e-06	2e-07	3e-06	2e-07	typing.py:165(__init__)
1	3e-06	3e-06	3e-06	3e-06	<string>:2(AsyncContextManager)
9	3e-06	3.333e-07	3e-06	3.333e-07	~:0(<pandas._libs.lib.is_integer>)
1	3e-06	3e-06	3e-06	3e-06	config.py:178(__init__)
7	3e-06	4.286e-07	3e-06	4.286e-07	config.py:785(inner)
1	3e-06	3e-06	3e-06	3e-06	base.py:1006(ExtensionScalarOpsMixin)
2	3e-06	1.5e-06	3e-06	1.5e-06	cast.py:1218(construct_1d_ndarray_preserving_na)
1	3e-06	3e-06	3e-06	3e-06	base.py:33(StringMixin)
1	3e-06	3e-06	3e-06	3e-06	nanops.py:57(disallow)
6	3e-06	5e-07	3e-06	5e-07	nanops.py:1176(make_nancomp)
1	3e-06	3e-06	3e-06	3e-06	offsets.py:880(CustomBusinessHour)
1	3e-06	3e-06	3e-06	3e-06	offsets.py:1180(SemiMonthEnd)
1	3e-06	3e-06	3e-06	3e-06	offsets.py:1240(SemiMonthBegin)
1	3e-06	3e-06	3e-06	3e-06	offsets.py:1512>LastWeekOfMonth)
4	3e-06	7.5e-07	3e-06	7.5e-07	base.py:475(<genexpr>)
1	3e-06	3e-06	3e-06	3e-06	base.py:1237(_get_names)
4	3e-06	7.5e-07	3e-06	7.5e-07	strings.py:1750(_pat_wrapper)
16	3e-06	1.875e-07	3e-06	1.875e-07	strings.py:1772(copy)
3	3e-06	1e-06	3e-06	1e-06	generic.py:238(<dictcomp>)
1	3e-06	3e-06	3e-06	3e-06	generic.py:334(<dictcomp>)
4	3e-06	7.5e-07	3e-06	7.5e-07	interval.py:1096(_setop)
1	3e-06	3e-06	3e-06	3e-06	encoder.py:104(__init__)
1	3e-06	3e-06	3e-06	3e-06	indexing.py:24(get_indexers_list)
4	3e-06	7.5e-07	3e-06	7.5e-07	blocks.py:304(shape)
1	3e-06	3e-06	3e-06	3e-06	blocks.py:332(iget)
1	3e-06	3e-06	3e-06	3e-06	blocks.py:2055(DatetimeLikeBlockMixin)
1	3e-06	3e-06	3e-06	3e-06	csv.py:166(Sniffer)
1	3e-06	3e-06	3e-06	3e-06	request.py:434(OpenerDirector)
1	3e-06	3e-06	3e-06	3e-06	request.py:1385(UnknownHandler)
1	3e-06	3e-06	3e-06	3e-06	accessors.py:109(DatetimeProperties)
1	3e-06	3e-06	3e-06	3e-06	_core.py:788(PlanePlot)
1	3e-06	3e-06	3e-06	3e-06	_core.py:1309(HistPlot)
1	3e-06	3e-06	3e-06	3e-06	_core.py:1435(KdePlot)
1	3e-06	3e-06	3e-06	3e-06	_core.py:1491(PiePlot)
1	3e-06	3e-06	3e-06	3e-06	_converter.py:43(get_pairs)
1	3e-06	3e-06	3e-06	3e-06	_converter.py:972(TimeSeries_DateLocator)
1	3e-06	3e-06	3e-06	3e-06	_converter.py:1056(TimeSeries_DateFormatter)
1	3e-06	3e-06	3e-06	3e-06	__init__.py:256(CallbackRegistry)
1	3e-06	3e-06	3e-06	3e-06	__init__.py:1171(Stack)
6	3e-06	5e-07	3e-06	5e-07	pyparsing.py:2221(<genexpr>)
1	3e-06	3e-06	3e-06	3e-06	pyparsing.py:3605(White)

1	3e-06	3e-06	3e-06	3e-06	pyarsing.py:4273(Each)
1	3e-06	3e-06	3e-06	3e-06	colors.py:85(<dictcomp>)
1	3e-06	3e-06	3e-06	3e-06	colors.py:298(ColorConverter)
1	3e-06	3e-06	3e-06	3e-06	colors.py:1000(LogNorm)
1	3e-06	3e-06	3e-06	3e-06	dates.py:871(rrulewrapper)
1	3e-06	3e-06	3e-06	3e-06	dates.py:1385(YearLocator)
1	3e-06	3e-06	3e-06	3e-06	ticker.py:346(FixedFormatter)
1	3e-06	3e-06	3e-06	3e-06	ticker.py:418(StrMethodFormatter)
1	3e-06	3e-06	3e-06	3e-06	ticker.py:1614(LinearLocator)
1	3e-06	3e-06	3e-06	3e-06	ticker.py:1694(Base)
1	3e-06	3e-06	3e-06	3e-06	ticker.py:2568(OldAutoLocator)
1	3e-06	3e-06	3e-06	3e-06	transforms.py:2295(BlendedAffine2D)
1	3e-06	3e-06	3e-06	3e-06	window.py:1804(RollingGroupby)
3	3e-06	1e-06	3e-06	1e-06	base.py:19(_dispatch)
1	3e-06	3e-06	3e-06	3e-06	generic.py:1589(PanelGroupBy)
1	3e-06	3e-06	3e-06	3e-06	ops.py:846(FrameSplitter)
1	3e-06	3e-06	3e-06	3e-06	reshape.py:31(_Unstacker)
1	3e-06	3e-06	3e-06	3e-06	ops.py:162(Constant)
1	3e-06	3e-06	3e-06	3e-06	ops.py:321(BinOp)
1	3e-06	3e-06	3e-06	3e-06	excel.py:378(_XlrdReader)
1	3e-06	3e-06	3e-06	3e-06	excel.py:1652(_XlwtWriter)
1	3e-06	3e-06	3e-06	3e-06	html.py:526(_BeautifulSoupHtml5LibFrameParser)
1	3e-06	3e-06	3e-06	3e-06	json.py:835(FrameParser)
1	3e-06	3e-06	3e-06	3e-06	parquet.py:46(BaseImpl)
1	3e-06	3e-06	3e-06	3e-06	pytables.py:2846(SeriesFixed)
1	3e-06	3e-06	3e-06	3e-06	pytables.py:4359(GenericTable)
1	3e-06	3e-06	3e-06	3e-06	expr.py:727(Expr)
1	2e-06	2e-06	3e-06	3e-06	_collections_abc.py:672(keys)
2	2e-06	1e-06	3e-06	1.5e-06	sre_parse.py:98(checkgroup)
2	2e-06	1e-06	3e-06	1.5e-06	arrayprint.py:1585(set_string_function)
1	2e-06	2e-06	3e-06	3e-06	index_tricks.py:252(__init__)
4	2e-06	5e-07	3e-06	7.5e-07	mixins.py:55(_unary_method)
1	2e-06	2e-06	3e-06	3e-06	core.py:1310(_replace_dtype_fields)
2	2e-06	1e-06	3e-06	1.5e-06	rcsetup.py:351(validate_color_or_auto)
3	2e-06	6.667e-07	3e-06	1e-06	rcsetup.py:509(validate_ps_distiller)
2	2e-06	1e-06	3e-06	1.5e-06	rcsetup.py:588(validate_hinting)
2	2e-06	1e-06	3e-06	1.5e-06	rcsetup.py:612(validate_bbox)
2	2e-06	1e-06	3e-06	1.5e-06	grouper.py:519(<genexpr>)
1	2e-06	2e-06	3e-06	3e-06	ops.py:216(names)
3	1e-06	3.333e-07	3e-06	1e-06	core.py:1357(getmask)
1	1e-06	1e-06	3e-06	3e-06	tzfile.py:13(_byte_string)
2	1e-06	5e-07	3e-06	1.5e-06	config.py:589(_translate_key)

1	1e-06	1e-06	3e-06	3e-06	offsets.py:1063(CustomBusinessMonthBegin)
1	1e-06	1e-06	3e-06	3e-06	managers.py:174(_is_single_block)
1	1e-06	1e-06	3e-06	3e-06	__init__.py:1012(is_url)
1	1e-06	1e-06	3e-06	3e-06	ops.py:373(get_func)
1	2e-06	2e-06	2e-06	2e-06	~:0(<method 'title' of 'str' objects>)
2	2e-06	1e-06	2e-06	1e-06	~:0(<method 'acquire' of '_thread.lock' objects>)
1	2e-06	2e-06	2e-06	2e-06	~:0(<built-in method _codecs.lookup>)
2	2e-06	1e-06	2e-06	1e-06	~:0(<built-in method _locale.setlocale>)
1	2e-06	2e-06	2e-06	2e-06	~:0(<built-in method _locale.nl_langinfo>)
1	2e-06	2e-06	2e-06	2e-06	os.py:1067(__subclasshook__)
1	2e-06	2e-06	2e-06	2e-06	contextlib.py:36(_recreate_cm)
3	2e-06	6.667e-07	2e-06	6.667e-07	datetime.py:41(_days_before_year)
5	2e-06	4e-07	2e-06	4e-07	datetime.py:46(_days_in_month)
1	2e-06	2e-06	2e-06	2e-06	~:0(<built-in method math.sqrt>)
1	2e-06	2e-06	2e-06	2e-06	py3k.py:110(contextlib_nullcontext)
1	2e-06	2e-06	2e-06	2e-06	pathlib.py:127(<setcomp>)
1	2e-06	2e-06	2e-06	2e-06	pathlib.py:274(_PosixFlavour)
1	2e-06	2e-06	2e-06	2e-06	parse.py:142(_NetlocResultMixinBase)
1	2e-06	2e-06	2e-06	2e-06	pickle.py:184(_Framer)
1	2e-06	2e-06	2e-06	2e-06	pickle.py:220(_Unframer)
3	2e-06	6.667e-07	2e-06	6.667e-07	fromnumeric.py:2787(_prod_dispatcher)
1	2e-06	2e-06	2e-06	2e-06	arrayprint.py:1212(_TimelikeFormat)
1	2e-06	2e-06	2e-06	2e-06	records.py:234(record)
1	2e-06	2e-06	2e-06	2e-06	memmap.py:24(memmap)
1	2e-06	2e-06	2e-06	2e-06	getlimits.py:444(iinfo)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:311(CDLL)
2	2e-06	1e-06	2e-06	1e-06	__init__.py:412(__init__)
3	2e-06	6.667e-07	2e-06	6.667e-07	__init__.py:477(CFunctionType)
1	2e-06	2e-06	2e-06	2e-06	_internal.py:206(dummy_ctype)
1	2e-06	2e-06	2e-06	2e-06	_internal.py:250(_unsafe_first_element_pointer)
1	2e-06	2e-06	2e-06	2e-06	subprocess.py:97(TimeoutExpired)
1	2e-06	2e-06	2e-06	2e-06	selectors.py:205(_BaseSelectorImpl)
1	2e-06	2e-06	2e-06	2e-06	selectors.py:290(SelectSelector)
1	2e-06	2e-06	2e-06	2e-06	threading.py:87(_RLock)
1	2e-06	2e-06	2e-06	2e-06	threading.py:203(Condition)
1	2e-06	2e-06	2e-06	2e-06	threading.py:487(Event)
1	2e-06	2e-06	2e-06	2e-06	traceback.py:316(StackSummary)
1	2e-06	2e-06	2e-06	2e-06	tokenize.py:99(TokenInfo)
2	2e-06	1e-06	2e-06	1e-06	index_tricks.py:145(__init__)
1	2e-06	2e-06	2e-06	2e-06	index_tricks.py:554(ndenumerate)
1	2e-06	2e-06	2e-06	2e-06	index_tricks.py:605(ndindex)
2	2e-06	1e-06	2e-06	1e-06	utils.py:53(_set_function_name)

1	2e-06	2e-06	2e-06	2e-06	utils.py:1021(SafeEval)
1	2e-06	2e-06	2e-06	2e-06	numpy.py:58(BagObj)
1	2e-06	2e-06	2e-06	2e-06	_compression.py:33(DecompressReader)
1	2e-06	2e-06	2e-06	2e-06	_version.py:18(NumpyVersion)
1	2e-06	2e-06	2e-06	2e-06	random.py:668(SystemRandom)
1	2e-06	2e-06	2e-06	2e-06	ctypeslib.py:179(_ndptr)
1	2e-06	2e-06	2e-06	2e-06	ctypeslib.py:200(_concrete_ndptr)
1	2e-06	2e-06	2e-06	2e-06	core.py:202(<listcomp>)
3	2e-06	6.667e-07	2e-06	6.667e-07	core.py:801(__init__)
6	2e-06	3.333e-07	2e-06	3.333e-07	core.py:841(__init__)
3	2e-06	6.667e-07	2e-06	6.667e-07	core.py:862(__init__)
2	2e-06	1e-06	2e-06	1e-06	core.py:878(__init__)
1	2e-06	2e-06	2e-06	2e-06	core.py:888(_MaskedUFunc)
1	2e-06	2e-06	2e-06	2e-06	core.py:2378(_MaskedPrintOption)
1	2e-06	2e-06	2e-06	2e-06	core.py:6491(_extrema_operation)
1	2e-06	2e-06	2e-06	2e-06	core.py:8046(_convert2ma)
1	2e-06	2e-06	2e-06	2e-06	extras.py:1459(MAxisConcatenator)
1	2e-06	2e-06	2e-06	2e-06	case.py:184(_AssertRaisesContext)
1	2e-06	2e-06	2e-06	2e-06	case.py:221(_AssertWarnsContext)
1	2e-06	2e-06	2e-06	2e-06	case.py:278(_CapturingHandler)
1	2e-06	2e-06	2e-06	2e-06	case.py:297(_AssertLogsContext)
10	2e-06	2e-07	2e-06	2e-07	case.py:1316(_deprecate)
1	2e-06	2e-06	2e-06	2e-06	case.py:1396(_SubTest)
1	2e-06	2e-06	2e-06	2e-06	difflib.py:751(Differ)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:239(LogRecord)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:601(BufferingFormatter)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:680(Filterer)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:951(StreamHandler)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:1010(FileHandler)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:1079(_StderrHandler)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:1150(__init__)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:1145(Manager)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:1966(NullHandler)
1	2e-06	2e-06	2e-06	2e-06	string.py:77(Template)
1	2e-06	2e-06	2e-06	2e-06	suite.py:16(BaseTestSuite)
1	2e-06	2e-06	2e-06	2e-06	suite.py:270(_ErrorHolder)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:200(_Section)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:742(Action)
1	2e-06	2e-06	2e-06	2e-06	argparse.py:1224(_ActionsContainer)
1	2e-06	2e-06	2e-06	2e-06	tempfile.py:779(TemporaryDirectory)
1	2e-06	2e-06	2e-06	2e-06	nosetester.py:115(NoseTester)

1	2e-06	2e-06	2e-06	2e-06	lazy.py:16(LazyDict)
1	2e-06	2e-06	2e-06	2e-06	lazy.py:71(LazyList)
1	2e-06	2e-06	2e-06	2e-06	client.py:1355(HTTPSConnection)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:5(<module>)
1	2e-06	2e-06	2e-06	2e-06	parser.py:17(Parser)
1	2e-06	2e-06	2e-06	2e-06	parser.py:72(HeaderParser)
1	2e-06	2e-06	2e-06	2e-06	parser.py:80(BytesParser)
1	2e-06	2e-06	2e-06	2e-06	_parseaddr.py:495(AddressList)
1	2e-06	2e-06	2e-06	2e-06	ssl.py:355(_ASN1Object)
1	2e-06	2e-06	2e-06	2e-06	_parser.py:225(_resultbase)
1	2e-06	2e-06	2e-06	2e-06	six.py:103(MovedModule)
6	2e-06	3.333e-07	2e-06	3.333e-07	six.py:189(__get_module)
1	2e-06	2e-06	2e-06	2e-06	_common.py:6(weekday)
1	2e-06	2e-06	2e-06	2e-06	tz.py:1030(tzstr)
1	2e-06	2e-06	2e-06	2e-06	tz.py:1822(_nullcontext)
6	2e-06	3.333e-07	2e-06	3.333e-07	_common.py:13(tzname_in_python2)
1	2e-06	2e-06	2e-06	2e-06	_factories.py:11(__call__)
1	2e-06	2e-06	2e-06	2e-06	typing.py:118(TypingMeta)
1	2e-06	2e-06	2e-06	2e-06	typing.py:160(_TypingBase)
1	2e-06	2e-06	2e-06	2e-06	typing.py:216(_ForwardRef)
1	2e-06	2e-06	2e-06	2e-06	typing.py:1761(SupportsFloat)
1	2e-06	2e-06	2e-06	2e-06	typing.py:1769(SupportsComplex)
1	2e-06	2e-06	2e-06	2e-06	typing.py:2384(io)
4	2e-06	5e-07	2e-06	5e-07	config.py:222(__init__)
1	2e-06	2e-06	2e-06	2e-06	config.py:220(CallableDynamicDoc)
1	2e-06	2e-06	2e-06	2e-06	terminal.py:52(is_terminal)
2	2e-06	1e-06	2e-06	1e-06	common.py:634(condition)
1	2e-06	2e-06	2e-06	2e-06	dtypes.py:39(Registry)
1	2e-06	2e-06	2e-06	2e-06	base.py:962(ExtensionOpsMixin)
3	2e-06	6.667e-07	2e-06	6.667e-07	_decorators.py:193(rewrite_axis_style_signature)
1	2e-06	2e-06	2e-06	2e-06	_decorators.py:283(Appender)
2	2e-06	1e-06	2e-06	1e-06	cast.py:73(trans)
1	2e-06	2e-06	2e-06	2e-06	_validators.py:114(_check_for_invalid_keys)
4	2e-06	5e-07	2e-06	5e-07	missing.py:71(clean_fill_method)
1	2e-06	2e-06	2e-06	2e-06	accessor.py:43(PandasDelegate)
1	2e-06	2e-06	2e-06	2e-06	algorithms.py:1047(SelectN)
1	2e-06	2e-06	2e-06	2e-06	base.py:127(NoNewAttributesMixin)
6	2e-06	3.333e-07	2e-06	3.333e-07	nanops.py:91(__init__)
1	2e-06	2e-06	2e-06	2e-06	sorting.py:287(_KeyMapper)
1	2e-06	2e-06	2e-06	2e-06	base.py:1658(is_unique)
8	2e-06	2.5e-07	2e-06	2.5e-07	base.py:3632(_values)
1	2e-06	2e-06	2e-06	2e-06	groupby.py:291(GroupByPlot)

1	2e-06	2e-06	2e-06	2e-06	frame.py:474(axes)
3	2e-06	6.667e-07	2e-06	6.667e-07	generic.py:241(<dictcomp>)
1	2e-06	2e-06	2e-06	2e-06	decoder.py:253(JSONDecoder)
1	2e-06	2e-06	2e-06	2e-06	indexing.py:1482(_LocationIndexer)
1	2e-06	2e-06	2e-06	2e-06	blocks.py:191(fill_value)
1	2e-06	2e-06	2e-06	2e-06	blocks.py:1967(FloatBlock)
1	2e-06	2e-06	2e-06	2e-06	blocks.py:2018(ComplexBlock)
1	2e-06	2e-06	2e-06	2e-06	blocks.py:2595(BoolBlock)
1	2e-06	2e-06	2e-06	2e-06	managers.py:706(nblocks)
2	2e-06	1e-06	2e-06	1e-06	managers.py:1488(_block)
1	2e-06	2e-06	2e-06	2e-06	format.py:109(CategoricalFormatter)
1	2e-06	2e-06	2e-06	2e-06	format.py:163(SeriesFormatter)
1	2e-06	2e-06	2e-06	2e-06	format.py:296(TextAdjustment)
1	2e-06	2e-06	2e-06	2e-06	format.py:312(EastAsianTextAdjustment)
1	2e-06	2e-06	2e-06	2e-06	format.py:346(TableFormatter)
1	2e-06	2e-06	2e-06	2e-06	format.py:987(FloatArrayFormatter)
1	2e-06	2e-06	2e-06	2e-06	common.py:60(BaseIterator)
1	2e-06	2e-06	2e-06	2e-06	csv.py:24(Dialect)
1	2e-06	2e-06	2e-06	2e-06	csv.py:131(DictWriter)
1	2e-06	2e-06	2e-06	2e-06	zipfile.py:740(_Tellable)
1	2e-06	2e-06	2e-06	2e-06	zipfile.py:989(_ZipWriteFile)
1	2e-06	2e-06	2e-06	2e-06	request.py:612(BaseHandler)
1	2e-06	2e-06	2e-06	2e-06	request.py:652(HTTPRedirectHandler)
1	2e-06	2e-06	2e-06	2e-06	request.py:1558(CacheFTPHandler)
1	2e-06	2e-06	2e-06	2e-06	request.py:2110(FancyURLopener)
1	2e-06	2e-06	2e-06	2e-06	request.py:2363(ftpwrapper)
1	2e-06	2e-06	2e-06	2e-06	series.py:382(_set_subtyp)
1	2e-06	2e-06	2e-06	2e-06	accessors.py:20(Properties)
1	2e-06	2e-06	2e-06	2e-06	_core.py:913(HexBinPlot)
1	2e-06	2e-06	2e-06	2e-06	_core.py:1102(AreaPlot)
1	2e-06	2e-06	2e-06	2e-06	_core.py:1287(BarhPlot)
1	2e-06	2e-06	2e-06	2e-06	_converter.py:150(TimeConverter)
1	2e-06	2e-06	2e-06	2e-06	_converter.py:223(PeriodConverter)
1	2e-06	2e-06	2e-06	2e-06	_converter.py:1126(TimeSeries_TimedeltaFormatter)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:66(converter)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:399(silent_list)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:712(Sorter)
1	2e-06	2e-06	2e-06	2e-06	__init__.py:2548(_FuncInfo)
1	2e-06	2e-06	2e-06	2e-06	gzip.py:69(_PaddedFile)
1	2e-06	2e-06	2e-06	2e-06	gzip.py:377(_GzipReader)
2	2e-06	1e-06	2e-06	1e-06	rcsetup.py:169(validate_float_or_None)
1	2e-06	2e-06	2e-06	2e-06	rcsetup.py:323(validate_nseq_int)

2	2e-06	1e-06	2e-06	1e-06	rcsetup.py:577(validate_svg_fonttype)
2	2e-06	1e-06	2e-06	1e-06	rcsetup.py:625(validate_sketch)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:292(ParseBaseException)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:355(ParseException)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:2882(Keyword)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4064(Or)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4187(MatchFirst)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4406(ParseElementEnhance)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:4956(Forward)
4	2e-06	5e-07	2e-06	5e-07	pyparsing.py:6667(__init__)
1	2e-06	2e-06	2e-06	2e-06	pyparsing.py:6793(Arabic)
1	2e-06	2e-06	2e-06	2e-06	colors.py:625(LinearSegmentedColormap)
1	2e-06	2e-06	2e-06	2e-06	colors.py:1071(SymLogNorm)
4	2e-06	5e-07	2e-06	5e-07	cycler.py:371(<genexpr>)
1	2e-06	2e-06	2e-06	2e-06	dates.py:188(_UTC)
1	2e-06	2e-06	2e-06	2e-06	dates.py:363(bytespdate2num)
1	2e-06	2e-06	2e-06	2e-06	dates.py:745(IndexDateFormatter)
1	2e-06	2e-06	2e-06	2e-06	dates.py:772(AutoDateFormatter)
1	2e-06	2e-06	2e-06	2e-06	rrule.py:66(weekday)
1	2e-06	2e-06	2e-06	2e-06	rrule.py:304(rrule)
1	2e-06	2e-06	2e-06	2e-06	rrule.py:1111(_iterinfo)
1	2e-06	2e-06	2e-06	2e-06	units.py:88(ConversionInterface)
1	2e-06	2e-06	2e-06	2e-06	units.py:137(__init__)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:239(TickHelper)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:313(IndexFormatter)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1063(LogFormatterMathtext)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1153(LogitFormatter)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1548(FixedLocator)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1594(NullLocator)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:1735(MultipleLocator)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:2222(SymmetricalLogLocator)
1	2e-06	2e-06	2e-06	2e-06	ticker.py:2507(AutoMinorLocator)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:1033(TransformedBbox)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:2604(BboxTransform)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:2652(BboxTransformTo)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:2716(BboxTransformFrom)
1	2e-06	2e-06	2e-06	2e-06	transforms.py:2788(TransformedPath)
1	2e-06	2e-06	2e-06	2e-06	window.py:803(_Rolling)
1	2e-06	2e-06	2e-06	2e-06	base.py:14(GroupByMixin)
1	2e-06	2e-06	2e-06	2e-06	generic.py:1417(_reindex_output)
1	2e-06	2e-06	2e-06	2e-06	ops.py:792(DataSplitter)
1	2e-06	2e-06	2e-06	2e-06	ops.py:869(NDFrameSplitter)

1	2e-06	2e-06	2e-06	2e-06	engines.py:101(NumExprEngine)
1	2e-06	2e-06	2e-06	2e-06	engines.py:133(PythonEngine)
1	2e-06	2e-06	2e-06	2e-06	merge.py:467(_MergeOperation)
1	2e-06	2e-06	2e-06	2e-06	merge.py:1317(_AsOfMerge)
1	2e-06	2e-06	2e-06	2e-06	parsers.py:3494(FixedWidthReader)
1	2e-06	2e-06	2e-06	2e-06	json.py:79(Writer)
1	2e-06	2e-06	2e-06	2e-06	json.py:119(SeriesWriter)
1	2e-06	2e-06	2e-06	2e-06	json.py:164(JSONTableWriter)
1	2e-06	2e-06	2e-06	2e-06	json.py:791(SeriesParser)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:1426(TableIterator)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:1813(GenericIndexCol)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:2260(DataIndexableCol)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:2463(<dictcomp>)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:2940(BlockManagerFixed)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:3983(LegacyFrameTable)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:4001(AppendableTable)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:4234(AppendableFrameTable)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:4762(Selection)
1	2e-06	2e-06	2e-06	2e-06	pytables.py:33(Term)
3	2e-06	6.667e-07	2e-06	6.667e-07	expr.py:105(_compose2)
1	2e-06	2e-06	2e-06	2e-06	sql.py:1278(SQLiteTable)
1	2e-06	2e-06	2e-06	2e-06	testing.py:2610(_AssertRaisesContextmanager)
1	2e-06	2e-06	2e-06	2e-06	testing.py:2799(RNGContext)
1	2e-06	2e-06	2e-06	2e-06	testing.py:2922(SubclassedSeries)
3	1e-06	3.333e-07	2e-06	6.667e-07	datetime.py:1984(_create)
1	1e-06	1e-06	2e-06	2e-06	threading.py:242(__exit__)
1	1e-06	1e-06	2e-06	2e-06	tokenize.py:113(any)
2	1e-06	5e-07	2e-06	1e-06	tokenize.py:114(maybe)
1	1e-06	1e-06	2e-06	2e-06	index_tricks.py:517(__init__)
1	1e-06	1e-06	2e-06	2e-06	index_tricks.py:547(__init__)
1	1e-06	1e-06	2e-06	2e-06	typing.py:1753(SupportsInt)
1	1e-06	1e-06	2e-06	2e-06	typing.py:1793(SupportsRound)
1	1e-06	1e-06	2e-06	2e-06	_validators.py:221(validate_bool_kwarg)
1	1e-06	1e-06	2e-06	2e-06	ops.py:66(_maybe_match_name)
1	1e-06	1e-06	2e-06	2e-06	__init__.py:1445(is_interactive)
2	1e-06	5e-07	2e-06	1e-06	rcsetup.py:492(update_savefig_format)
2	1e-06	5e-07	2e-06	1e-06	rcsetup.py:870(validate_hist_bins)
1	1e-06	1e-06	2e-06	2e-06	grouper.py:614(_is_label_like)
2	1e-06	5e-07	1e-06	5e-07	~:0(<built-in method maketrans>)
2	1e-06	5e-07	1e-06	5e-07	~:0(<method 'deleter' of 'property' objects>)
8	1e-06	1.25e-07	1e-06	1.25e-07	~:0(<method 'insert' of 'list' objects>)

14	1e-06	7.143e-08	1e-06	7.143e-08	~:0(<method 'clear' of 'dict' objects>)
2	1e-06	5e-07	1e-06	5e-07	~:0(<method 'update' of 'set' objects>)
8	1e-06	1.25e-07	1e-06	1.25e-07	~:0(<method 'capitalize' of 'str' objects>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method 'index' of 'str' objects>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method sys.getdefaultencoding>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method _thread._set_sentinel>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method '___exit___' of '_thread.lock' objects>)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method atexit.register>)
4	1e-06	2.5e-07	1e-06	2.5e-07	~:0(<built-in method _stat.S_ISDIR>)
1	1e-06	1e-06	1e-06	1e-06	_collections_abc.py:698(__init__)
10	1e-06	1e-07	1e-06	1e-07	enum.py:599(value)
2	1e-06	5e-07	1e-06	5e-07	sre_parse.py:101(checklookbehindgroup)
1	1e-06	1e-06	1e-06	1e-06	__future__.py:78(_Feature)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method 'disable' of '_lsprof.Profiler' objects>)
1	1e-06	1e-06	1e-06	1e-06	_globals.py:59(_NoValueType)
1	1e-06	1e-06	1e-06	1e-06	version.py:5(<module>)
1	1e-06	1e-06	1e-06	1e-06	_iotools.py:176(LineSplitter)
1	1e-06	1e-06	1e-06	1e-06	_iotools.py:470(ConverterError)
1	1e-06	1e-06	1e-06	1e-06	_iotools.py:478(ConverterLockError)
2	1e-06	5e-07	1e-06	5e-07	multiarray.py:145(concatenate)
3	1e-06	3.333e-07	1e-06	3.333e-07	multiarray.py:469(can_cast)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method 'tolist' of 'numpy.ndarray' objects>)
2	1e-06	5e-07	1e-06	5e-07	~:0(<built-in method numpy.core._multiarray_umath.set_st
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method numpy.core._multiarray_umath.set_ty
2	1e-06	5e-07	1e-06	5e-07	pathlib.py:48(__init__)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:44(_Flavour)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:377(_Accessor)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:467(_Selector)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:492(_TerminatingSelector)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:498(_PreciseSelector)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:537(_RecursiveWildcardSelector)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:574(_PathParents)
1	1e-06	1e-06	1e-06	1e-06	pathlib.py:971(PureWindowsPath)
1	1e-06	1e-06	1e-06	1e-06	parse.py:134(_ResultMixinBytes)
1	1e-06	1e-06	1e-06	1e-06	parse.py:175(_NetlocResultMixinStr)
1	1e-06	1e-06	1e-06	1e-06	parse.py:310(DefragResult)
1	1e-06	1e-06	1e-06	1e-06	parse.py:318(SplitResult)
1	1e-06	1e-06	1e-06	1e-06	parse.py:725(Quoter)
1	1e-06	1e-06	1e-06	1e-06	pickle.py:75(UnpicklingError)
1	1e-06	1e-06	1e-06	1e-06	pickle.py:88(_Stop)
1	1e-06	1e-06	1e-06	1e-06	numerictypes.py:429(_typedict)
6	1e-06	1.667e-07	1e-06	1.667e-07	_type_aliases.py:113(<genexpr>)

1	1e-06	1e-06	1e-06	1e-06	numeric.py:93(_zeros_like_dispatcher)
2	1e-06	5e-07	1e-06	5e-07	numeric.py:2099(_allclose_dispatcher)
2	1e-06	5e-07	1e-06	5e-07	numeric.py:2175(_isclose_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:33(UFuncTypeError)
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:39(_UFuncBinaryResolutionError)
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:55(_UFuncNoLoopError)
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:73(_UFuncCastingError)
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:124(AxisError)
1	1e-06	1e-06	1e-06	1e-06	_ufunc_config.py:36(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	_ufunc_config.py:368(_unspecified)
1	1e-06	1e-06	1e-06	1e-06	_ufunc_config.py:375(errstate)
1	1e-06	1e-06	1e-06	1e-06	fromnumeric.py:822(_sort_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:985(FloatFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1145(IntegerFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1168(ComplexFloatingFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1238(DatetimeFormat)
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:1285(StructuredVoidFormat)
1	1e-06	1e-06	1e-06	1e-06	records.py:81(_OrderedCounter)
1	1e-06	1e-06	1e-06	1e-06	records.py:100(format_parser)
1	1e-06	1e-06	1e-06	1e-06	records.py:319(recarray)
1	1e-06	1e-06	1e-06	1e-06	getlimits.py:293(finfo)
3	1e-06	3.333e-07	1e-06	3.333e-07	__init__.py:99(CFunctionType)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:151(py_object)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:160(c_short)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:172(c_ulong)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:189(c_float)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:342(_FuncPtr)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:371(PyDLL)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:411(LibraryLoader)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method _ctypes.dlopen>)
1	1e-06	1e-06	1e-06	1e-06	_endian.py:46(BigEndianStructure)
1	1e-06	1e-06	1e-06	1e-06	_internal.py:245(c_void_p)
1	1e-06	1e-06	1e-06	1e-06	_internal.py:883(recursive)
1	1e-06	1e-06	1e-06	1e-06	subprocess.py:339(CompletedProcess)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:59(_SelectorMapping)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:343(PollSelector)
1	1e-06	1e-06	1e-06	1e-06	selectors.py:525(KqueueSelector)
1	1e-06	1e-06	1e-06	1e-06	threading.py:239(__enter__)
1	1e-06	1e-06	1e-06	1e-06	threading.py:369(Semaphore)
1	1e-06	1e-06	1e-06	1e-06	threading.py:449(BoundedSemaphore)
1	1e-06	1e-06	1e-06	1e-06	threading.py:1158(Timer)
1	1e-06	1e-06	1e-06	1e-06	traceback.py:438(TracebackException)

1	1e-06	1e-06	1e-06	1e-06	tokenize.py:217(TokenError)
1	1e-06	1e-06	1e-06	1e-06	tokenize.py:222(Untokenizer)
1	1e-06	1e-06	1e-06	1e-06	_pytesttester.py:47(PytestTester)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:110(nd_grid)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:210(MGridClass)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:257(OGridClass)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:422(RClass)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:522(CClass)
2	1e-06	5e-07	1e-06	5e-07	index_tricks.py:728(__init__)
1	1e-06	1e-06	1e-06	1e-06	index_tricks.py:684(IndexExpression)
1	1e-06	1e-06	1e-06	1e-06	ast.py:229(NodeVisitor)
1	1e-06	1e-06	1e-06	1e-06	ast.py:266(NodeTransformer)
1	1e-06	1e-06	1e-06	1e-06	linalg.py:52(LinAlgError)
1	1e-06	1e-06	1e-06	1e-06	function_base.py:1878(vectorize)
1	1e-06	1e-06	1e-06	1e-06	function_base.py:4221(_delete_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	stride_tricks.py:16(DummyArray)
1	1e-06	1e-06	1e-06	1e-06	utils.py:58(_Deprecate)
1	1e-06	1e-06	1e-06	1e-06	arraysetops.py:479(_in1d_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	arraysetops.py:740(_setdiff1d_dispatcher)
1	1e-06	1e-06	1e-06	1e-06	_datasource.py:169(__init__)
1	1e-06	1e-06	1e-06	1e-06	_datasource.py:144(_FileOpeners)
1	1e-06	1e-06	1e-06	1e-06	_datasource.py:626(Repository)
1	1e-06	1e-06	1e-06	1e-06	shutil.py:55(Error)
1	1e-06	1e-06	1e-06	1e-06	_compression.py:9(BaseStream)
1	1e-06	1e-06	1e-06	1e-06	polyutils.py:69(PolyDomainError)
1	1e-06	1e-06	1e-06	1e-06	polyutils.py:82(PolyBase)
1	1e-06	1e-06	1e-06	1e-06	~:0(<built-in method _hashlib.openssl_sha512>)
1	1e-06	1e-06	1e-06	1e-06	core.py:204(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	core.py:792(_DomainCheckInterval)
1	1e-06	1e-06	1e-06	1e-06	core.py:817(_DomainTan)
1	1e-06	1e-06	1e-06	1e-06	core.py:835(_DomainSafeDivide)
1	1e-06	1e-06	1e-06	1e-06	core.py:856(_DomainGreater)
1	1e-06	1e-06	1e-06	1e-06	core.py:872(_DomainGreaterEqual)
1	1e-06	1e-06	1e-06	1e-06	core.py:898(_MaskedUnaryOperation)
1	1e-06	1e-06	1e-06	1e-06	core.py:972(_MaskedBinaryOperation)
1	1e-06	1e-06	1e-06	1e-06	core.py:1120(_DomainedBinaryOperation)
1	1e-06	1e-06	1e-06	1e-06	core.py:1278(_replace_dtype_fields_recursive)
1	1e-06	1e-06	1e-06	1e-06	core.py:2384(__init__)
1	1e-06	1e-06	1e-06	1e-06	core.py:2596(MaskedIterator)
2	1e-06	5e-07	1e-06	5e-07	core.py:3363(shape)
1	1e-06	1e-06	1e-06	1e-06	core.py:6608(_frommethod)
1	1e-06	1e-06	1e-06	1e-06	extras.py:217(_fromnxfuction)

1	1e-06	1e-06	1e-06	1e-06	extras.py:272(_fromnxfuction_single)
1	1e-06	1e-06	1e-06	1e-06	extras.py:290(_fromnxfuction_seq)
1	1e-06	1e-06	1e-06	1e-06	extras.py:328(_fromnxfuction_allargs)
1	1e-06	1e-06	1e-06	1e-06	extras.py:1489(mr_class)
1	1e-06	1e-06	1e-06	1e-06	case.py:25(SkipTest)
1	1e-06	1e-06	1e-06	1e-06	case.py:33(_ShouldStop)
1	1e-06	1e-06	1e-06	1e-06	case.py:38(_UnexpectedSuccess)
1	1e-06	1e-06	1e-06	1e-06	case.py:128(_BaseTestCaseContext)
1	1e-06	1e-06	1e-06	1e-06	case.py:137(_AssertRaisesBaseContext)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:384(__init__)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:378(PercentStyle)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:393(StrFormatStyle)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:402(StringTemplateStyle)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:643(Filter)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1103(Placeholder)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1576(RootLogger)
1	1e-06	1e-06	1e-06	1e-06	string.py:55(_TemplateMetaclass)
1	1e-06	1e-06	1e-06	1e-06	pprint.py:72(_safe_key)
1	1e-06	1e-06	1e-06	1e-06	suite.py:92(TestSuite)
1	1e-06	1e-06	1e-06	1e-06	suite.py:317(_DebugResult)
1	1e-06	1e-06	1e-06	1e-06	loader.py:23(_FailedTest)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:109(_AttributeHolder)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:652(RawTextHelpFormatter)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:833(_StoreAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:908(_StoreFalseAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:962(_AppendConstAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1009(_HelpAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1028(_VersionAction)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1150(FileType)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:1531(_ArgumentGroup)
1	1e-06	1e-06	1e-06	1e-06	runner.py:13(_WriteInDecorator)
1	1e-06	1e-06	1e-06	1e-06	runner.py:120(TextTestRunner)
1	1e-06	1e-06	1e-06	1e-06	utils.py:1270(_Dummy)
1	1e-06	1e-06	1e-06	1e-06	tempfile.py:461(_TemporaryFileWrapper)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:306(_CountryTimezoneDict)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:365(_CountryNameDict)
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:11(UnknownTimeZoneError)
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:42(NonExistentTimeError)
2	1e-06	5e-07	1e-06	5e-07	lazy.py:91(LazyList)
1	1e-06	1e-06	1e-06	1e-06	lazy.py:121(LazySet)
1	1e-06	1e-06	1e-06	1e-06	tzinfo.py:66(BaseTzInfo)
1	1e-06	1e-06	1e-06	1e-06	_version.py:4(<module>)

6	1e-06	1.667e-07	1e-06	1.667e-07	__init__.py:275(u)
1	1e-06	1e-06	1e-06	1e-06	version.py:31(Version)
1	1e-06	1e-06	1e-06	1e-06	inspect.py:878(EndOfBlock)
1	1e-06	1e-06	1e-06	1e-06	inspect.py:880(BlockFinder)
1	1e-06	1e-06	1e-06	1e-06	inspect.py:2382(_void)
1	1e-06	1e-06	1e-06	1e-06	dis.py:178(Instruction)
1	1e-06	1e-06	1e-06	1e-06	client.py:164(HTTPRequest)
1	1e-06	1e-06	1e-06	1e-06	client.py:1422(UnknownProtocol)
1	1e-06	1e-06	1e-06	1e-06	client.py:1430(UnimplementedFileMode)
1	1e-06	1e-06	1e-06	1e-06	client.py:1433(IncompleteRead)
1	1e-06	1e-06	1e-06	1e-06	client.py:1448(ImproperConnectionState)
1	1e-06	1e-06	1e-06	1e-06	client.py:1467(LineTooLong)
1	1e-06	1e-06	1e-06	1e-06	client.py:1472(RemoteDisconnected)
1	1e-06	1e-06	1e-06	1e-06	parser.py:127(BytesHeaderParser)
1	1e-06	1e-06	1e-06	1e-06	feedparser.py:532(BytesFeedParser)
1	1e-06	1e-06	1e-06	1e-06	errors.py:28(CharsetError)
1	1e-06	1e-06	1e-06	1e-06	errors.py:33(MessageDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:70(InvalidBase64PaddingDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:73(InvalidBase64CharactersDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:93(NonPrintableDefect)
1	1e-06	1e-06	1e-06	1e-06	errors.py:107(NonASCIIlocalPartDefect)
1	1e-06	1e-06	1e-06	1e-06	_policybase.py:41(__init__)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:24(IllegalMonthError)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:31(IllegalWeekdayError)
2	1e-06	5e-07	1e-06	5e-07	calendar.py:53(<lambda>)
2	1e-06	5e-07	1e-06	5e-07	calendar.py:55(__init__)
2	1e-06	5e-07	1e-06	5e-07	calendar.py:74(__init__)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:141(setfirstweekday)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:377(HTMLCalendar)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:489(different_locale)
1	1e-06	1e-06	1e-06	1e-06	calendar.py:501(LocaleTextCalendar)
1	1e-06	1e-06	1e-06	1e-06	message.py:1159(EmailMessage)
1	1e-06	1e-06	1e-06	1e-06	ssl.py:154(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	ipaddress.py:19(AddressValueError)
1	1e-06	1e-06	1e-06	1e-06	ipaddress.py:23(NetmaskValueError)
1	1e-06	1e-06	1e-06	1e-06	ipaddress.py:2127(IPv6Network)
1	1e-06	1e-06	1e-06	1e-06	chainmap.py:7(DeepChainMap)
3	1e-06	3.333e-07	1e-06	3.333e-07	__init__.py:42(private_class)
1	1e-06	1e-06	1e-06	1e-06	_parser.py:664(_result)
1	1e-06	1e-06	1e-06	1e-06	_parser.py:1578(UnknownTimezoneWarning)
1	1e-06	1e-06	1e-06	1e-06	six.py:86(_LazyDescr)

1	1e-06	1e-06	1e-06	1e-06	six.py:124(_LazyModule)
1	1e-06	1e-06	1e-06	1e-06	six.py:139(MovedAttribute)
5	1e-06	2e-07	1e-06	2e-07	six.py:181(_get_module)
1	1e-06	1e-06	1e-06	1e-06	six.py:229(_MovedItems)
1	1e-06	1e-06	1e-06	1e-06	six.py:364(Module_six_moves_urllib_error)
1	1e-06	1e-06	1e-06	1e-06	six.py:384(Module_six_moves_urllib_request)
1	1e-06	1e-06	1e-06	1e-06	six.py:436(Module_six_moves_urllib_response)
3	1e-06	3.333e-07	1e-06	3.333e-07	six.py:835(add_metaclass)
1	1e-06	1e-06	1e-06	1e-06	tz.py:367(_tzfile)
1	1e-06	1e-06	1e-06	1e-06	_factories.py:6(_TzSingleton)
1	1e-06	1e-06	1e-06	1e-06	_factories.py:17(_TzFactory)
1	1e-06	1e-06	1e-06	1e-06	_factories.py:23(_TzOffsetFactory)
1	1e-06	1e-06	1e-06	1e-06	_factories.py:50(_TzStrFactory)
1	1e-06	1e-06	1e-06	1e-06	typing.py:197(_FinalTypingBase)
1	1e-06	1e-06	1e-06	1e-06	typing.py:404(_Any)
1	1e-06	1e-06	1e-06	1e-06	typing.py:428(_NoReturn)
1	1e-06	1e-06	1e-06	1e-06	typing.py:453(TypeVar)
12	1e-06	8.333e-08	1e-06	8.333e-08	typing.py:651(<genexpr>)
4	1e-06	2.5e-07	1e-06	2.5e-07	typing.py:822(__hash__)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1204(Generic)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1394(__init__)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1375(_ClassVar)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1630(_ProtocolMeta)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1745(Iterable)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1777(SupportsBytes)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1785(SupportsAbs)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1802(Reversible)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1846(Mapping)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1855(MutableMapping)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1861(Sequence)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1914(FrozenSet)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1928(KeysView)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1933(ItemsView)
1	1e-06	1e-06	1e-06	1e-06	typing.py:1940(ValuesView)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2072(AsyncGenerator)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2084(Type)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2135(NamedTupleMeta)
1	1e-06	1e-06	1e-06	1e-06	typing.py:2403(re)
1	1e-06	1e-06	1e-06	1e-06	config.py:175(DictWrapper)
1	1e-06	1e-06	1e-06	1e-06	config.py:377(option_context)
5	1e-06	2e-07	1e-06	2e-07	config.py:743(is_type_factory)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1(<module>)

1	1e-06	1e-06	1e-06	1e-06	api.py:56(TimeGrouper)
1	1e-06	1e-06	1e-06	1e-06	dtypes.py:54(__init__)
1	1e-06	1e-06	1e-06	1e-06	dtypes.py:166(CategoricalDtypeType)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:96(EmptyDataError)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:103(ParserWarning)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:144(MergeError)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:151(NullFrequencyError)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:159(AccessorRegistrationWarning)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:163(AbstractMethodError)
1	1e-06	1e-06	1e-06	1e-06	function.py:31(CompatValidator)
1	1e-06	1e-06	1e-06	1e-06	_validators.py:32(_check_for_default_values)
1	1e-06	1e-06	1e-06	1e-06	common.py:316(apply_if_callable)
1	1e-06	1e-06	1e-06	1e-06	accessor.py:150(CachedAccessor)
1	1e-06	1e-06	1e-06	1e-06	algorithms.py:1138(SelectNFrame)
1	1e-06	1e-06	1e-06	1e-06	base.py:162(DataError)
1	1e-06	1e-06	1e-06	1e-06	nanops.py:47(set_use_bottleneck)
1	1e-06	1e-06	1e-06	1e-06	nanops.py:89(bottleneck_switch)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:405(SingleConstructorOffset)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:414(_CustomMixin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:941(MonthEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:949(MonthBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:957(BusinessMonthEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:965(BusinessMonthBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1648(BQuarterEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1664(BQuarterBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1673(QuarterEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1687(QuarterBegin)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1754(BYearEnd)
1	1e-06	1e-06	1e-06	1e-06	offsets.py:1774(YearEnd)
1	1e-06	1e-06	1e-06	1e-06	frequencies.py:473(_TimedeltaFrequencyInferer)
1	1e-06	1e-06	1e-06	1e-06	_doctools.py:168(_WritableDoc)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1(<module>)
1	1e-06	1e-06	1e-06	1e-06	base.py:2168(_get_unique_index)
1	1e-06	1e-06	1e-06	1e-06	base.py:2249(_validate_sort_keyword)
1	1e-06	1e-06	1e-06	1e-06	base.py:3072(_can_reindex)
1	1e-06	1e-06	1e-06	1e-06	groupby.py:499(<listcomp>)
2	1e-06	5e-07	1e-06	5e-07	frame.py:361(_constructor)
1	1e-06	1e-06	1e-06	1e-06	generic.py:1627(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	multi.py:42(MultiIndexUIntEngine)
1	1e-06	1e-06	1e-06	1e-06	multi.py:81(MultiIndexPyIntEngine)
1	1e-06	1e-06	1e-06	1e-06	numeric.py:113(is_all_dates)
1	1e-06	1e-06	1e-06	1e-06	decoder.py:20(JSONDecodeError)

1	1e-06	1e-06	1e-06	1e-06	encoder.py:73(JSONEncoder)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:2254(_ScalarAccessIndexer)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:2290(_AtIndexer)
1	1e-06	1e-06	1e-06	1e-06	indexing.py:2361(_iAtIndexer)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:165(internal_values)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:721(_try_coerce_result)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:1939(ObjectValuesExtensionBlock)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:1951(NumericBlock)
1	1e-06	1e-06	1e-06	1e-06	blocks.py:2037(IntBlock)
2	1e-06	5e-07	1e-06	5e-07	managers.py:1814(<lambda>)
1	1e-06	1e-06	1e-06	1e-06	format.py:910(GenericArrayFormatter)
1	1e-06	1e-06	1e-06	1e-06	format.py:1144(Datetime64Formatter)
1	1e-06	1e-06	1e-06	1e-06	format.py:1170(ExtensionArrayFormatter)
1	1e-06	1e-06	1e-06	1e-06	format.py:1315(Datetime64TZFormatter)
1	1e-06	1e-06	1e-06	1e-06	format.py:1330(Timedelta64Formatter)
1	1e-06	1e-06	1e-06	1e-06	common.py:520(UTF8Recoder)
1	1e-06	1e-06	1e-06	1e-06	csv.py:55(excel)
1	1e-06	1e-06	1e-06	1e-06	csv.py:65(excel_tab)
1	1e-06	1e-06	1e-06	1e-06	csv.py:70(unix_dialect)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:534(_ZipDecrypter)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:595(LZMACompressor)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:618(LZMADecompressor)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:714(_SharedFile)
1	1e-06	1e-06	1e-06	1e-06	zipfile.py:1819(PyZipFile)
1	1e-06	1e-06	1e-06	1e-06	request.py:631(HTTPErrorProcessor)
1	1e-06	1e-06	1e-06	1e-06	request.py:794(ProxyHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:836(HTTPPasswordMgr)
1	1e-06	1e-06	1e-06	1e-06	request.py:1021(HTTPBasicAuthHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1051(AbstractDigestAuthHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1195(HTTPDigestAuthHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1225(AbstractHTTPHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1343(HTTPHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1352(HTTPSHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1367(HTTPCookieProcessor)
1	1e-06	1e-06	1e-06	1e-06	request.py:1443(FileHandler)
1	1e-06	1e-06	1e-06	1e-06	request.py:1500(FTPHandler)
1	1e-06	1e-06	1e-06	1e-06	error.py:19(URLError)
1	1e-06	1e-06	1e-06	1e-06	response.py:14(addbase)
1	1e-06	1e-06	1e-06	1e-06	response.py:37(addclosehook)
1	1e-06	1e-06	1e-06	1e-06	response.py:57(addinfo)
1	1e-06	1e-06	1e-06	1e-06	construction.py:210(<listcomp>)

1	1e-06	1e-06	1e-06	1e-06	accessors.py:290(CombinedDatetimelikeProperties)
1	1e-06	1e-06	1e-06	1e-06	_core.py:852(ScatterPlot)
1	1e-06	1e-06	1e-06	1e-06	_core.py:2703(BasePlotMethods)
5	1e-06	2e-07	1e-06	2e-07	_compat.py:9(_mpl_version)
1	1e-06	1e-06	1e-06	1e-06	_converter.py:179(TimeFormatter)
1	1e-06	1e-06	1e-06	1e-06	_converter.py:359(PandasAutoDateFormatter)
1	1e-06	1e-06	1e-06	1e-06	_converter.py:368(PandasAutoDateLocator)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:270(_parse_commandline)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:297(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:318(set_level)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1296(rc_context)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:85(tostr)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:92(todatetime)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:107(todate)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:122(tofloat)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:135(toint)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:490(Bunch)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:760(Xlator)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:875(__init__)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1151(maxdict)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:1954(<dictcomp>)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:2164(_NestedClassGetter)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:53(ValidateInStrings)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:184(validate_string_or_None)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:206(validate_dpi)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:225(validate_int_or_None)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:271(validate_qt4)
7	1e-06	1.429e-07	1e-06	1.429e-07	rcsetup.py:299(__init__)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:298(validate_nseq_float)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:324(__init__)
2	1e-06	5e-07	1e-06	5e-07	rcsetup.py:339(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	rcsetup.py:638(ValidateInterval)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:260(<genexpr>)
4	1e-06	2.5e-07	1e-06	2.5e-07	pyparsing.py:485(__init__)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:484(_ParseResultsWithOffset)
2	1e-06	5e-07	1e-06	5e-07	pyparsing.py:631(__len__)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:1757(_FifoCache)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2769(_PendingSkip)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2810(Empty)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2820(NoMatch)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2834(Literal)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2983(CaselessKeyword)

1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:2996(CloseMatch)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3224(_WordRegex)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3379(QuotedString)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3530(CharsNotIn)
3	1e-06	3.333e-07	1e-06	3.333e-07	pyparsing.py:3642(<genexpr>)
3	1e-06	3.333e-07	1e-06	3.333e-07	pyparsing.py:3644(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3675(_PositionToken)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3739(LineEnd)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3759(StringStart)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:3812(WordEnd)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4485(FollowedBy)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4520(PrecededBy)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4595(NotAny)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4639(_MultipleMatch)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4697(OneOrMore)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4763(_NullToken)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:4838(SkipTo)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5062(TokenConverter)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5070(Combine)
6	1e-06	1.667e-07	1e-06	1.667e-07	pyparsing.py:5134(postParse)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5115(Group)
4	1e-06	2.5e-07	1e-06	2.5e-07	pyparsing.py:5227(postParse)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5205(Suppress)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:5234(OnlyOnce)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6666(_lazyclassproperty)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6737(Latin1)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6741(LatinA)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6749(Greek)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6757(Cyrillic)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6761(Chinese)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6769(Kanji)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6773(Hiragana)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6785(CJK)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6789(Thai)
1	1e-06	1e-06	1e-06	1e-06	pyparsing.py:6797(Hebrew)
1	1e-06	1e-06	1e-06	1e-06	colors.py:63(_ColorMapping)
1	1e-06	1e-06	1e-06	1e-06	colors.py:778(ListedColormap)
1	1e-06	1e-06	1e-06	1e-06	colors.py:1188(PowerNorm)
1	1e-06	1e-06	1e-06	1e-06	colors.py:1263(BoundaryNorm)
2	1e-06	5e-07	1e-06	5e-07	cycler.py:145(change_key)
1	1e-06	1e-06	1e-06	1e-06	dates.py:347(strptime2num)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1449(MonthLocator)

1	1e-06	1e-06	1e-06	1e-06	dates.py:1474(WeekdayLocator)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1502(DayLocator)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1529(HourLocator)
1	1e-06	1e-06	1e-06	1e-06	dates.py:1549(MinuteLocator)
4	1e-06	2.5e-07	1e-06	2.5e-07	rrule.py:80(_invalidates_cache)
1	1e-06	1e-06	1e-06	1e-06	rrule.py:1314(_genitem)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:335(NullFormatter)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:379(FuncFormatter)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:399(FormatStrFormatter)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:439(OldScalarFormatter)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1047(LogFormatterExponent)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:1133(LogFormatterSciNotation)
1	1e-06	1e-06	1e-06	1e-06	ticker.py:2487(AutoLocator)
1	1e-06	1e-06	1e-06	1e-06	transforms.py:2695(BboxTransformToMaxOnly)
1	1e-06	1e-06	1e-06	1e-06	transforms.py:2756(ScaledTranslation)
1	1e-06	1e-06	1e-06	1e-06	window.py:2077(ExpandingGroupby)
2	1e-06	5e-07	1e-06	5e-07	grouper.py:364(labels)
2	1e-06	5e-07	1e-06	5e-07	grouper.py:518(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	ops.py:218(<listcomp>)
1	1e-06	1e-06	1e-06	1e-06	ops.py:840(SeriesSplitter)
1	1e-06	1e-06	1e-06	1e-06	engines.py:19(NumExprClobberingError)
1	1e-06	1e-06	1e-06	1e-06	ops.py:38(UndefinedVariableError)
1	1e-06	1e-06	1e-06	1e-06	ops.py:451(Div)
1	1e-06	1e-06	1e-06	1e-06	ops.py:529(MathCall)
1	1e-06	1e-06	1e-06	1e-06	ops.py:545(FuncNode)
1	1e-06	1e-06	1e-06	1e-06	parsers.py:3595(FixedWidthFieldParser)
1	1e-06	1e-06	1e-06	1e-06	json.py:137(FrameWriter)
1	1e-06	1e-06	1e-06	1e-06	packers.py:753(Packer)
1	1e-06	1e-06	1e-06	1e-06	packers.py:769(Unpacker)
1	1e-06	1e-06	1e-06	1e-06	packers.py:787(Iterator)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:9(ExtType)
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:1(UnpackException)
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:31(Pack ValueError)
1	1e-06	1e-06	1e-06	1e-06	parquet.py:76(PyArrowImpl)
1	1e-06	1e-06	1e-06	1e-06	parquet.py:139(FastParquetImpl)
1	1e-06	1e-06	1e-06	1e-06	pickle_compat.py:144(Unpickler)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:131(AttributeConflictWarning)
3	1e-06	3.333e-07	1e-06	3.333e-07	pytables.py:1580(set_pos)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:1902(set_data)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2282(GenericDataIndexableCol)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2817(LegacyFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2827(LegacySeriesFixed)

1	1e-06	1e-06	1e-06	1e-06	pytables.py:2836(LegacyFrameFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2870(SparseFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2883(SparseSeriesFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:2907(SparseFrameFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:3026(FrameFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:3031(PanelFixed)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:3855(WORMTable)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:4344(AppendableMultiSeriesTable)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:62(Constant)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:229(FilterBinOp)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:292(JointFilterBinOp)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:301(ConditionBinOp)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:349(JointConditionBinOp)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:358(UnaryOp)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:485(Expr)
1	1e-06	1e-06	1e-06	1e-06	pytables.py:574(TermValue)
3	1e-06	3.333e-07	1e-06	3.333e-07	expr.py:218(disallow)
1	1e-06	1e-06	1e-06	1e-06	expr.py:719(PythonExprVisitor)
1	1e-06	1e-06	1e-06	1e-06	stata.py:472(PossiblePrecisionLoss)
1	1e-06	1e-06	1e-06	1e-06	stata.py:482(ValueLabelTypeMismatch)
1	1e-06	1e-06	1e-06	1e-06	stata.py:493(InvalidColumnName)
1	1e-06	1e-06	1e-06	1e-06	stata.py:596(StataValueLabel)
1	1e-06	1e-06	1e-06	1e-06	stata.py:840(StataParser)
1	1e-06	1e-06	1e-06	1e-06	stata.py:2487(StataStrLWriter)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2326(TestSubDict)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2946(SubclassedSparseSeries)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2958(SubclassedSparseDataFrame)
1	1e-06	1e-06	1e-06	1e-06	testing.py:2970(SubclassedCategorical)
1	0	0	1e-06	1e-06	sre_parse.py:287(seek)
1	0	0	1e-06	1e-06	threading.py:254(_is_owned)
1	0	0	1e-06	1e-06	index_tricks.py:296(__init__)
1	0	0	1e-06	1e-06	calendar.py:135(__init__)
1	0	0	1e-06	1e-06	base.py:3806(_coerce_to_ndarray)
1	0	0	0	0	~:0(<method 'values' of 'mappingproxy' objects>)
1	0	0	0	0	~:0(<method '__enter__' of '_thread.lock' objects>)
1	0	0	0	0	~:0(<built-in method _stat.S_ISREG>)
1	0	0	0	0	~:0(<built-in method time.time>)
1	0	0	0	0	copyreg.py:22(constructor)
1	0	0	0	0	_globals.py:32(ModuleDeprecationWarning)
1	0	0	0	0	_globals.py:46(VisibleDeprecationWarning)
9	0	0	0	0	_globals.py:77(__repr__)
1	0	0	0	0	_distributor_init.py:10(<module>)

2	0	0	0	0	multiarrray.py:77(empty_like)
1	0	0	0	0	_iotools.py:486(ConversionWarning)
2	0	0	0	0	multiarrray.py:635(result_type)
1	0	0	0	0	pathlib.py:514(_WildcardSelector)
1	0	0	0	0	pathlib.py:961(PurePosixPath)
1	0	0	0	0	pathlib.py:1446(PosixPath)
1	0	0	0	0	pathlib.py:1453(WindowsPath)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	parse.py:323(ParseResult)
1	0	0	0	0	parse.py:329(DefragResultBytes)
1	0	0	0	0	parse.py:337(SplitResultBytes)
1	0	0	0	0	parse.py:342(ParseResultBytes)
1	0	0	0	0	pickle.py:64(PickleError)
1	0	0	0	0	pickle.py:68(PicklingError)
1	0	0	0	0	numbers.py:12(Number)
1	0	0	0	0	numeric.py:81(ComplexWarning)
1	0	0	0	0	_exceptions.py:100(_UFuncOutputCastingError)
1	0	0	0	0	_exceptions.py:119(TooHardError)
1	0	0	0	0	_exceptions.py:142(_ArrayMemoryError)
2	0	0	0	0	arrayprint.py:452(_recursive_guard)
1	0	0	0	0	arrayprint.py:842(FloatingFormat)
1	0	0	0	0	arrayprint.py:992(LongFloatFormat)
1	0	0	0	0	arrayprint.py:1158(BoolFormat)
1	0	0	0	0	arrayprint.py:1197(ComplexFormat)
1	0	0	0	0	arrayprint.py:1204(LongComplexFormat)
1	0	0	0	0	arrayprint.py:1270(TimedeltaFormat)
1	0	0	0	0	arrayprint.py:1275(SubArrayFormat)
1	0	0	0	0	arrayprint.py:1322(StructureFormat)
1	0	0	0	0	getlimits.py:34(MachArLike)
1	0	0	0	0	__init__.py:164(c_ushort)
1	0	0	0	0	__init__.py:168(c_long)
1	0	0	0	0	__init__.py:181(c_int)
1	0	0	0	0	__init__.py:185(c_uint)
1	0	0	0	0	__init__.py:193(c_double)
1	0	0	0	0	__init__.py:197(c_longdouble)
1	0	0	0	0	__init__.py:218(c_ubyte)
1	0	0	0	0	__init__.py:225(c_byte)
1	0	0	0	0	__init__.py:230(c_char)
1	0	0	0	0	__init__.py:235(c_char_p)
1	0	0	0	0	__init__.py:241(c_void_p)
1	0	0	0	0	__init__.py:246(c_bool)

1	0	0	0	0	__init__.py:251(c_wchar_p)
1	0	0	0	0	__init__.py:256(c_wchar)
1	0	0	0	0	_endian.py:23(_swapped_meta)
1	0	0	0	0	subprocess.py:57(SubprocessError)
1	0	0	0	0	threading.py:720(BrokenBarrierError)
1	0	0	0	0	threading.py:890(_set_ident)
1	0	0	0	0	threading.py:1207(_DummyThread)
1	0	0	0	0	tokenize.py:219(StopTokenizing)
1	0	0	0	0	polynomial.py:30(RankWarning)
1	0	0	0	0	shutil.py:58(SameFileError)
1	0	0	0	0	shutil.py:61(SpecialFileError)
1	0	0	0	0	shutil.py:65(ExecError)
1	0	0	0	0	shutil.py:68(ReadError)
1	0	0	0	0	shutil.py:71(RegistryError)
1	0	0	0	0	polyutils.py:61(RankWarning)
1	0	0	0	0	polyutils.py:65(PolyError)
1	0	0	0	0	random.py:690(seed)
1	0	0	0	0	core.py:91(MaskedArrayFutureWarning)
1	0	0	0	0	core.py:162(MAError)
1	0	0	0	0	core.py:170(MaskError)
1	0	0	0	0	core.py:825(__init__)
1	0	0	0	0	extras.py:303(_fromnxfuction_args)
1	0	0	0	0	argparse.py:641(RawDescriptionHelpFormatter)
1	0	0	0	0	argparse.py:663(ArgumentDefaultsHelpFormatter)
1	0	0	0	0	argparse.py:680(MetavarTypeHelpFormatter)
1	0	0	0	0	argparse.py:733(ArgumentTypeError)
1	0	0	0	0	argparse.py:868(_StoreConstAction)
1	0	0	0	0	argparse.py:891(_StoreTrueAction)
1	0	0	0	0	argparse.py:925(_AppendAction)
1	0	0	0	0	argparse.py:988(_CountAction)
1	0	0	0	0	argparse.py:1056(_ChoicesPseudoAction)
1	0	0	0	0	argparse.py:1565(_MutuallyExclusiveGroup)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	utils.py:47(KnownFailureException)
1	0	0	0	0	utils.py:1874(IgnoreException)
1	0	0	0	0	decorators.py:99(skipif)
1	0	0	0	0	exceptions.py:27(InvalidTimeError)
1	0	0	0	0	exceptions.py:31(AmbiguousTimeError)
2	0	0	0	0	lazy.py:144(LazySet)
1	0	0	0	0	inspect.py:2386(_empty)
1	0	0	0	0	client.py:1411(HTTPException)
1	0	0	0	0	client.py:1416(NotConnected)

1	0	0	0	0	client.py:1419(InvalidURL)
1	0	0	0	0	client.py:1427(UnknownTransferEncoding)
1	0	0	0	0	client.py:1451(CannotSendRequest)
1	0	0	0	0	client.py:1454(CannotSendHeader)
1	0	0	0	0	client.py:1457(ResponseNotReady)
1	0	0	0	0	client.py:1460(BadStatusLine)
1	0	0	0	0	errors.py:8(MessageError)
1	0	0	0	0	errors.py:12(MessageParseError)
1	0	0	0	0	errors.py:16(HeaderParseError)
1	0	0	0	0	errors.py:20(BoundaryError)
1	0	0	0	0	errors.py:24(MultipartConversionError)
1	0	0	0	0	errors.py:41(NoBoundaryInMultipartDefect)
1	0	0	0	0	errors.py:44(StartBoundaryNotFoundDefect)
1	0	0	0	0	errors.py:47(CloseBoundaryNotFoundDefect)
1	0	0	0	0	errors.py:50(FirstHeaderLineIsContinuationDefect)
1	0	0	0	0	errors.py:53(MisplacedEnvelopeHeaderDefect)
1	0	0	0	0	errors.py:56(MissingHeaderBodySeparatorDefect)
1	0	0	0	0	errors.py:61(MultipartInvariantViolationDefect)
1	0	0	0	0	errors.py:64(InvalidMultipartContentTransferEncodingDefect)
1	0	0	0	0	errors.py:67(UndecodableBytesDefect)
1	0	0	0	0	errors.py:76(InvalidBase64LengthDefect)
1	0	0	0	0	errors.py:81(HeaderDefect)
1	0	0	0	0	errors.py:87(InvalidHeaderDefect)
1	0	0	0	0	errors.py:90(HeaderMissingRequiredValue)
1	0	0	0	0	errors.py:104(ObsoleteHeaderDefect)
1	0	0	0	0	socket.py:130(_GiveupOnSendfile)
1	0	0	0	0	calendar.py:532(LocaleHTMLCalendar)
1	0	0	0	0	uu.py:39(Error)
1	0	0	0	0	ssl.py:221(CertificateError)
1	0	0	0	0	_parser.py:1368(_attr)
1	0	0	0	0	six.py:322(Module_six_moves_urllib_parse)
1	0	0	0	0	six.py:457(Module_six_moves_urllib_robotparser)
1	0	0	0	0	__init__.py:16(DeprecatedTzFormatWarning)
1	0	0	0	0	isoparser.py:43(__init__)
1	0	0	0	0	typing.py:1234(_TypingEmpty)
1	0	0	0	0	typing.py:1241(_TypingEllipsis)
1	0	0	0	0	typing.py:1279(Tuple)
1	0	0	0	0	typing.py:1355(Callable)
1	0	0	0	0	typing.py:1698(_Protocol)
1	0	0	0	0	typing.py:1718(Awaitable)
1	0	0	0	0	typing.py:1725(Coroutine)
1	0	0	0	0	typing.py:1734(AsyncIterable)

1	0	0	0	0	typing.py:1737(AsyncIterator)
1	0	0	0	0	typing.py:1749(Iterator)
1	0	0	0	0	typing.py:1816(Container)
1	0	0	0	0	typing.py:1821(Collection)
1	0	0	0	0	typing.py:1831(AbstractSet)
1	0	0	0	0	typing.py:1840(MutableSet)
1	0	0	0	0	typing.py:1874(MutableSequence)
1	0	0	0	0	typing.py:1878(ByteString)
1	0	0	0	0	typing.py:1882(List)
1	0	0	0	0	typing.py:1893(Deque)
1	0	0	0	0	typing.py:1903(Set)
1	0	0	0	0	typing.py:1924(MappingView)
1	0	0	0	0	typing.py:1945(ContextManager)
1	0	0	0	0	typing.py:2004(Dict)
1	0	0	0	0	typing.py:2015(DefaultDict)
1	0	0	0	0	typing.py:2026(Counter)
1	0	0	0	0	typing.py:2040(ChainMap)
1	0	0	0	0	typing.py:2060(Generator)
1	0	0	0	0	typing.py:2169(NamedTuple)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	config.py:69(OptionError)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	generic.py:78(_ABCGeneric)
1	0	0	0	0	__init__.py:10(PerformanceWarning)
1	0	0	0	0	__init__.py:16(UnsupportedFunctionCall)
1	0	0	0	0	__init__.py:23(UnsortedIndexError)
1	0	0	0	0	__init__.py:32(ParserError)
1	0	0	0	0	__init__.py:38(DtypeWarning)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	common.py:26(SettingWithCopyError)
1	0	0	0	0	common.py:30(SettingWithCopyWarning)
1	0	0	0	0	common.py:175(_all_none)
3	0	0	0	0	common.py:201(<genexpr>)
1	0	0	0	0	algorithms.py:1073(SelectNSeries)
1	0	0	0	0	base.py:158(GroupByError)
1	0	0	0	0	base.py:166(SpecificationError)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	offsets.py:1764(BYearBegin)
1	0	0	0	0	offsets.py:1783(YearBegin)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	base.py:144(InvalidIndexError)

1	0	0	0	0	base.py:1396(nlevels)
1	0	0	0	0	numeric.py:167(IntegerIndex)
1	0	0	0	0	range.py:165(_validate_dtype)
1	0	0	0	0	indexing.py:40(_IndexSlice)
1	0	0	0	0	indexing.py:88(IndexingError)
1	0	0	0	0	blocks.py:1957(FloatOrComplexBlock)
1	0	0	0	0	managers.py:376(<dictcomp>)
1	0	0	0	0	format.py:1136(IntArrayFormatter)
1	0	0	0	0	zipfile.py:43(BadZipFile)
1	0	0	0	0	zipfile.py:47(LargeZipFile)
1	0	0	0	0	request.py:648(HTTPDefaultErrorHandler)
1	0	0	0	0	request.py:900(HTTPPasswordMgrWithDefaultRealm)
1	0	0	0	0	request.py:1032(ProxyBasicAuthHandler)
1	0	0	0	0	request.py:1213(ProxyDigestAuthHandler)
1	0	0	0	0	request.py:1611(DataHandler)
1	0	0	0	0	error.py:73(ContentTooShortError)
1	0	0	0	0	accessors.py:269(PeriodProperties)
1	0	0	0	0	__init__.py:523(checkdep_ps_distiller)
1	0	0	0	0	__init__.py:557(checkdep_usetex)
1	0	0	0	0	__init__.py:722(_decode_filesystem_path)
1	0	0	0	0	__init__.py:425(IgnoredKeywordWarning)
1	0	0	0	0	__init__.py:874(GetRealpathAndStat)
1	0	0	0	0	__init__.py:912(__Full)
1	0	0	0	0	__init__.py:2184(_InstanceMethodPickler)
1	0	0	0	0	__init__.py:2507(TimeoutError)
1	0	0	0	0	deprecation.py:6(MatplotlibDeprecationWarning)
1	0	0	0	0	__init__.py:1(<module>)
2	0	0	0	0	rcsetup.py:110(validate_any)
2	0	0	0	0	rcsetup.py:151(deprecate_axes_hold)
2	0	0	0	0	rcsetup.py:277(validate_qt5)
2	0	0	0	0	rcsetup.py:428(validate_aspect)
1	0	0	0	0	pyparsing.py:448(ParseFatalException)
1	0	0	0	0	pyparsing.py:453(ParseSyntaxException)
1	0	0	0	0	pyparsing.py:474(RecursiveGrammarException)
2	0	0	0	0	pyparsing.py:847(<lambda>)
1	0	0	0	0	pyparsing.py:1734(_UnboundedCache)
1	0	0	0	0	pyparsing.py:2802(Token)
1	0	0	0	0	pyparsing.py:2873(_SingleCharLiteral)
1	0	0	0	0	pyparsing.py:2960(CaselessLiteral)
1	0	0	0	0	pyparsing.py:3065(Word)
1	0	0	0	0	pyparsing.py:3234(Char)
1	0	0	0	0	pyparsing.py:3682(GoToColumn)

1	0	0	0	0	pyparsing.py:3708(LineStart)
1	0	0	0	0	pyparsing.py:3774(StringEnd)
1	0	0	0	0	pyparsing.py:3974(_ErrorStop)
1	0	0	0	0	pyparsing.py:4732(ZeroOrMore)
1	0	0	0	0	pyparsing.py:5137(Dict)
1	0	0	0	0	pyparsing.py:6745(LatinB)
1	0	0	0	0	pyparsing.py:6777(Katakana)
1	0	0	0	0	pyparsing.py:6781(Korean)
1	0	0	0	0	pyparsing.py:6801(Devanagari)
1	0	0	0	0	colors.py:1349(NoNorm)
1	0	0	0	0	dates.py:1569(SecondLocator)
1	0	0	0	0	units.py:53(AxisInfo)
1	0	0	0	0	units.py:133(Registry)
1	0	0	0	0	transforms.py:2862(TransformedPatchPath)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	__init__.py:1(<module>)
1	0	0	0	0	common.py:25(NameResolutionError)
1	0	0	0	0	merge.py:1238(_OrderedMerge)
1	0	0	0	0	exceptions.py:5(BufferFull)
1	0	0	0	0	exceptions.py:9(OutOfData)
1	0	0	0	0	exceptions.py:13(UnpackValueError)
1	0	0	0	0	exceptions.py:17(ExtraData)
1	0	0	0	0	exceptions.py:27(PackException)
1	0	0	0	0	_version.py:1(<module>)
1	0	0	0	0	pytables.py:112(PossibleDataLossError)
1	0	0	0	0	pytables.py:116(ClosedFileError)
1	0	0	0	0	pytables.py:120(IncompatibilityWarning)
1	0	0	0	0	pytables.py:141(DuplicateWarning)
1	0	0	0	0	pytables.py:1917(set_metadata)
1	0	0	0	0	pytables.py:3994(LegacyPanelTable)
1	0	0	0	0	pytables.py:23(Scope)
2	0	0	0	0	expr.py:145(_is_type)
1	0	0	0	0	expr.py:260(add_ops)
1	0	0	0	0	sql.py:31(SQLAlchemyRequired)
1	0	0	0	0	sql.py:35(DatabaseError)
1	0	0	0	0	sql.py:938(PandasSQL)

Showing 1 to 3,350 of 3,350 entries